

OMC TOOLS & HARDWARE

212B WILKINSON RD
L6T 4M4












BRAMPTON, ON

(905) 450 0581
info@omctool.com

























PRODUCT CATALOGUE












ITEM	PICTURE	DESCRIPTION	SPECIFICATION	BOX	MASTER
UTIDLI20668		20VX1/2" Compact Brushless Cordless Hammer Drill Combo	Brushless motor Voltage: 20V No-load speed: 0-500/0-2000rpm Max impact rate: 30000bpm Max torque: 66Nm Metal chuck	1	5
UTIRLI2023		20VX2AH Lithium-Ion impact driver Combo 2 Batteries+1 Charger	Brushless Motor Drill voltage:20V Hex shank:1/4" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300bpm Max.torque:1505 in-lb	1	5
UTIWLI2050		20VX369ft-lbs Mid-Torque Cordless Impact Wrench Combo	Brushless motor Voltage: 20V Square drive: 1/2" No-load speed: 0-1200/0-1800/0-2200rpm Impact rate: 0-2400/0-2800/0-3300bpm Fastening torque: 500Nm Nut-Busting torque: 650Nm Integrated LED work light	1	5
UTIWLI2085		20VX627ft-lbs Cordless impact wrench combo	Brushless motor Voltage:20V Square drive:1/2" No-load speed: 0-1600/0-2100/0-2400rpm Impact rate: 0-1500/0-1800/0-2200bpm Fastening torque:850Nm Nut-Busting torque: 1000Nm	1	4
TIWLI2001A1		Lithium-Ion impact wrench (Tool Only)	Brushless Motor Voltage:20V Square Drive:1/2" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300bpm Max.torque:2655 in-lb Integrated work light	1	10
TIWLI2001A1-BC2		20VX4AH Lithium-Ion impact wrench Combo 1Battery+ 1Charger	Brushless Motor Voltage:20V Square Drive:1/2" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300bpm Max.torque:2655 in-lb Integrated work light	1	5
UTOSLI240786		16V Compact brushless cordless drill Combo	Brushless motor Voltage: 16V No-load speed: 0-550/0-2000rpm Max torque: 60Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1	1	4
TCGLI2001		20VX10" Cordless Caulking Gun (Tool Only)	Voltage: 20V Thrust: 3700N Cartridge size: 25.4cm(10") Gluing speed: 0.5-4.4mm/s Trigger: variable speed No load current: 0.35A	1	5












UTBLI20025		20V Cordless Heat Gun Combo	Voltage:20V Temperature:300/550°C Airflow:100/200 L/min Include: 1 Pcs reduction nozzle 1 Pcs reflector nozzle 1 Pcs flat nozzle	1	5
UTAGLI211541		20VX4-1/2" Cordless angle grinder kit(1Battery+1Chager)	Brushless motor Voltage: 20V No-load speed: 3000/6000/9000rpm Variable speed control Disc diameter: 4-1/2" Spindle thread: 5/8"-11UNC	1	4
TDRLI206015		20VX3/8" Lithium-Ion Drive Ratchet (1Battery+1Charger)	Voltage:20V No-load speed:0-250rpm Square drive:3/8" Max torque:65Nm Include: 3 Pcs sockets (13,17,19mm)	1	8
TMGLI20011		20V Cordless Pencil Grinder (1Battery+1Charger)	Voltage: 20V No-load speed: 5000-33000rpm Collet size: 3.2mm Variable speed control With 40pcs accessories include : 5pcs cut off wheel 10pcs files	1	8
TTVLI20101		20V Lithium-ion Tile Vibration Machine(1Battery+1Charger)	Voltage:20V Vibrational frequency:0-10000rpm Adsorption force:50kg Suction Cup Diameter:125mm Speed adjustment:12-speed Charge volts:220-240V~50/60Hz	1	5
TMLI2001A		20V Lithium-Ion multitool Combo (1Battery+1Charger)	Voltage:20V No-load speed:5000-20000rpm Oscillation angle: 3.2° 6 speed adjustment With 1pcs flexible scraper With 1pcs cutting saw blade With 1pcs segment saw blade	1	8
TROSLI2001A		5" Lithium-Ion random orbit sander Combo 1 Battery+1 Charger	Voltage:20V No-load speed:10000/min Bottom bass:125mm With 5pcs sand papers Battery and charger sold separately Packed by color box	1	4
UTSGLI20042		20V Lithium-Ion spray gun Combo (1Battery+1Charger)	Voltage: 20V Spraying pressure: 0.1-0.2Bar Max.flow: 800ml/min Max.viscosity: 120DIN-s Container capacity : 1000ml Adjustable spray amplitude	1	8
UTWS10501		Drywall sander	Voltage:110-120V~50/60Hz Input power:1050W No-load speed:600-2600rpm Grinding pad diameter:8-1/2" Sanding paper diameter:8-7/8" Tube diameter:1-1/4	1	2
UTABLI200281		20V Cordless blower combo (1Battery+1Charger)	Voltage: 20V No-load speed: 18000rpm Max air volume: 2.7m³/min Include: 1 Pcs 2.0Ah battery pack(TFBLI20011) 1 Pcs charger(UTFCLI2001)	1	4
TPWLI20084		20VX362psi Cordless pressure washer combo(1Battery+1Charger)	Voltage: 20V Max pressure: 24.8Bar Flow rate: 2.2L/min Auto stop system 1 Pcs 4.0AH battery (TFBLI2002) 1 Pcs fast charger (TFCLI20411)	1	2












TWLI2038	A blue cordless work lamp with a long handle and a large LED head. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '2700 Lumens', and 'Battery and charger sold separately'.	20V Lithium-Ion Work Lamp (Tool Only)	Voltage:20V LED power dissipation:5W Lumens:270±10% Battery and charger sold separately Packed by double blister	1	12
TWLI20881	A blue cordless work lamp with a long handle and a large LED head. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '2000 Lumens', and '2.0Ah X1'.	Cordless work lamp	Voltage:20V LED power dissipation:22.5W Lumens:2000±10% Ergonomic grip with softgrip The LED lamp head can be swivelled through 130° degrees	1	0
TWLI20258	A blue cordless portable work light with a handle and a large LED head. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '1800 Lumens', and '2.0Ah X1'.	20VX1800 Lumens Cordless portable Work Light (1 Battery+ 1 Charger)	Voltage:20V LED power dissipation:20W With 1pcs 20V 2.0AH battery (TFBLI2001) and 1pcs charge (TFCLI2001E) Lumens:	1	6
TACLI2003	A blue cordless air compressor with a tank and a handle. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '40V', and 'Battery and charger sold separately'.	40VX120psiX1.6 gallons Cordless air compressor (Tool Only)	Powered by two 20V batteries Voltage:20V×2(40V) Tank volume:6L Max. Pressure:120PSI Rate of Flow:98L/min With 3pcs Nozzle set	1	1
TCBNLI5005	A blue cordless brad nailer with a long handle and a magazine. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '50 mm', and '2.0Ah X1'.	Cordless brad nailer	Voltage:20V Nail type: F15~F50 Drive rate: 3 nails/s Magazine capacity: 105pcs Brushless motor Include:	1	4
TLMLI4020	A blue cordless lawn mower with a handle and a cutting deck. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '20"', and 'Battery and charger sold separately'.	40VX20" Lithium-Ion Lawn Mower Combo(Including2X5.0Ah &Dual Charger)	Brushless motor Voltage: 40V(20V+20V) No-load speed: 2800rpm Maximum cutting diameter: 510mm Bag capacity: 60L Cutting height range: 30-80mm Cutting height positions: 8 gears Single lever cutting height adjustment	1	1
TGSLI20851	A blue cordless chain saw with a handle and a chain. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '8"', and '7.5m/s'.	20VX8" Cordless chain saw (1Battery+1Charger)	Brushless Motor Voltage: 20V Bar length: 8"(20cm) Chain speed: 7.5m/s Include: 1 Pcs 8" saw chain 1 Pcs 8" chain saw bar	1	6
UTOSLI240788	A blue cordless 2-piece combo kit with a handle and a chain. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '6"', and '12"', and '7.5m/s'.	Cordless 2 Pcs combo kit	Voltage:20V With 1pcs cordless mini chain saw(TGSLI2068) With 1pcs cordless chain saw(TGSLI20128) Cordless mini chain saw(TGSLI2068):	1	2
TGSLI401682	A blue cordless brushless chain saw with a handle and a chain. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '16"', and '14.5m/s'.	40VX16" Cordless Brushless Chain Saw Combo	Brushless motor Voltage: 40V(20V+20V) Bar length: 16"(40cm) Chain speed: 14.5m/s Quick Chain brake function Auto lubrication	1	2
TGTLI20301	A blue cordless grass trimmer with a handle and a trimmer head. The image shows the tool, a battery, and a charger. Text labels include 'P20S', '2.0Ah X1', and '300mm'.	20VX2.0AH Lithium-Ion grass trimmer Combo 1Battery+1Charger	Voltage:20V No-load speed:8200rpm Cutting diameter:300mm Line dia:1.6mm twisted Line length:5m Edging function Include:	1	0












THTLI20018A		18" Lithium-Ion hedge trimmer (Tool Only)	Voltage:20V Maximum speed :1400rpm Blade length:450mm (18") Maximum cutting diameter:0.71 in Battery and charger not included Packed by color box	1	2
THTLI20461		20V 18" Lithium-Ion hedge trimmer Combo 1Battery+1Charger	Voltage:20V Maximum speed: 2800 spm Blade cutting length: 18" (460mm) Maximum cutting diameter: 18mm Laser-cut blade Include:	1	0
TSSLI203083		20V Cordless gauge straight shear combo (1Battery+1Charger)	Brushless Motor Voltage:20V Cutting diameter:20mm/30mm Include: 1 Pcs oil bottle(empty) 1 Pcs sharpening stone	1	6
TSTLI200285		40V Cordless String Trimmer and brush cutter Combo	Brushless Motor Voltage:40V(20V+20V) No-load speed:0-5000/0-6500rpm Blade cutting diameter:255mm Trimmer cutting diameter :330mm Line dia:2.0mm round	1	1
TVLI20126		20V Cordless Vacuum Cleaner (1Battery+1Charger)	Voltage: 20V Dust capacity: 0.5L Vacuum pressure: >9kpa Include: 1 Pcs 2.0Ah battery pack(TFBLI2001) 1 Pcs fast charger(TFCLI2001E)	1	8
TVLI2006		20V Cordless Vacuum Cleaner (1Battery+1Charger)	Voltage:20V Vacuum pressure(KPa):>9 Kpa Capacity:0.8L Power(W):120W Multiple cyclone Pure copper wire motor HEPA filter	1	6
UTOSLI240789		20V Cordless 3 Pcs combo kit	Voltage: 20V 1 Pcs Cordless impact wrench(TIWL20851) 1 Pcs Cordless angle grinder(UTAGLI21154) 1 Pcs Cordless vacuum cleaner(TVLI201261) Cordless impact wrench(TIWL20851): Brushless motor	1	2
TFBLI20011		2.0Ah Lithium-Ion battery pack	Voltage:20V Volts:20V Lithium-Ion 2.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Packed by color box	1	20
TFBLI20021		4.0Ah Lithium-Ion battery pack	Voltage: 20V Lithium-Ion 4.0Ah battery pack LED battery power indicator One battery fits all P20S multiple tools Packed by color box	1	12
TFBLI20531		5.0Ah Lithium-Ion battery pack	Voltage: 20V Lithium-Ion 5.0Ah battery pack LED battery power indicator One battery fits all P20S multiple tools Packed by color box	1	12
UTFCLI2001		20VX2.0Ah Charger	Input voltage:110-120V~50/60Hz Output voltage:20V Output current:2A Packed by color box	1	0












TFCLI2003A		4A Fast intelligent charger	Voltage:20V Charge current:4A Charges 20V 2.0Ah battery in 0.5Hr Charges 20V 4.0Ah battery in 1Hr Packed by color box	1	20
TGTSC50501		5" Saw Chain	Chain Pitch:1/4" Chain Gauge:0.043" Drive Links: 32 links Suitable for TGSLI2058/TGSLI20581/UTGSLI20581 chain saw	1	50
TGTSC50801		8" Saw chain	Chain Pitch:3/8" Chain Gauge:0.043" Drive Links: 33 links Suitable for TGSLI20851/UTGSLI20851 chain saw Packed by double blister	1	50
TGTSB50501		5" Chain saw bar	Bar Length:5" Suitable for TGSLI2058/TGSLI20581/UTGSLI20581 chain saw Packed by double blister	1	25
TGTSB51603		16" Chain saw bar	Bar Length: 16" Chain Pitch: 3/8" Chain Gauge: 0.043" Drive Links: 56 links Suitable for TGSLI401682/UTGSLI401682 chain saw	1	25
TGTSC51603		16" Saw chain	16" Saw chain Chain Pitch:3/8" Chain Gauge:0.043" Drive Links: 56 links Suitable for TGSLI401682/UTGSLI401682 chain saw	1	50
THT3541		300ML No Nails Adhesive	No nails adhesive White Capacity:300ml/pcs Two years guarantee It is suitable for use in construction and repair applications where a permanent	1	24
THT86S1150		S1X6" Square screwdriver	1pcs screwdriver with 1pcs plastic hanger Cr-V, S1,Round shank Diameter:5.0mm Length:150mm Pack by plastic hanger	12	144
THT86S2150		S2X6" Square screwdriver	1pcs screwdriver with 1pcs plastic hanger Cr-V, S2,Round shank Diameter:6.0mm Length:150mm Pack by plastic hanger	12	144
THT264100		5/32"X4" Slotted screwdriver	1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted : 4.0mm Diameter : 4.0mm Length : 100mm Packed by plastic hanger	12	144
THT21446		5/32"X4" Slotted screwdriver	Cr-V, Round shank Slotted:4.0mm Diameter:4.0mm Length:100mm Packed by poly bag	12	144












THT265075		3/16"X3" Slotted screwdriver	1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted : 5.5mm Diameter : 5.0mm Length : 75mm <u>Packed by plastic hanger</u>	12	144
TSDSL5100		3/16"X4" Slotted screwdriver	Blade material: S2 Tip type: slotted SL5.5(magnetic) Tip size: 5.5mm Blade length: 100mm Blade diameter: 5.0mm <u>Shank type: round</u>	0	0
TSDSL6038		1/4"X1 1/2" Slotted screwdriver	Blade material: S2 Tip type: slotted SL6.5(magnetic) Tip size: 6.5mm Blade length: 38mm Blade diameter: 6.0mm <u>Shank type: round</u>	0	0
TSDSL6125		1/4"X5" Slotted screwdriver	"Blade material: S2 Tip type: slotted SL6.5(magnetic) Tip size: 6.5mm Blade length: 125mm Blade diameter: 6.0mm <u>Shank type: round</u>	12	144
TSDSL6150		1/4"X6" Slotted screwdriver	Blade material: S2 Tip type: slotted SL6.5 (magnetic) Tip size: 6.5mm Blade length: 150mm Blade diameter: 6.0mm <u>Shank type: round</u>	12	144
TSDSL8200		5/16"X8" Slotted screwdriver	Blade material: S2 Tip type: slotted SL8(magnetic) Tip size: 8.0mm Blade length: 200mm Blade diameter: 8.0mm <u>Shank type: round</u>	12	144
THT26PH0075		PH0X3" Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH0, Round shank Diameter : 3.0mm length : 75mm Packed by plastic hanger	12	144
THT26PH1075		PH1X3" Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH1, Round shank Diameter : 5.0mm length : 75mm Packed by plastic hanger	12	144
THT26PH1100		PH1X4" Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH1, Round shank Diameter : 5.0mm length : 100mm Packed by plastic hanger	12	144
TSDPH2038		PH2X 1 1/2" Phillips screwdriver	Blade material: S2 Tip type: phillips PH2(magnetic) Blade length: 38mm Blade diameter: 6.0mm Shank type: round <u>Handle material: three-color ergonomic</u>	0	0
THT26PH2038		PH2X 1 1/2" Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH1, Round shank Diameter : 5.0mm length : 100mm Packed by plastic hanger	12	144












THT22386		PH2X 1 1/2" Phillips screwdriver	CR-V,PH2, Round shank Diameter:6.0mm length:38mm Packed by poly bag	12	144
THT26PH2125		PH2X5" Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH2,Round shank diameter : 6.0mm length : 125mm Packed by plastic hanger	12	144
THT26PH2150		PH2X6" Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH2,Round shank diameter : 6.0mm length : 150mm Packed by plastic hanger	12	144
THT26PH3200		PH3X8" Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH3, Round shank Diameter : 8.0mm length : 200mm Packed by plastic hanger	12	144
THTDC2156		1/4"X5" Slotted Screwdriver	40Cr, Round shank Slotted:6.0mm Diameter:6.0mm Length:125mm Packed by poly bag	12	144
THTDC2166		1/4"X6" Slotted Screwdriver	40Cr, Round shank Slotted:6.0mm Diameter:6.0mm Length:150mm Packed by poly bag	12	144
THTDC2246		PH1X4" Phillips screwdriver	40Cr,PH1, Round shank Diameter:5.0mm length:100mm Packed by poly bag	12	144
THTDC2256		PH2X5" Phillips screwdriver	40Cr,PH2,Round shank diameter:6.0mm length:125mm Packed by poly bag	12	144
THTDC2266		PH2X6" Phillips screwdriver	40Cr,PH2,Round shank diameter:6.0mm length:150mm Packed by poly bag	12	144
TSDLI0403		4V Lithium-Ion cordless screwdriver	Voltage:4V Hex Shank:1/4" No-load speed:240/min Max.torque:4N.m Integrated work light Charge level indicator	10	20
THT250216		2 IN 1 Short Screwdriver set	2 IN 1 Screwdriver set Shank size:6.3X75MM,PH2+SL6 Material:CR-V With 1pcs interchangeable handle Packed by plastic hanger	12	144












THT250226		2 IN 1 Medium Screwdriver set	2 IN 1 Screwdriver set Shank size:5X135MM,PH1+SL5 Material:CR-V With 1pcs interchangeable handle Packed by plastic hanger	12	144
THT250206		2 IN 1 Long Screwdriver set	2 IN 1 Screwdriver set Shank size:6.35X160MM,PH2+SL6 Material:CR-V With 1pcs interchangeable handle Packed by poly bag	12	144
THT2506076		6 IN 1 Screwdriver set	6 IN 1 Screwdriver set 2 pcs two-way bit : 6.35*65mm,PH1+SL5 8.00*75mm,PH2+SL6 2pcs socket : 6mm, 8mm Material:CR-V	18	72
THT250236		18 IN 1 Screwdriver set	18 IN 1 Screwdriver set Shank size:6.35X160MM SL4 SL5 SL6 PH0 PH1 PH2 PZ1 PZ2 T10 T15 T20 T30 H3 H4 H5 H6 S1 S2 Material:CR-V With 1pcs interchangeable handle	12	48
THT250906		9 pcs Interchangeable screwdriver set	Interchangeable screwdriver set Include: 3pcs SL3X65 SL5X65 SL6X65 3pcs PH0X65 PH1X65 PH2X65 1pcs 5X65 tack remover 1pcs 3X65 scratch awl	12	48
THT250FL1206		12 Pcs Flexible shaft screwdriver set	12 Pcs Flexible shaft screwdriver set Material:Cr-V 1Pcs Flexible shaft handle 1Pcs 4-6mm(25mm)bits adaptor 10Pcs 6.35X25mm screwdriver bits: SL5.SL6.SL7.PH1.PH2.PH3.T10.T15.T20.T2	12	48
THTS20206		2pcs screwdriver set	2pcs screwdriver set S2, Round shank SL6.5*6*38mm PH2*6*38mm Packed by plastic hanger	12	72
THTDC250201		2 Pcs screwdriver set	2 pcs screwdriver set TOTAL new design handle Material:40Cr Round blade 1pcs SL6X125mm 1pcs PH2X125mm	10	30
THT250201		2 Pcs screwdriver set	Material:CR-V Round blade 1pcs SL6.5*6*125 1pcs PH2*6*125 Packed by plastic hanger	10	30
THTDC250401		4 pcs screwdriver set	4 pcs screwdriver set TOTAL new design handle Material:40Cr Round blade 1pcs SL5X100mm 1pcs SL6X150mm	10	30
THT250604		4 pcs screwdriver set	4 pcs screwdriver set New design handle Material:CRV Round blade 1pcs SL5.5X100mm 1pcs SL6.5X150mm	10	30












THT250606		6 Pcs Industrial screwdriver set	6 pcs screwdriver set New design handle Material : CR-V Round blade 1pcs SL5.5*5*75 1pcs SL5.5*5*100	5	20
THTDC252601		26 Pcs screwdriver set	26 pcs screwdriver set Material : CR-V Round blade include : 7PCS Slotted screwdriver : SL6*38 ; SL3*75 ; SL5.5*100	2	4
TNSS0701		7Pcs Nut Screwdriver Set	7Pcs Nut Screwdriver Set TOTAL new design handle Size:6mm?7mm?8mm?9mm?10mm?11mm? 12mm Total length 175mm Packed by Double blister	5	20
TACSD30246		24 Pcs ratchet screwdriver set	24 Pcs screwdriver set Include: 16 Pcs 6.35X25mm Screwdriver bit : SL3,SL4,SL5,SL6,SL7,PH1,PH2,PH2,P H3,PZ1,PZ2,T10,T15,T20,T25 7Pcs 1/4" Power sleeve : 25 Pcs screwdriver set	6	24
TACSD30476		47 Pcs T-handle ratchet screwdriver set	35Pcs 6.35X25mm screwdriver bits:SL3 SL4 SL5 SL6 SL7 PH0 PH1X3 PH2X5 PH3X3 PZ0 PZ1 PZ2X2 PZ3X2 T10 T15 T20 T25 T27 T30 T40 H2 H3 H4 H5 H6	6	24
THT250PS0601		6Pcs precision screwdriver set	6PCS precision screwdriver set TOTAL new design handle,New plastic box Include: SL2.0*50,SL2.5*50,SL3.0*50,PH000*50,PH0 0*50,PH0*50 Material:CR-V	12	48
THT250726		7Pcs precision screwdriver set	7PCS precision screwdriver set TOTAL new design handle,New plastic box Incldue:SL2.0*50,SL2.5*50,SL3.0*50,PH00* 50,PH0*50,T6*50,T8*50 Material:CR-V Ergonomic comfort-grip handle	6	120
TACSD30376		37 Pcs precision screwdriver set	37PCS precision screwdriver set 1Pcs handle 1Pcs 4X60mm bits holder 1 PCS sucker 1 PCS triangle 2pcs plastic pry bar	0	0
TACSD30326		32Pcs Industrial precision screwdriver set	32PCS precision screwdriver set 1Pcs Style handle 1Pcs 4X60mm bits holder 30PCS 4X28mm bits: SL1.5,SL2,SL2.5,SL3,SL3.5,SL4,PH000,PH0 0,PH0,PH1,T4,T5,T6,T7,T8,T9,T10,T15,T20, 30pcs 25mm Screwdriver bits	10	120
TACSD10306		30Pcs screwdriver bits set	PZ0-1-2-2-3 PH0-1-2-2-3-4 SL3-4-5-6 T10-15-20-25-27-30-40 H3-4-5-6	10	40
TACSD18306		30pcs 25mm Impact screwdriver bits set	30pcs 25mm impact screwdriver bits PH1-2-2-2-3 SL3-4-5-6-7 PZ1-2-2-2-3 T10-15-20-25-27-30-40 H3-4-5-6	10	40












TACSD3091		9 pcs Screwdriver Bits Set	9 pcs Screwdriver Bits Set PH1,PH2,PH3,SL4.0,SL5.5,SL6.5,PZ1,PZ2 Material:S2 industrial steel with megnetic With 1 pcs bit holder with quick release,Strong magnetic	25	100
THT110606P		6" Combination pliers	Size:6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card	6	36
THT110806P		8" Combination pliers	Size : 8"/200mm Polish and anti-rust oil Two color handle Packed by sliding card	6	36
THT120606P		6" Long nose pliers	Size : 6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card	6	36
THT130606P		6" Diagonal cutting pliers	160mm,6" satin finish TPR two color handle Packed by plastic hanger	6	36
THT130706P		7" Diagonal cutting pliers	Size:7"/180mm Polish and anti-rust oil Two color handle Packed by sliding card	6	36
THT1776P		7" Heavy-duty diagonal cutting pliers	Size:7"/180mm Polish and anti-rust oil Two color handle Packed by sliding card	6	36
THT27816S		8" High leverage heavy-duty diagonal cutting pliers	Size: 8"/200mm Energy saving 30% than normal pliers Material: Cr-V Surface treatment: black finish and polish TPR three color handle for strong grip and comfort	6	36
THT210606		6" Industrial Combination pliers	Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger	6	36
THT210706		7" Industrial Combination pliers	Size 7"/180mm Cr-V,black finish and polish Two color handle Packed by PP hanger	6	36
THT210706S		7" High leverage combination pliers	Size:7"/180mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	6	36












THT210806		8" Industrial Combination pliers	Size: 8"/200mm Cr-V, black finish and polish Two color handle Packed by PP hanger	6	36
THT210806S		8" High leverage combination pliers	Size: 8"/200mm Energy saving 30% than normal pliers Material: Cr-V Surface treatment: black finish and polish TPR three color handle for strong grip and comfort	6	36
THT210906S		9.5" High leverage combination pliers	Size: 9.5"/240mm Energy saving 30% than normal pliers Material: Cr-V Surface treatment: black finish and polish TPR three color handle for strong grip and comfort	6	36
THT27716		7" Heavy-duty diagonal cutting pliers	Size: 7"/180mm Cr-V, black finish and polish Two color handle Packed by PP hanger	6	36
THTMF186		8" 8-in-1 Multi-function Combination plier	8-in-1 Multi-function combination pliers Size: 8"/200mm Material: Cr-V Surface treatment: teflon coating Multi-purpose built let you complete more tasks with one tool	6	36
THT27716S		7" High leverage heavy-duty diagonal cutting plier	Size: 7"/180mm Energy saving 30% than normal pliers Material: Cr-V Surface treatment: black finish and polish TPR three color handle for strong grip and comfort	6	36
THTC510956		9.5" Energy Saving Compound action combination plier	Size: 9.5"/240mm Energy saving 65% than normal pliers Material: Cr-V Surface treatment: teflon coating TPR three color handle for strong grip and comfort	6	36
THTC530906		9" Energy Saving Compound action diagonal cutting plier	Size: 9"/228mm Energy saving 65% than normal pliers Material: Cr-V Surface treatment: teflon coating TPR three color handle for strong grip and comfort	6	36
THT220606S		6" High leverage long nose pliers	Size: 6"/160mm Cr-V, black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	6	36
THT220806		8" Industrial Long nose pliers	Size: 8"/200mm Cr-V, black finish and polish TPR two color handle Packed by PP hanger	6	36
THT220806S		8" High leverage long nose pliers	Size: 8"/200mm Energy saving 30% than normal pliers Material: Cr-V Surface treatment: black finish and polish TPR three color handle for strong grip and comfort	0	0












THT230606		6" Industrial Diagonal cutting pliers	Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger	6	36
THT230606S		6" High leverage diagonal cutting pliers	Size:6"/160mm Cr-V,black finish and polish TPR two color handle Saving 30% strength than normal pliers Packed by PP hanger	6	36
THT230706		7" Industrial Diagonal cutting pliers	Size:7"/180mm Cr-V,black finish and polish Two color handle Packed by PP hanger	6	36
THT230706S		7" High leverage diagonal cutting pliers	Size: 7"/180mm Energy saving 30% than normal pliers Material: Cr-V Surface treatment: black finish and polish TPR three color handle for strong grip and comfort	0	0
THT230612		Plastic cutting pliers	Size : 6"/160mm Black finish and polish With plastic handle Packed by sliding card	6	36
THT1466P		6" Bent nose pliers	Size:6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card	6	36
THT24616		6" Industrial Bent nose pliers	Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger	6	36
THT260606		6" Industrial End cutting pliers	Size : 6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger	6	36
THT260702		7" End cutting pliers	Size : 7"/180mm Cr-V,black finish and polish Packed by PP hanger	6	36
THT210102		10" Fencing pliers	Size: 10"/250mm Designed for heavy-duty wire cutting Standard or flush cutting edges Angled head for offset cutting Black finish and polish Packed by half double blister	6	36
THT210122		12" Fencing pliers	Size : 12"/300mm Black finish and polish Packed by half double blister	6	36












THT2K0205		2pcs Cr-V Pliers set	Size : 8" Combination pliers 7" Diagonal cutting pliers Cr-V,black finish and polish TPR two color handle Packed by sliding card	5	20
THT2K0301		3pcs Cr-V Pliers set	Size : 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Cr-V,black finish and polish Two color handle	5	20
THT2K0302		3pcs insulated pliers set	Size: 8" Insulated Combination pliers 6" Insulated Long nose pliers 6" Insulated Diagonal cutting pliers Cr-V,black finish and polish Insulated handle	5	20
THT2K0301S		3pcs High leverage pliers	Size : 8" High leverage combination pliers 7" High leverage diagonal cutting pliers 6" High leverage long nose pliers Cr-V,black finish and polish TPR three color handle	5	20
THT2K0456		4pcs industrial Cr-V Pliers set	Cr-V,black finish and polish Size : 8" High leverage combination pliers 6" High leverage diagonal cutting pliers 6" High leverage long nose pliers Saving 30% strength than normal pliers	5	20
THT114041		4Pcs 7" circlip pliers set	4Pcs circlip plier set 2pcs of 180°,2pcs of 90° Size:7"/180mm Carbon steel Packed by double blister	5	30
THTJ214041		4pcs 7" Industrial circlip plier set	4Pcs Circlip Plier Set 2pcs of 180°,2pcs of 90° Size:7"/180mm Diameter:1.8mm Carbon steel Packed by double blister	5	30
THTJ214042		4pcs 5" circlip plier set	4Pcs Circlip Plier Set 2pcs of 180°,2pcs of 90° Size:5"/150mm Diameter:1.3mm Carbon steel Packed by double blister	5	30
THTMN156		4.5" Mini combination pliers	Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card	12	120
THTMN256		4.5" Mini long nose pliers	Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card	12	120
THTMN356		4.5" Mini diagonal cutting pliers	Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card	12	120












THTMN656		4.5" Mini round nose pliers	Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card	12	120
THTMN756		4.5" Mini needle nose pliers	Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card	12	120
THTMN856		4.5" Mini flat nose pliers	Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card	12	120
THT2881		8" Concretor's pliers	Size : 8"/200mm Cr-V,black finish and polish With plastic handle Packed by PP hanger	6	36
THT2891		9" Concretor's pliers	Size : 9"/228mm Cr-V,black finish and polish With plastic handle Packed by PP hanger	6	36
THT28101		10" Concretor's pliers	Size : 10"/250mm Cr-V,black finish and polish With plastic handle Packed by PP hanger	6	36
THT290801		8" Carpenter pliers	Size : 8"/200mm Cr-V,black finish and polish With plastic handle Packed by PP hanger	6	36
THT118062		6" Slip joint pliers	Size:6"/160mm Black finish and polish Packed by PP hanger	6	36
THT118082		8" Slip joint pliers	Size : 8"/200mm Black finish and polish Packed by PP hanger	6	36
THT118102		10" Slip joint pliers	Size : 10"/250mm Black finish and polish Packed by PP hanger	6	36
THT190703		7" Curved jaw locking plier	Carbon steel Size: 7" Openings range: 0-38mm Same function as THT190701 HRC38°-HRC48° Nickel plated	6	36












THT19902		9" Long nose locking plier	Carbon steel Size: 9" Openings range: 0-60mm Same function as THT19901 HRC38°-HRC48° Nickel plated	5	30
THT191001		10" Industrial Curved jaw lock plier	Cr-V Size: 10" Openings range: 0-50mm HRC45-HRC60 Nickel plated Packed by half double blister	5	30
THT191002		10" Straight jaw plier	Carbon Steel Size: 10" Same function as THT191005 HRC38°-HRC48° Nickel plated Packed by half double blister	5	30
THT191005		10" Industrial Straight jaw plier	Cr-V Size: 10" HRC52-HRC60 Nickel plated With plastic handle Packed by half double blister	5	30
THT1921003		10" Welding Plier	Carbon steel Size: 10" Openings range: 0-42mm Nickel plated Weight: 592g Same function as THT1921001	6	36
THT111113		11" C-clamp locking plier	Carbon steel Size: 11" Openings range: 0-95mm Weight: 710g Nickel plated Same function as THT111112	5	20
THT25616		6" Wire stripping pliers	Size: 6"/160mm Cr-V, black finish and polish Two color handle Packed by PP hanger	6	36
THT15606		7" Wire stripper	Size: 175*85mm Stripper diameter: 0.5mm~6mm With cutting function PP covered TPR handle 65Mn material blade Packed by double blister	12	48
THT1591		7" Wire stripper	Size: 7"/180mm Blade material: 65Mn Zinc alloy Pack by double blister	12	48
THT15851		8.5" Wire stripper and cutter	Size: 8.5"/215mm With sharp edge for cutting wire With push down wire function With wire stripping function Can strip seven kinds of wire size Can cut five kinds of copper screw size	12	72
THT15101		10" Wire stripper and cutter	Size: 10"/254mm With sharp edge for cutting wire With push down wire function With wire stripping function Can strip six kinds of wire size Can cut five kinds of copper screw size	12	72












THT15246		Automatic wire stripper (Cutting, Stripping, Crimping)	3 in 1 multi-function Stripping, cutting and crimping Stripping wires range: 10AWG~24AWG(0.2~6mm ²) Cutting function: copper and aluminum wires Crimping function:	12	48
THT152429		(4 in 1) Automatic wire stripper and voltage detector	Intelligent voltage-detecting stripper Non-contact voltage detection; stripping, cutting and crimping Stripping wires range: 10AWG~24AWG(0.2~6mm ²) Cutting function: copper and aluminum wires	12	48
THCPJ0506		Ratchet crimping plier (0.5-6mm²) for Insulated	Crimping range : 0.5-6mm ² For insulated terminals and butt connectors AWG: 20-10 Length : 9" Unique Design ABS handle Pressure force can be adjusted, fit for	10	40
THCPC0506		Ratchet crimping plier (0.5-6mm²) for Non- Insulated	Crimping range : 0.5-6mm ² For Non-insulated tabs and receptacles AWG: 20-14 Length : 9" Unique Design ABS handle Pressure force can be adjusted, fit for	10	40
THCPL1506		Ratchet crimping plier (1.5-6mm²)	Crimping range : 1.5-6mm ² For non-insulated terminals AWG: 20-8 Length : 9" Unique Design ABS handle Pressure force can be adjusted, fit for	10	40
THCPG2510		Ratchet crimping plier (0.25-10mm²)	Crimping range : 0.25-10mm ² For tubular bare terminals and pre-insulated terminals AWG: 23-7 Length : 6" Unique design handle	10	40
THTM7386D		80z. Mini-stubby Claw hammer	Weight: 8oz hammerhead same like 8oz Claw hammer Drop-forged hammerhead Heat treatment, 45# carbon steel TOTAL Style Fiberglass handle	6	48
THT7386		80z Claw hammer	Weight: 8oz/220g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle Packed by label	6	36
THTCH0086		80z Unique Design Claw hammer	Weight: 8oz/220g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle TOTAL Style hammerhead Packed by label	6	36
THCH61016		16Oz Claw hammer	Weight: 16oz/450g Magnetic nail function Innovated drop-forged hammer head Heat treatment, 45# carbon steel Strong three-color fiberglass handle for comfortable grip	6	18
THCH61020		20Oz Claw hammer	Weight: 20oz/560g Magnetic nail function Innovated drop-forged hammer head Heat treatment, 45# carbon steel Strong three-color fiberglass handle for comfortable grip	0	0












THTW7308		8OZ Claw hammer(Wooden Handle)	Weight:8oz/220g 45# carbon steel Drop-forged Heat treatment hardwood handle Packed by Label	6	36
THTW7316		16Oz Claw hammer(Wooden Handle)	Weight: 16oz/450g 45# carbon steel Drop-forged Heat treatment hardwood handle Packed by Label	6	18
THCH61016L		16Oz Industrial Claw hammer	Weight:16oz/450g Length:345mm Magnetic nail function Innovated overall forged drop-forged hammer head Heat treatment,45# carbon steel	6	12
THT7143206		20Oz Industrial Claw hammer	Weight:20oz/560g Unique design handle All steel drop-forged claw hammer Heat treatment Packed by paper card	6	12
THTRH6006		600G Roofing hammer	Weight : 600g Magnetic nail Function Deslitching treatment Heat treatment Unique design Handle drop-forged roofing hammer Head	6	18
THT76816		8Oz Black Rubber Mallet	Weight:8oz/220g TOTAL Style Fiberglass handle Packed by label	10	40
THRUH6816		16Oz Black Rubber Mallet	Weight:16oz/450g Rubber hammerhead Non-spark Non-marring plastic faces Protect workpiece surface Unique design fiberglass handle	0	0
THT762416		24Oz Black Rubber Mallet	Weight:24oz/660g Rubber hammerhead Unique design fiberglass handle Packed by label	6	24
THT763216		32Oz Black Rubber Mallet	Weight:32oz/900g Rubber hammerhead Unique design fiberglass handle Packed by label	6	24
THT76836		8Oz White Rubber Mallet	Weight:8oz/220g Natural rubber hammerhead,soft type Non-spark Non-marring plastic faces Protect work piece surface Unique design fiberglass handle	10	40
THRUH6916		16Oz White Rubber Mallet	Weight:16oz/450g Natural rubber hammerhead,soft type Non-spark Non-marring plastic faces Protect work piece surface Unique design fiberglass handle	0	0












THT762436		24Oz White Rubber Mallet	Weight:24oz/660g Natural rubber,soft type Unique design fiberglass handle Packed by label	6	24
THT763236		32Oz White Rubber Mallet	Weight:32oz/900g Natural rubber,soft type Unique design fiberglass handle Packed by label	6	24
THDBM06028		2LB Dead Blow Mallet	Weight: 2LB Dead blow mallet Non-marring plastic faces Non-rebounding Non-spark Unique design fiberglass handle	6	24
THRUH6940		Rubber and plastic hammer	Hammer diameter:40mm Soft face Protect workpiece surface Strong three-color fiberglass handle for comfortable gripe Packed by label	0	0
THT74166		16Oz Ball pein hammer(Fiberglass Handle)	Weight:16oz/450g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label	6	18
THRBPH0166		16Oz Unique Design Ball pein hammer(Fiberglass Handle)	Weight:16oz/450g Weight:16oz/450g 45# carbon steel Drop-forged Heat treatment Unique design Fiberglass handle Unique design hammerhead	6	18
THBPH61024		24oz Ball pein hammer with fiberglass handle	Weight:24oz/660g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	6	18
THBPH61032		32Oz Ball pein hammer(Fiberglass Handle)	Weight:32oz/900g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	0	0
THT74486		48Oz Ball pein hammer(Fiberglass Handle)	Weight:48oz/1300g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label	6	12
THTW7416		16Oz Ball pein hammer(Wooden Handle)	Weight:16oz/450g 45# carbon steel Drop-forged Heat treatment hardwood handle Packed by Label	6	18
THTW7424		24Oz Ball pein hammer(Wooden Handle)	Weight:24oz/660g 45# carbon steel Drop-forged Heat treatment hardwood handle Packed by Label	6	18












THMH621000		35Oz Machinist hammer	Weight:1000g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	0	0
THMH62200		7oz Machinist hammer	Weight:200g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	6	48
THT79026		2LB Sledge hammer	Weight:2LB Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label	6	12
THT79036		3LB Sledge hammer	Weight:3LB Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label	6	12
THSLH6104		4LB Sledge hammer	Weight:4LB Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	4	8
THT75086		8LB Sledge hammer	Weight:8LB 45# carbon steel Drop-forged hammerhead Heat treatment Two color 900mm Fiberglass handle Packed by label	0	4
THT750416		10LB Sledge hammer	Weight:10LB 45# carbon steel Drop-forged Heat treatment TOTAL Style 900mm Fiberglass handle Packed by label	0	4
THT75110D		10LB Sledge Hammer(converse handle)	Sledge Hammer(converse handle) Weight:10lb converse handle Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design Fiberglass handle	0	4
THSM61598		12LB Sledge hammer with fiberglass handle	Weight:12LB Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	0	4
THTSTH10006		350g Stoning hammer	Weight:1000g 45# carbon steel Drop-forged Heat treatment Unique design Fiberglass handle Unique design hammerhead Packed by label	6	12
THTSTH15006		530g Stoning hammer	Weight:1500g 45# carbon steel Drop-forged Heat treatment Unique design Fiberglass handle Unique design hammerhead Packed by label	4	12












THT72056D		11LB Stoning hammer (converse handle)	Stoning hammer (converse handle) Weight:5000g converse handle Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design Fiberglass handle	0	4
THT101063		6" Adjustable wrench	Length:150mm(6") Adjustable clamp size:0-24mm Packed by paper card	10	120
THT101083		8" Adjustable wrench	Length:200mm(8") Adjustable clamp size:0-29mm Packed by paper card	6	36
THT1010103		10" Adjustable wrench	Length:250mm(10") Adjustable clamp size:0-35mm Packed by paper card	6	24
THT1010123		12" Adjustable wrench	Length:300mm(12") Adjustable clamp size:0-40mm Packed by paper card	6	24
THT1010153		15" Adjustable wrench	Length:375mm(15") Adjustable clamp size:0-46mm Material : 45# Carbon steel Packed by paper card	2	16
THT1010183		18" Adjustable wrench	Length:450mm(18") Adjustable clamp size:0-55mm Material:45# Carbon steel Packed by paper card	0	12
THTK1013		3 Pcs adjustable wrench set (6"+8"+10")	3 pcs adjustable wrench set Length:150mm(6")/200mm(8")/250mm(10") Adjustable clamp size:6" 0-24mm/8" 0-29mm/10" 0-35mm Material: Carbon steel Drop forged	5	20
THT101066		6" Adjustable wrench with rubber handle	TOTAL Style Handle Length:150mm(6"),CrV Adjustable clamp size:0-24mm Two color rubber handle Packed by plastic hanger	6	60
THT101086		8" Adjustable wrench with rubber handle	TOTAL Style Handle Length:200mm(8"),CrV Adjustable clamp size:0-30mm Two color rubber handle Packed by plastic hanger	6	36
THT101106		10" Adjustable wrench with rubber handle	TOTAL Style Handle Length:250mm(10"),CrV Adjustable clamp size:0-35mm Two color rubber handle Packed by plastic hanger	6	24

THT101126		12" Adjustable wrench with rubber handle	Unique design Handle Length:300mm(12"),CrV Adjustable clamp size:0-45mm Two color rubber handle Packed by double blister	4	16
THT170806		8" Pipe wrench (Coated Handle)	Size:8"(200mm) Max clamping diameter:27mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish	6	36
THT171006		10" Pipe wrench (Coated Handle)	Size:10"(250mm) Max clamping diameter:34mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish	6	24
THT171206		12" Pipe wrench (Coated Handle)	Size:12" (300mm) Max clamping diameter:42mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish	3	18
THT171146		14" Pipe wrench (Coated Handle)	Size:14" (350mm) Max clamping diameter:50mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish	3	12
THT171186		18" Pipe wrench (Coated Handle)	Size:18" (450mm) Max clamping diameter:60mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish	2	10
THT171246		24" Pipe wrench (Coated Handle)	Size:24" Max clamping diameter:76mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron	0	4
THT171366		36" Pipe wrench (Coated Handle)	Size:36" Max clamping diameter:85mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron	0	3
THT171486		48" Pipe wrench (Coated Handle)	Size:48" Max clamping diameter:110mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron	0	2
THTAL17146		14" Aluminum Handle Pipe Wrench	Aluminum Handle Light weight Size:14" (350mm) Max clamping diameter:50mm Mobile jaw drop-forged with high quality carbon steel	6	18
THTAL17186		18" Aluminum Handle Pipe Wrench	Size:18" (450mm) Max clamping diameter:60mm Aluminum Handle,easy to use Mobile jaw drop-forged with high quality carbon steel Solid rivet	2	12











THTAL17246		24" Aluminum Handle Pipe Wrench	Size:24" (600mm) Max clamping diameter:76mm Aluminum Handle,easy to use Mobile jaw drop-forged with high quality carbon steel Solid rivet	2	8
THT171102		10" Self adjusting pipe wrench	Size:10"/250mm Clamping diameter:14-40mm Carbon steel black finish and polish Packed by paper card	6	24
THT171142		14" Self adjusting pipe wrench	Size:14"/350mm Clamping diameter:18-52mm Carbon steel black finish and polish Packed by paper card	6	12
THTJ381006		10" Industrial Quick Open Groove Joint Plier	Size:10"/250mm Quick-open type Max clamping open:45mm CrNi,black finish and polish TPR two color handle Packed by PP hanger	6	36
THT281006		10" Groove Joint Plier	Size : 10"/250mm Max clamping open:40mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger	6	36
THT281202		12" Groove Joint Plier	Size : 12"/300mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger	6	36
THT10309328		2PCS Bent wrench set	1 PCS double open end wrench, 9-14mm,15-22mm 1 PCS single open end wrench, 23-32mm Chrome plated TPR two color handle Packed by sliding card	5	20
JDBF1732		Basin wrench 5/16" - 1-1/4"	Length: 300mm/12"Spring loaded jaw Open width: 8-32mmForged steel jaws hardened with aggressive teethIdeal for reaching bath and basin tap nutsElectroplated finish resists corrosionPacked by plastic hanger	10	40
THT53321		Pipe cutter	Copper and aluminum pipe cutter Cutting diameter:3-32mm With high quality blade and aluminum knob Packed by sliding card	12	48
THT531463		2 1/2" Pipe cutter	Copper and aluminum pipe cutter Cutting diameter:14-63mm With high Quality blade and Aluminum knob Packed by double blister	6	18
THT53422		Industrial PVC Pipe cutter	Length:225mm Cutting diameter:3-42mm Material:Aluminum Packed by double blister	4	24












THT53351		PVC Pipe cutter	One time cutting Length:210mm Cutting diameter:3-35mm Material : Aluminum Packed by double blister	12	72
THT11386		8" Mini bolt cutter (TPR Handle)	Size:8" Cr-MO blade Black finish and polish TPR two color handle A lock at the end of handle Packed by sliding card	6	48
THT113126		12" Bolt cutter (TPR Handle)	Size:12" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	20
THT113146		14" Bolt cutter (TPR Handle)	Size:14" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	16
THT113186		18" Bolt cutter (TPR Handle)	Size:18" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	12
THT113246		24" Bolt cutter (TPR Handle)	Size:24" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	6
THT113306		30" Bolt cutter (TPR Handle)	Size:30" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	4
THT113366		36" Bolt cutter (TPR Handle)	Size:36" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	3
THT113426		42" Bolt cutter (TPR Handle)	Size:42" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	2
THT113486		48" Bolt cutter (TPR Handle)	Size:48" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	0	2
THT431142		14" Wrecking Bar	Size (AxBxC) : 14"(350mm)x7/8"(22mm)x1/2"(12.0mm) Oval shank with notch (30°, 68°) Packed by label	0	6

THT431242		24" Wrecking Bar	Size (AxBxC) : 24"(600mm)x1-1/5"(30mm)x16/25"(16.0mm) Oval shank with notch (30°, 68°) Packed by label	0	6
THT431362		36" Wrecking Bar	Size (AxBxC) : 36"(900mm)x1-1/5"(30mm)x16/25"(16.0mm) Oval shank with notch (30°, 68°) Packed by label	0	6
THT431482		48" Wrecking Bar	Size (AxBxC) : 48"(1200mm)x1-1/5"(30mm)x16/25"(16.0mm) Oval shank with notch (30°, 68°) Packed by label	0	4
THBEB08102		8MM&10MM Bending Bar	Size:8mm&10mm Lenth:400mm Material:45# Carbon steel Drop forged and heat treatment Black matte surface Packed by plastic hanger	10	30
THT21809		9" Caulking gun (Light Duty)	9" Caulking gun Iron shank with teeth Length:230mm(9") Thickness: 0.8mm Diameter: 55mm Packed by label	12	24
THT20409		9" Industrial Caulking gun	9" caulking gun Thickness:1.0mm Length: 230mm Diameter:55mm Iron shank with teeth With cutting function	6	24
THT21309		9" Skeleton Caulking gun	9" caulking gun Aluminum handle Double push plate With needle Thickness:2.2mm Length:230mm	12	24
THT21509		9" Industrial Caulking gun	9" caulking gun Strong aluminum handle With rotary function Thickness:1.8mm Length: 230mm Diameter:55mm	12	24
THT20109		9" Aluminum caulking gun	9" aluminum caulking gun Strong aluminum handle Length:230mm Diameter:51mm Packed by Label	4	16
THT20112		12" Aluminum caulking gun	12" aluminum caulking gun Strong aluminum handle Length:300mm Diameter:51mm Packed by Label	4	16
THT20115		15" (600ML) Sausage Caulking Gun	15" aluminum caulking gun Strong aluminum handle Length:380mm Diameter:51mm Packed by Label	4	12











THT111051		Grease Gun	Heavy-Duty Grease Gun Taiwan Quality Capacity : 400CC / 14oz Loading way : 14Oz Cartridge / 400CC Bulk Working Pressure : 4500psi Burst Pressure : 10000psi	0	10
THT111062		Heavy Duty Grease Gun(Dual Piston)	Heavy-Duty Grease Gun Dual piston, high volume performance Delivers Minimum:3oz/40strokes Taiwan Quality Capacity:600CC / 21 Oz Loading way:14Oz Cartridge / 600CC Bulk	0	10
THFND061		6 Pcs folding nut driver set	6 Pcs folding nut driver set Size : 5mm, 6mm, 8mm, 9mm, 10mm, 12mm Material : Cr-V+AL Heat treatment Packed by pp handle	6	24
THT1061846		8PCS Pocket Torx key	8pcs torx key set(Pocket) Size:T9-T40 Material:Cr-V Heat treatment and chrome plate Packed by plastic hanger	12	96
THT106191		9PCS Hex key	9pcs hex key set Material:S2 Size:1.5mm*62.5mm,2mm*76mm,2.5mm*85.5mm,3mm*91mm,4mm*102mm,5mm*118mm,6mm*139mm,8mm*155mm,10mm*177mm.	6	48
THT106192		9PCS Long Hex key	9pcs hex key set Material:Cr-V Size:1.5-10mm Extra-long arm Heat treatment and chrome plate Packed by double blister	6	48
THT106291		9PCS Ball point hex key	9pcs ball point hex key set Material:S2 Size:1.5mm,2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm. Long arm Heat treatment and chrome plate	6	48
THT106292		9PCS Long Ball point hex key	9pcs ball point hex key set Material:Cr-V Size:1.5-10mm Extra-long arm Heat treatment and chrome plate Packed by double blister	6	48
THT106392		9PCS Torx key	9pcs torx key set Material:Cr-V Size:T10-T50 Long arm Heat treatment and chrome plate Packed by double blister	6	48
THHW1531001		3X100MM T-handle hex wrench	T-handle hex wrench Size:3X100 Material:Cr-V Heat treatment and chrome plate Packed by paper card	12	144
THHW1541001		4X100MM T-handle hex wrench	T-handle hex wrench Size:4X100 Material:Cr-V Heat treatment and chrome plate Packed by paper card	12	144












THHW1551501		5X150MM T-handle hex wrench	T-handle hex wrench Size:5X150 Material:Cr-V Heat treatment and chrome plate Packed by paper card	12	144
THHW1561501		6X150MM T-handle hex wrench	T-handle hex wrench Size:6X150 Material:Cr-V Heat treatment and chrome plate Packed by paper card	12	144
THHW15T201001		T20X100 T-handle torx wrench	T-handle torx wrench Size:T20X100 Material:Cr-V Heat treatment and chrome plate Packed by paper card	12	144
THHW15T251001		T25X100 T-handle torx wrench	T-handle torx wrench Size:T25X100 Material:Cr-V Heat treatment and chrome plate Packed by paper card	12	144
THHW15T301501		T30X150 T-handle torx wrench	T-handle torx wrench Size:T30X150 Material:Cr-V Heat treatment and chrome plate Packed by paper card	12	144
THTST12081		1/2" 8MM Hexagonal Socket	1/2" Dr.6pt.socket,8MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12091		1/2" 9MM Hexagonal Socket	1/2" Dr.6pt.socket,9MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12101		1/2" 10MM Hexagonal Socket	1/2" Dr.6pt.socket,10MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12111		1/2" 11MM Hexagonal Socket	1/2" Dr.6pt.socket,11MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12121		1/2" 12MM Hexagonal Socket	1/2" Dr.6pt.socket,12MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12131		1/2" 13MM Hexagonal Socket	1/2" Dr.6pt.socket,13MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200












THTST12141		1/2" 14MM Hexagonal socket	1/2" Dr.6pt.socket,14MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12151		1/2" 15MM Hexagonal Socket	1/2" Dr.6pt.socket,15MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12161		1/2" 16MM Hexagonal Socket	1/2" Dr.6pt.socket,16MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	10	200
THTST12171		1/2" 17MM Hexagonal Socket	1/2" Dr.6pt.socket,17MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	8	160
THTST12181		1/2" 18MM Hexagonal Socket	1/2" Dr.6pt.socket,18MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	8	160
THTST12191		1/2" 19MM Hexagonal Socket	1/2" Dr.6pt.socket,19MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	8	160
THTST12201		1/2" 20MM Hexagonal Socket	1/2" Dr.6pt.socket,20MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	8	160
THTST12211		1/2" 21MM Hexagonal Socket	1/2" Dr.6pt.socket,21MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	8	160
THTST12221		1/2" 22MM Hexagonal Socket	1/2" Dr.6pt.socket,22MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	8	160
THTST12231		1/2" 23MM Hexagonal Socket	1/2" Dr.6pt.socket,23MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120
THTST12241		1/2" 24MM Hexagonal Socket	1/2" Dr.6pt.socket,24MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120












THTST12251		1/2" 25MM Hexagonal Socket	1/2" Dr.6pt.socket,25MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	5	100
THTST12261		1/2" 26MM Hexagonal Socket	1/2" Dr.6pt.socket,26MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	5	100
THTST12271		1/2" 27MM Hexagonal Socket	1/2" Dr.6pt.socket,27MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	5	100
THTST12281		1/2" 28MM Hexagonal Socket	1/2" Dr.6pt.socket,28MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	4	80
THTST12291		1/2" 29MM Hexagonal Socket	1/2" Dr.6pt.socket,29MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	4	80
THTST12301		1/2" 30MM Hexagonal Socket	1/2" Dr.6pt.socket,30MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	4	80
THTST12321		1/2" 32MM Hexagonal Socket	1/2" Dr.6pt.socket,32MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	4	80
THTST12083L		1/2" 8MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,8MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120
THTST12103L		1/2" 10MM Deep Hexagonal Socket	1/2" Deep Dr.6pt.socket,10MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120
THTST12113L		1/2" 11MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,11MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120
THTST12123L		1/2" 12MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,12MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120












THTST12133L		1/2" 13MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,13MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120
THTST12163L		1/2" 16MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,16MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120
THTST12173L		1/2" 17MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,17MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	6	120
THTST12193L		1/2" 19MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,19MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	5	100
THTST12203L		1/2" 20MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,20MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	5	100
THTST12213L		1/2" 21MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,21MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	5	100
THTST12243L		1/2" 24MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,24MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	4	80
THTST12303L		1/2" 30MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,30MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	2	40
THTST12323L		1/2" 32MM Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,32MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger	2	40
THSPS12166		16MM 1/2" Spark Plug Socket	1/2" Spark Plug Socket,16MM Material:CR-V(50BV30), Heat treatment,chromed plated Packed by plastic hanger	6	120
THSPS12216		21MM 1/2" Spark Plug Socket	1/2" Spark Plug Socket,21MM Material:CR-V(50BV30), Heat treatment,chromed plated Packed by plastic hanger	5	80












THT106386		3/8" Industrial ratchet wrench	Size:3/8" 45T Length:205mm Material : CR-V+Cr-Mo Packed by plastic hanger	10	40
THT106126		1/2" Industrial ratchet wrench	Size:1/2" 72T Length:260mm Material : Cr-V+CrMo Heat treatment Packed by plastic hanger	5	20
TAC273651		3PCS Socket Adaptor Set	3pcs/set 1/4", 3/8", 1/2" Shank:1/4" Hex Material:50BV30 Length I:65mm(1/4", 3/8") Length II:73mm(1/2")	25	100
THT121251		25Pcs 1/2" socket set	25Pcs 1/2" Socket set Include: 1Pcs 1/2"Dr Ratchet wrench,45T 18Pcs 1/2"Dr Socket:10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Dr Universal Joint	0	4
THT421441		44PCS (1/4"+1/2") Socket set	44PCS 1/4"+1/2" Socket set Include: 1Pcs 1/4"Dr Ratchet wrench,72T 13Pcs 1/4"Dr Socket:4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm 1Pcs 1/4"Dr Universal Joint	0	4
THT141121		12Pcs 1/2" socket set	12 Pcs 1/2" socket set Include: 10 pcs sockets:10,11,12,13,14,15,17,19,21,24mm 1 pcs 1/2" 72T quick release ratchet handle 1 pcs 5"(125mm) extension bar	5	10
THT14114126		12Pcs 1/4" socket set	12PCS 1/4" Socket set 10pcs 1/4" socket:5-6-7-8-9-10-11-12-13-14mm 1pcs 1/4" 45T quick release ratchet handle 1pcs 1/4 " 100mm extension bar 50BV30 High quality CrV steel	5	20
THT141451		45Pcs 1/4" socket set	45PCS 1/4" Socket set Include: 1Pcs 1/4" Ratchet wrench,45T 13Pcs 1/4"Dr Socket:4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm 1Pcs 1/4" Dr. Universal joint	0	6
THEB12051		5"X1/2" Extension bar	1/2" Extension bar Length: 5"(125mm) Material:50BV30 Heat treatment,chromed plated Packed by plastic hanger	20	60
THTSTB12106		10"x1/2" DR. Sliding T-bar	1/2" DR. Sliding T-bar Size:1/2" Length:10"(250mm) Material:CR-V(50BV30), Heat treatment,chromed plated Packed by plastic hanger	6	30
THTFX12151		1/2" Flexible handle	1/2" Flexible Handle Size:1/2" Length:15"(375mm) Material:CR-V(50BV30), Heat treatment,chromed plated Packed by plastic hanger	6	30












THPTW200N2		Industrial Torque Wrench (Cr-Mo)	Size : 1/2" Length:20" Torque Range : 40-200N.m Tolerance of torque $\pm 4\%$ Material : CRV+CrMo Easy torque-adjusting design	0	6
THTRCW40231		Rapid Cross Wrench	Size:16" With 4 pcs 1/2" Socket:17mm 19mm 21mm 23mm Drop forged and chrome plate Cross save power design provides extra leverage and troque	4	12
THWL1006		10MM L-Angled socket wrench	Size : 10mm Material:CR-V whole body dropfoged non welding Same as FACOM quality level Packed by plastic hanger	10	200
THWL1206		12MM L-Angled socket wrench	Size : 12mm Material:CR-V whole body dropfoged non welding Same as FACOM quality level Packed by plastic hanger	10	100
THWL1306		13MM L-Angled socket wrench	Size:13mm Material:CR-V whole body dropfoged non welding Same as FACOM quality level Packed by plastic hanger	10	100
THWL1406		14MM L-Angled socket wrench	Size : 14mm Material:CR-V whole body dropfoged non welding Same as FACOM quality level Packed by plastic hanger	10	100
THWL1706		17MM L-Angled socket wrench	Size:17mm Material:CR-V whole body dropfoged non welding Same as FACOM quality level Packed by plastic hanger	10	50
THTSW1006		10MM T-Handle socket wrench	Size : 10MM Socket Material:CR-V Length : 200*310mm surface:chrome-plated Packed by Paper card	10	50
THTSW1206		12MM T-Handle socket wrench	Size : 12MM Socket Material:CR-V Length : 200*310mm surface:chrome-plated Packed by Paper card	10	50
THTSW1406		14MM T-Handle socket wrench	Size : 14MM Socket Material:CR-V Length : 200*310mm surface:chrome-plated Packed by Paper card	10	50
THTSW1706		17MM T-Handle socket wrench	Size : 17MM Socket Material:CR-V Length : 200*310mm surface:chrome-plated Packed by Paper card	10	50












THYSW081012		(8-10-12MM) Y-Type Socket Wrench	Size : 8-10-12MM Each bar length:145mm Socket Material:CR-V surface:chrome-plated Packed by Paper card	10	50
THYSW101214		(10-12-14MM) Y-Type Socket Wrench	Size : 10-12-14MM Each bar length:145mm Socket Material:CR-V surface:chrome-plated Packed by Paper card	10	50
TCSPA061		6MM Combination spanner	Size:6mm Length:101mm Material:Cr-V Chrome plated,matt finish Packed by paper card	12	360
TCSPA101		10MM Combination spanner	Size:10mm Length:141mm Material:Cr-V Chrome plated,matt finish Packed by paper card	12	360
TCSPA111		11mm Combination spanner	Size:11mm Length:152mm Material:Cr-V Chrome plated,matt finish Packed by paper card	12	300
TCSPA121		12MM Combination spanner	Size:12mm Length:161mm Material:Cr-V Chrome plated,matt finish Packed by paper card	12	300
TCSPA131		13MM Combination spanner	Size:13mm Length:172mm Material:Cr-V Chrome plated,matt finish Packed by paper card	12	240
TCSPA141		14MM Combination spanner	Size:14mm Length:183mm Material:Cr-V Chrome plated,matt finish Packed by paper card	12	240
TCSPA151		15mm Combination spanner	Size:15mm Length:191mm Material:Cr-V Chrome plated,matt finish Packed by paper card	12	180
TCSPA191		19MM Combination spanner	Size:19mm Length:231mm Material:Cr-V Chrome plated,matt finish Packed by paper card	6	120
TCSPA211		21mm Combination spanner	Size:21mm Length:253mm Material:Cr-V Chrome plated,matt finish Packed by paper card	6	90












TCSPA221		22mm Combination spanner	Size:22mm Length:262mm Material:Cr-V Chrome plated,matt finish Packed by paper card	6	90
TCSPA271		27mm Combination spanner	Size:27mm Length:331mm Material:Cr-V Chrome plated,matt finish Packed by paper card	6	60
THT102286		8Pcs (6-19MM) combination spanner set	8pcs combination spanner set Size:6-19mm 6mm,8mm,10mm,12mm,14mm,15mm,17mm,19mm Fine polished Packed by plastic hanger	5	10
THT1022122		12Pcs (6-32MM) combination spanner set	12pcs combination spanner set Size:6-32mm 6mm,8mm,10mm,12mm,14mm,17mm,19mm,22mm,24mm,27mm,30mm,32mm Fine polished Packed by canvas bag	0	8
THT102386		8Pcs (6-22MM) double open end spanner set	8pcs double open end spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm Fine polished Packed by plastic hanger	5	10
THT1023121		12Pcs (6-32MM) double open end spanner set	12pcs double open end spanner set Size:6-32mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm,21X23mm,24X27mm,25X28mm,30X32mm Fine polished	0	8
THT102RK061		6Pcs (19-32MM) ratchet spanner set	6pcs Ratchet Spanner Set Size:19-32mm 19mm,22mm,24mm,27mm,30mm,32mm Fine polished ,CR-V Packed by canvas bag	0	4
THT102486		8Pcs offset ring spanner set	8pcs offset ring spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm Fine polished	5	10
THT1024121		12Pcs offset ring spanner set	12pcs offset ring spanner set Size:6-32mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm,21X23mm,24X27mm,25X28mm,30X32mm Fine polished	0	8
THT1611		1 TON Chain block	Rating lift weight:1Ton Lift height:3m Number of load chain:1 Hook to hook distance:300 mm Chainpull to lift full load:322.5 N Net weight:9.5kg	0	1
THT1621		2 TON Chain block	Rating lift weight:2Ton Lift height:3m Number of load chain:2 Hook to hook distance:300 mm Chainpull to lift full load:322.5 N Net weight:13.2kg	0	1

THT1631		3 TON Chain block	Rating lift weight:3Ton Lift height:3m Number of load chain:2 Hook to hook distance:300 mm Chainpull to lift full load:322.5 N Net weight:25.5kg	0	1
THT1651		5 TON Chain block	Rating lift weight:5Ton Lift height:3m Number of load chain:2 Hook to hook distance:600 mm Chainpull to lift full load:476N Net weight:35kg	0	1
TCBK0201		1 TON Industrial Chain block	Rating lift weight:1Ton Lift height:3m Number of load chain:1 Hook to hook distance:383 mm Chainpull to lift full load:250 N Net weight:12.2kg	0	1
TCBK0202		2 TON Industrial Chain block	Rating lift weight:2Ton Lift height:3m Number of load chain:1 Hook to hook distance:485mm Chainpull to lift full load:335 N Net weight:19.5kg	0	1
TCBK0203		3 TON Industrial Chain block	Rating lift weight:3Ton Lift height:3m Number of load chain:2 Hook to hook distance:562mm Chainpull to lift full load:385 N Net weight:25.5kg	0	1
TCBK0205		5 TON Industrial Chain block	Rating lift weight:5Ton Lift height:3m Number of load chain:2 Hook to hook distance:688mm Chainpull to lift full load:372 N Net weight:42.5kg	0	1
THSLB0751		0.75Ton Lever chain Hoist	Rating lifting weight:0.75 Ton Lifting height:1.5 m Strands of load chain:1 Minimum distance between two hooks:310 mm Pulling force at full load:210 N	0	1
THSLB1501		1.5Ton Lever chain Hoist	Rating lifting weight:1.5 Ton Lifting height:1.5 m Strands of load chain:1 Minimum distance between two hooks:350 mm Pulling force at full load:236 N	0	1
THSLB6001		6Ton Lever chain Hoist	Rating lifting weight:6 Ton Lifting height:1.5 m Strands of load chain:2 Minimum distance between two hooks:600 mm Pulling force at full load:340 N	0	1
THSLB3001		3Ton Lever chain Hoist	Rating lifting weight: 3 Ton Lifting height:1.5 m Strands of load chain:1 Minimum distance between two hooks:460 mm Pulling force at full load:320 N	0	1
THT109022		2Ton Hydraulic bottle jack	2Ton With safety valve Min. height: 180mm Max. height: 333mm Travel:153mm Net weight:2.5kg	0	6












THT109042		4Ton Hydraulic bottle jack	4Ton With safety valve Min. height: 190mm Max. height: 370mm Travel:180mm Net weight:3.2kg	0	6
THT109062		6Ton Hydraulic bottle jack	6Ton With safety valve Min. height: 210mm Max. height: 410mm Travel:200mm Net weight : 4.1kg	0	4
THT109102		10Ton Hydraulic bottle jack	10Ton With safety valve Min. height: 230mm Max. height: 460mm Travel:230mm Net weight : 5.8kg	0	4
THT109122		12Ton Hydraulic bottle jack	12Ton With safety valve Min. height: 235mm Max. height: 470mm Travel:235mm Net weight : 6.7kg	0	3
THT109202		20Ton Hydraulic bottle jack	20Ton With safety valve Min. height: 240mm Max. height: 460mm Travel:220mm Net weight:8.7kg	0	2
THT109302		30Ton Hydraulic bottle jack	30Ton With safety valve Min. height: 260mm Max. height: 430mm Travel:170mm Net weight : 15.9kg Packed by color box	0	1
THT10821		2Ton Hydraulic floor jack	2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight : 8.5kg Packed by color box	0	1
THT10831		3Ton Hydraulic floor jack (Suitable for SUV)	3Ton Min. height: 150mm Max. height: 530mm Travel:380mm Suitable for SUV car	0	1
THT10832		3Ton Hydraulic floor jack	3Ton Min. height: 135mm Max. height: 410mm Travel:275mm Net weight:16kg Packed by color box	0	1
THT10833		3Ton Quick Lift Hydraulic garage jack	3Ton Min. height:145mm Max. height:500mm Travel: 355mm Net weight:37kg Packed by carton box	0	1
THT10834		3Ton Low Profile Hydraulic floor jack	3Ton Fast lifting ,dual pump Min. height: 85mm Max. height: 515mm Travel: 430mm Net weight:32kg	0	1












THT301251		2.5Ton 22"X46" Hand pallet truck W/PU wheels	Capacity Q:2500kg Fork size B×L:550×1150mm Distance between forks D:230mm Min. fork height H:85mm Max. fork height H1:200mm Steering wheel:Φ200×50mm	0	6
THT302301		3Ton 27"X48" Hand pallet truck W/Nylon wheels	Capacity Q:3000kg Fork size B×L:685×1220mm Nylon wheel Min. fork height H:75mm Max. fork height H1:190mm Steering wheel:Φ180×50mm	0	6
THT13136		3" C clamp	Size:3" Body nodular cast iron T-shaped thread Packed by paper card	6	24
THT13141		4" C clamp	Size:4" Body malleable cast iron T-shaped thread Packed by paper card	6	24
THT13151		5" C clamp	Size:5"/125mm Body malleable cast iron T-shaped thread Packed by paper card	4	16
THT13161		6" C clamp	Size:6" Body malleable cast iron T-shaped thread Packed by paper card	4	16
THT13186		8" C clamp	Size:8" Body nodular cast iron T-shaped thread Packed by paper card	4	8
THT1320501		2"x6" F clamp	Clamp size:50x150mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card	10	50
THT1320502		2"x8" F clamp	Clamp size:50x200mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card	10	50
THT1320503		2"x10" F clamp	Clamp size:50x250mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card	10	50
THT1320801		3"x12" F clamp	Clamp size:80x300mm Max clamp force: 270KGS Thickness and width of iron ruler:6X22mm Diameter of screw thread:13.5mm Packed by paper card	0	20












THT1321201		5"x12" F clamp	Clamp size:120x300mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card	0	10
THT1321202		5"x16" F clamp	Clamp size:120x400mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card	0	6
THT1321203		5"x20" F clamp	Clamp size:120x500mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card	0	6
THT1321204		5"x32" F clamp	Clamp size:120x800mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card	0	6
THT1321401		5 1/2"x40" F clamp	Clamp size:140x1000mm Max clamp force: 550KGS Thickness and width of iron ruler:10X35mm Diameter of screw thread:17.8mm Packed by paper card	0	6
THT13342		4" Spring clamp	Size:4" Length:110mm Clamping force:12KGS Black clip body Max open mouth:50mm Packed by label	60	240
THT13362		6" Spring clamp	Size:6" Length:150mm Clamping force:15KGS Black clip body Max open mouth:68mm Packed by label	30	120
THT1340601		6" Quick bar clamp	Clamp size:63x150mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label	0	12
THT1340602		12" Quick bar clamp	Clamp size:63x300mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label	0	12
THT1340603		18" Quick bar clamp	Clamp size:63x450mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label	0	12
THT1346801		18" Industrial Quick bar clamp	Clamp size:80*450mm Max clamp force:135KGS Thickness and width of iron ruler:6X18mm Packed by label	0	12












THT1346802		24" Industrial Quick bar clamp	Clamp size:80x600mm Max clamp force:135KGS Thickness and width of iron ruler:6X18mm Packed by label	0	8
THT1346803		36" Industrial Quick bar clamps	Clamp size:80x900mm Max clamp force:135KGS Thickness and width of iron ruler:6X18mm Packed by label	0	8
TAMWH25032		3" Magnetic Welding Holder	Pull Force: 25 Lbs Specifications : 3" Angles:45°,90°,135° Material:Magnet and Steel Packed by double blister	6	48
TAMWH50042		4" Magnetic Welding Holder	Magnetic Welding Holder Pull Force: 50 Lbs Specifications : 4" Product Dimensions : 155*102*17.4mm Weight: 591g Angles: 45°,90°,135°	6	30
TAMWH75052		5" Magnetic Welding Holder	Pull Force: 75 Lbs Specifications : 5" Angles:45°,90°,135° Material:Magnet and Steel Packed by double blister	6	18
TAMWH6002		Magnetic welding holder set	Magnetic welding holder 6pcs set Specifications:3"*2pcs;Mini magnet*4pcs Pull Force: 25 Lbs(3"),10Lbs(Mini) Angles:45°,90°,135° Material:Magnet and Steel Packed by double blister	5	20
TAMWH50046		4" Magnetic Welding Holder Set	Pull Force: 50 Lbs Specifications : 4" Angles:30°, 45°, 75°, 105°, 120°, 135° Product Dimensions : 178*90*17.2mm Material:Magnet and Steel Packed by double blister	6	30
TAC38033		3 PCS X 7" Abrasive Mini Brush Set	Size:180mm(7") Plastic handle Three mini cleaning brushes with nylon,brass,and wire bristles Packed by double blister	12	120
THT92102		10" Wire brusher	Length: 250mm, 10" Length with wire: 130mm Wire dia: 0.3mm Wire length: 30mm Apply on: planing, descaling/paint stripping, etching, brushing/dust removal, light	15	60
TAC3804051		11" Steel wire brush (5 rows)	Steel wire brush Material: carbon steel Length: 270mm Plastic handle, 5 rows Packed by double blister	12	120
TAC38051		13-1/2" Steel wire brush (3 rows) with shovel knife	Steel wire brush Length: 340mm Plastic handle, 3 rows With a shovel knife Packed by double blister	12	72












TAC310071		7 Pcs assorted wire brush set	Wire brush 7pcs set Specifications: 1pcs 10" Wire brusher 1pcs 1 "Wire end brushes with shank 1pcs 1.5"Circular grinding wire brush 1pcs 2 "Circular grinding wire brush 1pcs 3"Circular grinding wire brush Size: L34cm* W17cm*H45cm With 1pcs handle bag inside Max load: 8kg Material: polyester oxford 600D Rigid frame for easy opening and access Internal	6	36
THBP0201		Tools Backpack	Size: 13" Rigid frame for easy opening and access external pockets for additional storage capacity Packed by paper card	0	8
THT26131		13" Tools bag	Size: 16" Max load: 15kg L*W*H: 41*29*21cm Rigid frame for easy opening and access Internal & external pockets for additional storage capacity Soft padded form handle for comfort	20	40
THT261625		16" Industrial Tools bag	Size: 16" 21 pcs pockets for tools 1 pcs hanger for measuring tape Material: 600D polyester Max load: 20kg L*W*H: 41*23*32cm Soft padded form handle for comfort	10	20
THT36L01		16" Industrial Tool bag with metal handle(Reinforced Base)	Size: 16" 7 pcs pockets for tools Material: 1680D polyester Max load: 15kg L*W*H: 41*23*22cm Soft padded form handle for comfort	2	4
THT36L03		16" Industrial Tool bag with metal handle(7 Pockets)	Size: 16" 25 pcs pockets for tools Round top geometric construction Material: 600D and 1680D polyester Max load: 20kg L*W*H: 46*23*33cm	0	4
THT561625		16" Industrial Tool bag (25 Pockets)	Size: 24" Material: 600D and 1680D polyester Max load: 25kg L*W*H: 60*23*35cm Rigid frame for easy opening and access Reinforced plastic base for durability	0	4
THT16242		24" Industrial Tool bag(Reinforced Base)	Size: 404*200*205mm 3 Layers Steel thickness : 0.6-0.8mm Packed by label	4	8
THT10702		16" metal Tool box	Plastic Organizer Size: 370mm(15') *290mm(11.4')*65mm(2.5') Can be stacked together Material: PP Removeable dividers packed by carton box	0	1
TPBX1151		15" Plastic Organizer	17" Plastic Tool Box Size : 436mm(17")*220mm (8.7") *205mm(8") Material : PP weight : 1390g PP plastic buckle	5	10
TPBX0171		17" Plastic Tool Box		0	8












THT16P4011		4 Pockets Tools Pouch	Size:L240 × W130mm Material:600D polyeste Max load:5kg with 4pcs pockets Various pockets for tools Packed by paper card	40	80
THT16P3011		6 Pockets Tools Pouch with belt	Size:L290 × W190mm With 1 pcs belt Material:600D polyeste Max load:8kg 1 pcs big pocket for cordless drill 5 pcs Front pockets for drill bits and screws	20	40
THT16P1011		10 Pockets Single tools pouch	Size: L32*W28cm With 10pcs pockets 2 pcs hammer holders Max load: 10kg Material:600D polyester Various pockets for tools	20	40
THT16P20325		12 Pockets Tools pouch with belt	Size: 2 pcs L26*W23cm, 1 pcs L16*W14cm Adjustable belt(92-127cm) 12 pcs pockets 1 pcs hammer holders Max load: 10kgMaterial: 1680D polyester Various pockets for tools	10	20
THT16P2031		14 Pockets Tools pouch with belt	Size: 2 pcs L26*W23cm, 1 pcs L15*W13cm Adjustable belt(92-127cm) 14 pcs pockets 2 pcs hammer holders Max load: 10kg Material: 600D polyester	10	20
TTVT16025		Tool Vest	Size: 48x60x3cm Adjustable shoulder straps and waist size Air mesh material Max load: 3kg Multiple use compartments for all storage needs	0	20
THMFK0156		Multi-function Knife	Multi-function Knife Strong Aluminium Handle Product size:9.5cm With 15 Function 1.Large knife 2.Can opener 3.Phillips screwdriver 4.Leather punch 5.Bottle	12	48
THMFH0126		Multi-function hammer	Multi-function hammer With 12 Function 1.Claw hammer 2.Flat nose Pliers 3.Regular pliers 4.Wire Cutters 5.Large knife 6.Wood Saw 7.Hook remover 8.Phillips Screwdriver 9.Metal File 10.Wood File 11.SL5 Slotted	6	24
TPHSK0401		4Pcs Pick and Hook Set	4Pcs Pick and Hook Set TOTAL new design handle Product List: 1Pcs Full Hook 1Pcs 45-degree 1Pcs 90-degree	12	48
THKTHP90076		7pcs Handtools set	7Pcs Handtools Set Include : 1 Pcs 7" Combination Pliers 1 Pcs Test Pencil (Test voltage : 100-500VAC) 1 Pcs 6" Adjustable Wrench	6	24
THKTHP90096		9pcs handtools set	9pcs handtools set Include: 1pcs 3mx16mm steel measuring tape 1pcs PH1 5x100mm phillips screwdriver 1pcs SL5.5 5x100mm slotted screwdriver 1pcs 8" adjustable wrench	0	10












THTCS12591		59 Pcs Tool Chest Set	59 Pcs Tool Chest Set Include: 12Pcs Combination spanner:8-10-11-12-13-14-15-16-17-18-19-22MM 8Pcs Screwdriver :SL3X75MM,4x100MM,5x125MM,6x100M	0	1
THPTCS70971		97 Pcs Tool Chest Set	97 Pcs Tool Chest Set Chest part: Overall size:520*218*243mm Thickness of Cabinet:0.8mm Thickness of drawer:0.6mm With 1pcs 506*215*63mm Top Tracy Area	0	1
THPTC301		Tool cart with 3 Trays (Industrial grade)	Tool cart Overall size:719*365*663mm Overall with casters size:719*365*780mm Casters size:3"*2" Thickness of cabinet:0.6-0.8mm Thickness of trays:0.6mm	0	1
THRC02071P		27"x18"x38" Industrial Tools roller cabinet 7 Drawers	Roller cabinet With 7 pcs drawers Overall size:680*458*802mm Overall with casters size:680*458*945mm Casters size:5"*2" Thickness of cabinet:0.6-0.8mm	0	1
THPTCS71621		162 Pcs Tool Chest Set	162 Pcs Tool Chest Set Chest part: With 7pcs drawers Overall size : 765x465x812mm Overall with casters size : 765x465x976mm Casters size : 5"*2"	0	1
THKTHP21006		100 Pcs Industrial tools set	100 Pcs Tools Set Include : 1 Pcs 1/2" ratchet wrench,45T 18Pcs 1/2" Hexagonal Socket: 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32MM	0	2
THKTHP21176		117 Pcs tools set	117 Pcs Tools Set Include: 1 Pcs 8Oz Claw hammer 1 Pcs 6" Combination Pliers 1 Pcs 6" Long nose pliers 1 Pcs SL5.5*100 Screwdriver	0	4
THKTHP21306		130 Pcs tools set	130 Pcs Tools Set Include: 1 Pcs 10" Pump Plier 1 Pcs 7" Combination Pliers 1 Pcs 8Oz Claw Hammer 1 Pcs SL5.5*100 Screwdriver	0	4
THKTHP21426		142 Pcs combination tools set	142 Pcs Combination Tools Set Include: 1/2"DR.Part: 19Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-16-17-18-19-20-21-22-23-24-25-27-30-32MM	0	1
THKTV02P041		4 Pcs stackable Pliers set	4 Pcs Pliers set Include : 1 Pcs 8" Combination Pliers 1 Pcs 7" Diagonal Cutting Pliers 1 Pcs 6" Long Nose Pliers 1 Pcs 10" Pump Pliers	5	10
THKTV02P042		4 Pcs Stackable High Leverage Pliers set	4 Pcs Pliers set Include : 1 Pcs 8" High leverage combination pliers 1 Pcs 7" High leverage diagonal cutting pliers 1 Pcs 8" High leverage long nose pliers 1 Pcs 10" Pump pliers	5	10












THT11561		6" Cable cutter	Size:6"/160mm Black finish and polish Carbon steel Packed by half double blister	6	90
THT11581		8" Cable cutter	Size:8"/200mm Black finish and polish Carbon steel Packed by half double blister	6	60
THT115101		10" Cable cutter	Size:10"/250mm Black finish and polish Carbon steel Packed by half double blister	6	48
THT115102		10" Heavy duty cable cutter	Heavy duty cable cutter Size:10"/250mm Black finish and polish Carbon steel Packed by half double blister	6	36
THT115242		24" Cable cutter	Size:24" Blades material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR , wire rope,steel or self supporting strand Cutting area:240mm2	0	6
THT115362		36" Cable cutter	Size:36" Blades material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR , wire rope,steel or self supporting strand Cutting area:450mm2	0	2
THTGP236		3" Two Jaws Puller (Heavy Duty)	Same as BETA quality Size:3", 2Jaws,Maxforce:2000KG material:Cr-v,heat treated surface treatment:chrome-plated range of application: A=80MM,L1=40MM,L2=44MM	0	20
THTGP246		4" Two Jaws Puller (Heavy Duty)	Size:4" 2Jaws,Maxforce:3000KG material:Cr-v,heat treated surface treatment:chrome-plated range of application: A=115MM,A1=125MM,L1=40MM,L2=90M	0	10
THTGP336		3" Three Jaws Puller (Heavy Duty)	Same as BETA quality Size:3", 3Jaws,Maxforce:3000KG material:Cr-v,heat treated surface treatment:chrome-plated range of application: A=75MM,L1=40MM,L2=47MM	0	20
THTGP346		4" Three Jaws Puller (Heavy Duty)	Size:4" 3Jaws,Maxforce:4000KG material:Cr-v,heat treated surface treatment:chrome-plated range of application: A=120MM,A1=125MM,L1=40MM,L2=87M	0	10
THTGP366		6" Three Jaws Puller (Heavy Duty)	Size:6" 3Jaws,Maxforce:6000KG material:Cr-v,heat treated surface treatment:chrome-plated range of application: A=175MM,A1=170MM,L1=50MM,L2=135M	0	6












THT836316		2.5" Putty trowel	Size:63(2.5")mm Carbon steel Heat treatment Fine polished Packed by label	0	120
THT8312516		5" Putty trowel	Size:125(5")mm Carbon steel Heat treatment Fine polished Packed by label	0	120
THT83606M		2.5" SS Multifunction Putty trowel	Size:60mm 1.5mm thickness stainless steel Heat treatment Fine polished Size:60mm 1.5mm thickness stainless steel	12	120
THT83406		1.5" Stainless Steel Putty trowel	Size:40mm(1.5") stainless steel Heat treatment Fine polished Packed by label	12	120
THT83606		2.5" Stainless Steel Putty trowel	Size:60mm(2.5") stainless steel Heat treatment Fine polished Packed by label	12	120
THT83806		3" Stainless Steel Putty trowel	Size:80mm Stainless steel Heat treatment Fine polished Packed by label	12	120
THT831006		4" Stainless Steel Putty trowel	Size:100mm(4") stainless steel Heat treatment Fine polished Packed by label	12	120
THT831256		5" Stainless Steel Putty trowel	Size:125mm Stainless steel Heat treatment Fine polished Packed by label	12	120
THT831506		6" Stainless Steel Putty trowel	Size:150mm(6") stainless steel Heat treatment Fine polished Packed by label	12	120
THT683606		2.5" Stainless Steel Putty trowel with Aluminum Head	Size:60mm With Aluminum head end Stainless steel Heat treatment Fine polished Double color plastic handle	12	120
THT683806		3" Stainless Steel Putty trowel with Aluminum Head	Size:80mm With Aluminum head end Stainless steel Heat treatment Fine polished Double color plastic handle	12	120












THT6831256		5" Stainless Steel Putty trowel with Aluminum Head	Size:125mm(5") With Aluminum head end Stainless steel Heat treatment Fine polished Double color plastic handle	12	120
THT6831506		6" Stainless Steel Putty trowel with Aluminum Head	Size:150mm(6") With Aluminum head end Stainless steel Heat treatment Fine polished Double color plastic handle	12	120
THPUT78200		8" Drywall tapping knives (Slim Blade)	Size:8"/200mm Stainless steel blade Reinforced aluminium profile Blade thickness:0.5mm Unique design handle Packed by label	10	60
THPUT78250		10" Drywall tapping knives (Slim Blade)	Size:10"/250mm Stainless steel blade Reinforced aluminium profile Blade thickness:0.5mm Unique design handle Packed by label	10	60
THPUT78300		12" Drywall tapping knives (Slim Blade)	Size:12"/300mm Stainless steel blade Reinforced aluminium profile Blade thickness:0.5mm Unique design handle Packed by labe	10	40
THPUT78350		14" Drywall tapping knives (Slim Blade)	Size:14"/350mm carbon steel blade Reinforced aluminium profile Blade thickness:0.5mm Unique design handle Packed by label	10	40
THPUT78400		16" Drywall tapping knives (Slim Blade)	Size:16"/400mm carbon steel blade Reinforced aluminium profile Blade thickness:0.5mm Unique design handle Packed by label	10	40
THT311425		Staple gun	Iron staple gun Adjustable driving force Wire:0.7mm Crown:11.3mm Length:4-14mm Matched with Staple items:	5	20
THT31142		Industrial Staple gun	Nails size:4-14mm Nails outer diameter:10.6mm or 11.3mm Nails width:1.2mm Weight:800g With 1000PCS nails Matched with Staple items:	5	20
THT3981		T-50 5/16"(8MM)X0.7MM Staples	1000pcs saples(for TOTAL THT31141) size:8mm width:0.7mm Packed by color box	20	200
THT3982		T-50 5/16"(8MM)X0.7MM Staples	1000pcs saples(for TOTAL THT31142) size:8mm width:1.2mm Packed by color box	20	200

THT39101		T-50 3/8"(10MM)X0.7MM Staples	1000pcs saples(for TOTAL THT31141) size:10mm width:0.7mm Packed by color box	20	200
THT39102		T-50 3/8"(10MM)X1.2MM Staples	1000pcs saples(for TOTAL THT31142) size:10mm width:1.2mm Packed by color box	20	200
THT39103		3/8"xG18(1.2MM) Brad nail for Hand Staple THT31143	1000pcs/color box Length:10mm head:2.0mm Width:1.2mm Suitable for THT31143 Packed by color box	20	200
THT39124		1/2"(12MM)x1/4"(6.3MM) xG18 Crown Staples	1000pcs/color box Length:12mm Staple crown:6.3mm Width:1.2mm Suitable for THT31143 Packed by color box	20	200
THT521106		10" Left Aviation snip	Unique design two tone soft handle Aviation snip Left Length:250mm 10" Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm	5	40
THT523106		10" Right Aviation snip	TOTAL Style two tone soft handle Aviation snip(Right) Length:250mm(10") Max.cutting thicness: Carbon steel ?1.2mm Stainless steel ?0.7mm	5	40
THT525106		12" Long straight aviation snip	Aviation snip Straight Length:300mm 12" Unique design two tone soft handle Cutting plastic or rubber or 0.5mm brass wire net Packed by half double blister	5	40
THTJ531106		Industrial Left Aviation snip	TOTAL Style two tone soft handle Aviation snip(Left) Length:250mm(10") Max.cutting thicness: Carbon steel ?1.2mm Stainless steel ?0.7mm	5	40
THTJ532106		Industrial Straight Aviation snip	TOTAL Style two tone soft handle Aviation snip(Straight) Length:250mm(10") Max.cutting thicness: Carbon steel ?1.2mm Stainless steel ?0.7mm	5	40
THTJ533106		Industrial Right Aviation snip	TOTAL Style two tone soft handle Aviation snip(Right) Length:250mm(10") Max.cutting thicness: Carbon steel ?1.2mm Stainless steel ?0.7mm	5	40
THT520106K		10" Aviation snip set	Unique design two tone soft handle 3Pcs Aviation snip (Left,Straight,Right) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm	4	16












THT524101		10" Tin snip	Size:10" Max.cutting thickness: Carbon steel ≤0.8mm Stainless steel ≤0.6mm Drop-forged steel Double dipped grip handle	6	36
THT524121		12" Tin snip	Size:12" Max.cutting thickness: Carbon steel ?1.2mm Stainless steel ?0.5mm Drop-forged steel Double dipped grip handle	6	24
THTJ534101		10" Tin snip Save Strength	Size:10" Max.cutting thickness: Carbon steel ≤0.8mm Stainless steel ≤0.6mm Drop-forged steel Packed by half double blister	6	36
THSCRS812001		8.5" Scissors	Size:215mm(8.5") Material: Stainless steel Blade thickness:2.5mm TOTAL unique design handle Sand blast surface Packed by sliding card	25	100
THSCRS812801		11" Scissors	Size:275mm(11") Material: Stainless steel Blade thickness:2.5mm TOTAL unique design handle Sand blast surface Packed by sliding card	25	100
THSCRS822251		Kitchen scissors	Size:225mm(9") Material: Stainless steel Blade thickness:3.0mm With Cutting,scale scraper,nut cracker , bottle opener and can opener function Unique design handle	25	100
THT1155871		5.5" Electrician's scissors	Size:145mm(5.5") Material: Stainless steel Blade thickness:3.0mm Unique design handle Sand blast surface Packed by sliding card	25	100
THT117871		7" Electrician's Scissors	Size:178mm(7") Material:Stainless steel Unique design Blade with teeth Sand blast surface Packed by sliding card	12	72
THT118871		8" Electrician's Scissors	Size:200mm(8") Material:Stainless steel With cutting function Unique design Blade with teeth Sand blast surface	12	72
THT32108S		10.5" Hand riveter	Size:10.5" Applicable aluminum rivet size:Φ2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card	6	24
THT32105		Industrial Hand riveter	Size:10.5" Aluminium alloy body Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by double blister	6	24












THT32106		360°Swivel head-hand Riveter	Size:10.5" 360 degrees of rotation in the head Applicable rivet size:2.4mm,3.2mm,4mm,4.8mm Material:Steel+Aluminum Packed by double blister	6	24
THT32176		17" Hand riveter	Size:420mm,17" Applicable rivet size:3.2mm,4mm,4.8mm Material:Steel+Aluminium With TOTAL Style Rubber hand Packed by color box	0	20
THT32321		Folding hand riveter	Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by color box	0	8
THT3351		Leather hole punch	Auto-release feature ergonomic handle Punch hole sizes : 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm. Packed by half double blister	12	48
THT91186		Flat steel file	Flat steel file Length:200mm Material:T12 steel Each one with plastic hanger Packed by poly bag	10	60
THT91286		Half round steel file	Half round steel file Length:200mm Material:T12 steel Each one with plastic hanger Packed by poly bag	10	60
THT91386		Round steel file	Round steel file Length:200mm Material:T12 steel Each one with plastic hanger Packed by poly bag	10	60
THT91462		6pcs file set	6pcs File set Length:140mm Diameter:3mm Flat,Round,Half round,Square,Triangle,Knife With two color handle	12	72
THT91486		Triangle steel file	Triangle steel file Length:200mm Material:T12 steel Each one with plastic hanger Packed by poly bag	10	60
THT91886		Square steel file	Square steel file Length:200mm Material:T12 steel Each one with plastic hanger Packed by poly bag	10	60
THT918516		5pcs steel file set/8"	Work for metal Length:200mm, T12 Steel Flat steel file 1pcs Half round steel file 1pcs Round steel file 1pcs Triangle steel file 1pcs	5	10












THT91586		Flat wood file	Flat wood file Length:200mm Material: Carbon steel Each one with plastic hanger Packed by poly bag	10	60
THT91686		Half round wood file	Half round wood file Length:200mm Material: carbon steel Each one with plastic hanger Packed by poly bag	10	60
THT91786		Round wood file	Round wood file Length:200mm Material: carbon steel Each one with plastic hanger Packed by poly bag	10	60
THT918326		3pcs wood file set/8"	Work for wood Size:200mm Flat wood file 1pcs Half round wood file 1pcs Round wood file 1pcs Packed by double blister	10	20
THT4166		1/4" Wood chisel	Wood Chisel,CRV Width:6mm Length:140mm Packed by double blister	10	50
THT4196		3/8" Wood chisel	Wood Chisel,CRV Width:9mm Length:140mm Packed by double blister	10	50
THT41126		1/2" Wood chisel	Wood Chisel,Cr-V Width:12mm(1/2") Length:140mm Packed by double blister	10	50
THT41146		9/16" Wood chisel	Wood Chisel,Cr-V Width:14mm(9/16") Length:140mm Packed by double blister	10	50
THT41166		5/8" Wood chisel	Wood Chisel,Cr-V Width:16mm(3/4") Length:140mm Packed by double blister	10	50
THT41196		3/4" Wood chisel	Wood Chisel,Cr-V Width:19mm(5/8") Length:140mm Packed by double blister	10	50
THT41226		7/8" Wood chisel	Wood Chisel,Cr-V Width:22mm(7/8") Length:140mm Packed by double blister	10	50












THT41256		1" Wood chisel	Wood Chisel,Cr-V Width:25mm(1") Length:140mm Packed by double blister	10	50
THT41K0401		4 Pcs wood chisel set	Wood Chisel Wood Chisel,Cr-V Width:6mm,12mm,19mm,25mm Length:140mm Packed by Sliding card	4	16
THT9391		9" Planer	Length:235mm Steel Q195 Planing width&depth:44x2mm Packed by hanger card	6	36
THMHF1501		6" Mini Hacksaw Frame	Mini Hacksaw Size:150mm(6") With 1 pcs blade Packed in paper card	24	144
THMHF1503		6" Mini Hacksaw Frame(Aluminum body)	Mini Hacksaw Size : 150mm (6") Comfortable handle Aluminum body With 1 pcs blade Packed in paper card	12	96
THMHF1504		MiNi Hand Frame	MiNi Hand Frame With 1pcs 300 mm (12") 24 TPI M2+D6A bi-metal blade Handle material:ABS plastics Suitable for cutting metal, plastic, wood Easy to handle	24	144
TMHSB1501		6" Mini Hacksaw Blade	Size:152mm(6") Number of teeth:24T 10Pcs/Set Material:65Mn Suitable for item THMHF1501 THMHF1503	24	288
THT541026		12" Hacksaw frame	Size:300mm/12" With 1pcs 300 mm (12") 24 TPI M2+D6A bi-metal blade Handle material:Aluminum +TPR plastics Suitable for cutting metal, plastic, wood Soft grip design,strong and comfortable	6	24
THT541036		12" Hacksaw Frame	Size:300mm/12" TOTAL Style Hacksaw frame Including 1pcs 65Mn saw blade Packed by paper card	6	24
THT54106		12" Industrial Hacksaw frame	TOTAL Style INDUSTRIAL Hacksaw frame Size:300mm/12" Heavy duty steel frame Aluminum + ABS + TPR handle,Strong and Comfortable Adjustable tension	6	24
THT541016		12" Industrial Hacksaw frame	Size:300mm/12" With 1pcs 300mm (12"), 24TPI, M2+D6A bi-metal blade Handle material: aluminum +ABS +TPR plastics Unique design hacksaw frame	6	24












THT571186	A single bi-metal hacksaw blade with 18 teeth, shown next to its packaging.	Bi-Metal Hacksaw Blade(18T)	Material:M42+D6A Number of teeth:18T Size:300mm(12") 100Pcs/Box Packed by plastic box	100	500
THT571246	A single bi-metal hacksaw blade with 24 teeth, shown next to its packaging.	Bi-Metal Hacksaw Blade(24T)	Material:M42+D6A Number of teeth:24T Size:300mm(12") 100Pcs/Box Packed by plastic box	100	500
THT571326	A single bi-metal hacksaw blade with 32 teeth, shown next to its packaging.	Bi-Metal Hacksaw Blade(32T)	Material:M42+D6A Number of teeth:32T Size:300mm(12") 100Pcs/Box Packed by plastic box	100	500
THTKT57245	A set of five bi-metal hacksaw blades of different sizes, shown next to their packaging.	5PCS Bi-Metal Hacksaw Blade Set	Material : M42+D6A Number of teeth : 24T 5pcs/set Size : 300mm (12") Suitable for : Hacksaw frame THT541026/THT541036/THT54166/THT541	25	100
THWBSW66	A 6-inch industrial drywall saw with SK5 teeth, shown next to its packaging.	6" Industrial Drywall saw SK5	Same as STANLEY quality level Size:6"/150mm Material:Taiwan SK5 8TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Fast cut and long life	6	60
THCS30026	A 12-inch compass saw with 7TPI teeth, shown next to its packaging.	12" Compass saw	Size:12"/300mm Material : 65Mn 7TPI Precision ground teeth 2 edges Packed by Color sleeve	12	48
THBP01250	A 10-inch drywall block plane with a black handle, shown next to its packaging.	10" Drywall Block plane	Length:250mm Bolck plane It can be changed blade Packed by paper hanger	6	36
THFSW1806	A 7-inch industrial folding saw with SK5 teeth, shown next to its packaging.	7" Industrial Folding Saw SK5	Same as STANLEY quality level Size:7"/180mm Material:Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With hand protection function	6	48
THT51130026	A 12-inch pruning saw with 7TPI teeth, shown next to its packaging.	12" Pruning saw	Size:12"/300mm Material:65Mn 7TPI Triple teeth(Precision ground teeth 3 edges) Fast cut Packed by color sleeve	6	36
THT51133026	A 13-inch pruning saw with 7TPI teeth, shown next to its packaging.	13" Pruning saw	Size:13"/330mm Material:65Mn 7TPI Triple teeth(Precision ground teeth 3 edges) With Extension bar function Fast cut	6	36
THT5113306	A 13-inch industrial pruning saw with an extension bar function, shown next to its packaging.	13" Industrial Pruning saw(Extension bar function)	Same as STANLEY quality level Size:13"/330mm Material:SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With Extension bar function	6	36












THT551663D		16" Hand saw	Length : 400mm/16" Thickness : 0.9mm, 7TPI With teeth protector Packed by paper card	6	48
THT55400		16" Hand saw	Length: 400mm/16" Thickness: 0.9mm, 7TPI Material: 65Mn With extra sharp teeth With teeth protector Heat treatment	6	24
THT55450		18" Hand Saw	Length: 450mm/18" Thickness: 0.9mm, 7TPI Material: 65Mn With extra sharp teeth With teeth protector Heat treatment	6	24
THT55206		20" Hand saw	Length:500mm/20" Thickness:0.9mm, 7TPI With teeth protector Heat treatment Packed by paper card	6	24
THT55226		22" Hand Saw	Length:550mm/22" Thickness:0.9mm, 7TPI With teeth protector Heat treatment Packed by paper card	6	24
THT551662D		16" Industrial Hand saw	Size:16"/400mm Material : 65Mn 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Two color soft handle Fast cut	6	24
THT552062D		20" Industrial Hand saw	Size:20"/500mm Material : 65Mn 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Two color soft handle Fast cut	6	24
THT59126B		12" Back saw	TOTAL Style new design handle Length: 300mm(12") Thickness:0.8mm, 11TPI With teeth protector Heat treatment Packed by paper card	6	24
THT59126		Mitre box and back saw set	Plastic mitre box with back saw set 1pcs plastic mitre box Size:300×140×80 thickness:20mm 1pcs back saw Size:300mm/12",11TPI	6	12
THTLCS1241		24" Light Concrete Saw	Size:24"/600mm Material:65MN 17T(Tungsten steel tooth) For cutting cellular concrete/Autoclaved Fly Ash Brick /gypsum board/ice Block Heat treatment teeth	6	12
THT5110906		Snap-off blade knife	Blade:9mm(W)x80mm(L)(THT5190901) Stainless steel body With 1 pcs blade,Auto-Lock Length:135mm With flat push button Packed by Color box	48	576












THT511815		Industrial SK4 Snap-off blade knife	Blade Size:18mmx100mm With 1 pcs SK4 blade (THT519112) Length:179mm With flat push button Packed by sliding card	0	0
THT511826		Snap-off blade knife(wheel button)	Blade Size:18mmx100mm With 1 pcs SK5 blade Length:173mm With round push button Packed by sliding card	12	96
THT511836		Snap-off blade knife(+3 extra blades)	Blade Size:18mmx100mm With 3 pcs SK5 blades Length:169mm With flat push button Packed by sliding card	12	96
THT5112505		25mm Snap-off blade knife	Blade Size:25mmx127mm With 1 pcs blade (THT5192501) Auto-Lock Length:200mm With flat push button Packed by double blister	12	96
TG5121806		Snap-off blade knife(Aluminum Body)	Blade Size:18mmx100mm Length:185mm With 6 pcs SK5 blades With blade locking bolt With flat push button Aluminum body	6	48
THT519001		10 Pcs utility knife blades set	10Pcs/Set Size: 61X19mm Suitable for item TG5126101/THT5116118/THT5126128/THT5136236/THT5136288 Packed by plastic box	20	200
THT519112		10 Pcs 18mm knife blades set	10Pcs/Set Size: 18X100mm Suitable for item THT511816/THT511826/THT511836/TG5121806/THT511815 Packed by plastic box	20	120
THT5192501		25MMX127MM 10PCS blades set	10Pcs/Set SK4 Size: 25*127MM Packed by plastic box	10	100
THT5116118		Retractable Utility knife(5 Extra Blades)	Size:180x45mm Blade size:61x19mm SK5 blade With 5 blades Pack by double blister	6	72
THT5136236		Folding knife	Folding knife Aluminum alloy handle Blade size:61x19mm With 5PCS blades (THT519001) Packed by double blister	12	72
THT5136288		Folding knife	Stainless steel folding knife Length: 180mm Net weight: 165g Blade size: 61mm*19mm With 6pcs SK5 blade Material: Stainless steel, Aluminium alloy	12	72












THT181751		7" Window Scraper	Size:7" (175mm) Net weight:23g Blade size:61*19mm With 1pcs trimming Knife Blade Scraping excess paint from windows Packed by blister card	10	120
THT183201		12" Metal scraper with 5PCS extra blades	Material:aluminium alloy knife plate With 6pcs SK5 knife Blade Blade size:14*100mm Length:310mm Packed by half double blister	5	50
THT183006		12" Industrial metal scraper with 5PCS extra blades	Blade size:18mm*100mm Length:300mm Material:ABS&TPR handle Zinc alloy knife plate With 6pcs SK5 knife blade Weight:260G	5	50
THT51881		8" Cable Stripping Knife	Size:200mm Straight blade Material: Stainless steel With plastic protective cover Unique design handle Sand blast surface	12	72
THT51882		8" Cable Stripping Knife(Curved)	Size:200mm Curved blade Material: Stainless steel With plastic protective cover Unique design handle Sand blast surface	12	72
JDBT4307		7" Bricklaying trowel(plastic handle)	Size: 7"/180mm Diameter of connecting rod:9.5mm Unique design handle Packed by label	0	24
THT82716		7" Bricklaying trowel(plastic handle)	Size:7"/180mm Diameter of shank:9.5mm Unique design handle Packed by label	12	48
THT82736		7" Bricklaying trowel(plastic handle)	Size:7"/180mm Diameter of shank:9.5mm Unique design handle Packed by label	12	48
THT82816		8" Bricklaying trowel(plastic handle)	Size:8"/200mm Diameter of shank:9.5mm TOTAL unique design handle Packed by label	12	48
THT82826		8" Bricklaying trowel(plastic handle)	Size: 8"/200mm Diameter of connecting rod:9.5mm unique design handle Packed by label	12	48
THT81286		11"X5" Plastering trowel	Size:280x130mm Blade material:stainless steel Unique design handle Slight bow in blade good for working Packed by label	10	40












THT82916		9" Bricklaying trowel	Size: 9"/230mm(plastic handle) Diameter of connecting rod: 9.5mm Unique design handle Packed by label	12	48
THTT81286		11"X5" Plastering trowel with teeth	Size:280x130mm Teeth:10*10mm Blade material:stainless steel Unique design handle Slight bow in blade good for working Packed by label	10	40
THT832306		9"X4" Plastering trowel	Size:230x100mm Carbon steel Packed by label	10	40
THTT832306		9"X4" Plastering trowel with teeth	Size:230x100mm Teeth:10*6mm Carbon steel Packed by label	10	40
THTT952316		9"X4" Plastering trowel with teeth	Size:230x100mm Teeth:10*6mm Carbon steel Packed by label	10	40
THPTM40801		16"X3-1/8" Beveled end Magnesium hand float	Size:400mm(L)*80mm(W) Magnesium blade More durable Soft grip handle For smoother finish concrete surface Packed by label	6	24
THT8320106		9"X4" Fine Rubber Float	Size:230mm(L)*100mm(W) Rubber Thickness:15mm Pure PP handle Aluminium base plate Cleaning function Sanding cement wall function	10	40
THT8324106		9.5"X4" Rubber grout float	Size:240mmx100mm EVA Thickness:19mm Pure PP handle Aluminium base plate Packed by label	10	40
TACHS20021		Grout remover hand saw	Blade material: YG8C With 1 pcs extra blade Overall Length:200mm(8") Packed by double blister	10	50
THT4211026		10" Cold chisel	TOTAL Style Handle Head size:22mm Handle size:16mm Length:250mm Material:45# Carbon steel Drop forged and heat treatment	6	36
THT4211226		12" Cold chisel	TOTAL Style Handle Head size:24mm Handle size:18mm Length:300mm Material:45# Carbon steel Drop forged and heat treatment	6	36












THT4221026		10" Concrete chisel	TOTAL Style Handle Head size:4mm Handle size:16mm Length:250mm Material:45# Carbon steel Drop forged and heat treatment	6	36
THT4221226		12" Concrete chisel	TOTAL Style Handle Head size:4mm Handle size:18mm Length:300mm Material:45# Carbon steel Drop forged and heat treatment	6	36
THT4411216		3/4" Industrial Cold chisel	Head size:19mm Handle size:16mm Length:305mm Material:40cr Heat treatment,limpid Powder coating TOTAL NEW Style handle	6	24
THT4411219		1" Industrial Cold chisel	Head size:25mm Handle size:19mm Length:305mm Material:40cr Heat treatment,limpid Powder coating TOTAL NEW Style handle	6	24
THT4421216		12"X5/8" Industrial Concrete chisel	Head size:4mm Handle size:16mm Length:305mm Material:40cr Heat treatment,limpid Powder coating TOTAL NEW Style handle	6	24
THT4421219		12"X3/4" Industrial Concrete chisel	Head size:4mm Handle size:19mm Length:305mm Material:40cr Heat treatment,limpid Powder coating TOTAL NEW Style handle	6	24
TGCT16001		Compasses glass cutter	Material:6pcs YG6X knife Rubber suction cups,metal scale ruler Cutting diameter:60cm Packed by label	2	40
THT561301		Glass cutter	Wooden handle Glass cutter with 6pcs wheels blade length:130mm Packed by sliding card	6	240
THT561781		Heavy duty glass cutter	Iron body Auto oil feed cutter With 1pcs oil suction pipe Total cutting length:5000m length:178mm Packed by sliding card	6	120
THT576002		24" Tile cutter	Tile cutter Max cutting length:600mm Max cutting thickness:14mm Blade size:22x6x2mm Hollow sedan lods Net weight: 6.5kg	0	0
THT571201		48"(120CM) Industrial Tile cutter	Tile cutter Max cutting length:1200mm Max cutting thickness:16mm Aluminum die cast handle Blade size:22x6x2mm Tungsten carbide ball bearing blade	0	2












THT578002		32" Industrial Tile cutter	Tile cutter Max cutting length:800mm Max cutting thickness:16mm Aluminum die cast handle Blade size:22x6x2mm Tungsten carbide ball bearing blade	0	2
THT576003B		Tile cutter blade(THT578002&THT571201)	Tile cutter blade With ball bearing Material:tungsten carbide Blade size:Ø22xØ6x2mm Suitable for THT576003 THT578002 THT571001 THT571201	1	50
THT578004B		Tile cutter blade(THT578004)	Tile cutter blade With ball bearing Material:Tungsten carbide Blade size:22x10.5x2mm Suitable for THT578004 Packed by Blister card	0	50
THT576004B		Tile cutter blade(THT576004)	Tile cutter blade Material:tungsten carbide Blade size:Ø16xØ6x3mm Suitable for THT576004 Packed by blister card	0	50
THT57120-SP-K.F		Tile cutter blade(THT57120)	Knife Flywheel	0	12
THT6146		4" Bench vice	Swivel base size:4" Weight:6.7kg Max force:1300KGS With anvil Packed by carton box	0	1
THT6186		8" Bench vice	Size : 8" Weight:21kg Max clamping force:2500KGS With anvil Packed by carton box	0	1
THT6126		Swivel Bench vice	Swivel base Size : 60mm Weight:1.7kg Max clamping force:1000KGS With anvil Packed by carton box	0	10
THTMF6156		5" Multi-purpose Bench Vice	Swivel base Size : 5" Weight:19.5kg Max clamping force:2000KGS With anvil Packed by carton box	0	1
TSP01251		55 lb. Sucker	Handle material: ABS Max. pull: 25kg Cup diameter: 115mm Packed by color sleeve	3	36
TSP02501		110 lb. Sucker	Handle material: ABS Max. pull: 50kg Cup diameter: 115mm Packed by color sleeve	3	18












THT661301		Chalk line reel	Chalk line reel Length:30m With 1 bottle chalk With 1 pcs spirit bubble With 1 pcs blue powder bottle: 4oz/113g Rubber-covered housing	10	40
THT846016		1" Paint brush Plastic Handle	Width:1" For Oil-Based paint TOTAL unique design plastic handle Bristle length: 45mm Thickness: 10mm Packed by label	12	360
THT846156		1.5" Paint brush Plastic Handle	Width:1.5" For Oil-Based paint TOTAL unique design plastic handle Bristle length: 45mm Thickness: 11mm Packed by label	12	360
THT846026		2" Paint brush Plastic Handle	Width:2" For Oil-Based paint TOTAL unique design plastic handle Bristle length: 51mm Thickness: 11mm Packed by label	12	240
THT846036		3" Paint brush Plastic Handle	Width:3" For Oil-Based paint Unique design plastic handle Bristle length: 57mm Thickness: 12mm Packed by label	12	120
THT846046		4" Paint brush Plastic Handle	Width:4" For Oil-Based paint Unique design plastic handle Bristle length: 57mm Thickness: 14mm Packed by label	12	120
THT84011		1" Paint brush(Wooden Handle)	Size:1"(25mm) Length: 44mm Thickness: 12.5mm Wooden handle Packed by plastic bag	12	720
THT84151		1.5" Paint brush(Wooden Handle)	Size:1.5"(38mm) Length: 44mm Thickness: 13.5mm Wooden handle Packed by plastic bag	12	480
THT84021		2" Paint brush(Wooden Handle)	Size:2"(50mm) Length: 51mm Thickness: 14.5mm Wooden handle Packed by plastic bag	12	360
THT84251		2.5" Paint brush(Wooden Handle)	Size:2.5"(63mm) Length: 51mm Thickness: 16mm Wooden handle Packed by plastic bag	12	240
THT84031		3" Paint brush(Wooden Handle)	Size:3"(75mm) Length: 57mm Thickness: 16mm Wooden handle Packed by plastic bag	12	240












THT84041		4" Paint brush(Wooden Handle)	Size:4"(100mm) Length: 57mm Thickness:18.5mm Wooden handle Packed by plastic bag	12	192
THT843016		1" Industrial Paint brush	Width:1" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 51mm Thickness: 8mm	12	240
THT843156		1.5" Industrial Paint brush	Width:1.5" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 51mm Thickness: 9mm	12	240
THT843026		2" Industrial Paint brush	Width:2" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 51mm Thickness: 10mm	12	240
THT843256		2.5" Industrial Paint brush	Width:2.5" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 57mm Thickness: 10mm	12	120
THT843036		3" Industrial Paint brush	Width:3" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 57mm Thickness: 11mm	12	120
THT843046		4" Industrial Paint brush	Width:4" For Oil-Based paint High quality bristles Unique design plastic handle Bristle length: 57mm Thickness: 12mm	12	120
THT84016		1" Industrial Paint brush (rubber covered handle)	Size:1"(25mm) Length: 51mm Thickness: 16mm High quality bristles Packed by color sleeve	12	240
THT84156		1.5" Industrial Paint brush(rubber covered handle)	Size:1.5"(38mm) Length:51mm Thickness:18mm High quality bristles Packed by color sleeve	12	240
THT84026		2" Industrial Paint brush (rubber covered handle)	Size:2"(50mm) Bristle length: 57mm Thickness: 18mm High quality bristles Packed by color sleeve	12	240
THT84256		2.5" Industrial Paint brush(rubber covered handle)	Size:2.5"(63mm) Bristle length: 57mm Thickness: 20mm High quality bristles Packed by color sleeve	12	120












THT84036		3" Industrial Paint brush (rubber covered handle)	Size: 3"(75mm) Bristle length: 64mm Thickness: 22mm High quality bristles Packed by color sleeve	12	120
THT84046		4" Industrial Paint brush (rubber covered handle)	Size: 4"(100mm) Bristle length: 70mm Thickness: 22mm High quality bristles Packed by color sleeve	12	120
THT848016		1" Angle sash brush (Wooden Handle)	High quality wooden handle 100% hollow tapered PET-PBT filaments Width : 1.0" Copper plating ferrule Bristle length: 52mm Thickness: 12mm	12	240
THT848156		1.5" Angle sash brush (Wooden Handle)	High quality wooden handle 100% hollow tapered PET-PBT filaments Width : 1.5" Copper plating ferrule Bristle length: 56mm Thickness: 13mm	12	240
THT848026		2.0" Angle sash brush (Wooden Handle)	High quality wooden handle 100% hollow tapered PET-PBT filaments Width : 2.0" Copper plating ferrule Bristle length: 64mm Thickness: 15mm	12	240
THT848256		2.5" Angle sash brush (Wooden Handle)	High quality wooden handle 100% hollow tapered PET-PBT filaments Width : 2.5" Copper plating ferrule Bristle length: 70mm Thickness: 16mm	12	120
THT848036		3.0" Angle sash brush (Wooden Handle)	High quality wooden handle 100% hollow tapered PET-PBT filaments Width : 3.0" Copper plating ferrule Bristle length: 75mm Thickness: 17mm	12	120
THT84100306		4" Ceiling Brush	Size: 4"(100*30mm) Bristle length: 76mm Thickness: 30mm High quality bristles Unique design plastic handle Packed by color sleeve	10	60
THT84120306		5" Ceiling brush	Size: 5"(120*30mm) Bristle length: 70mm Thickness: 28mm High quality bristles TOTAL unique design plastic handle Packed by color sleeve	10	60
THT8450801		8 Pcs paint brush set	8pcs paint brush set For Oil-Based paint 2pcs 1" 2pcs 1.5" 2pcs 2" 1pcs 3"	6	36
THT84501201		12 Pcs paint brush set	12 Pcs paint brush set For Oil-Based paint 3 Pcs 1" 2 Pcs 1.5" 2 Pcs 2" 2 Pcs 2.5"	6	36












THT8414091		9pcs paint brush set	9pcs paint brush set 3pcs 1" 2pcs 1.5" 2pcs 2.0" 1pcs 3.0" 1pcs 4.0"	4	24
THT85431		4" Roller cover(Inner wall) Micro Fibre	Suitable for THTCB046,THT85046 Material:Micro Fibre Size:100mm/4" Fibre height:12mm Suitable for inner wall Packed by plastic bag	250	500
THT8541D		4" Mini cylinder brush (Inner wall)	Material:Micro fibre Size:100mm/4" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover	50	100
THT8592		9" Cylinder brush (Inner wall) Acrylic	Material:Acrylic Size:230mm/9" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover	20	40
THT8592D		9" Cylinder brush (Inner wall) Micro Fibre	Material:Micro fibre Size:230mm/9" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover	20	40
THT8592T		9" Telescoping Cylinder brush	Material:Micro fibre Size:230mm/9" Fibre height:12mm Suitable for inner wall Mini length:455mm Max length:900mm	12	24
THT8593		9" Cylinder brush (Outer wall) Acrylic	Material:Acrylic Size:230mm/9" Fibre height:18mm Suitable for outer wall 8mm central shank With 1pcs roller cover	20	40
THT8593D		9" Cylinder brush (Outer wall) Micro Fibre	Material:Micro fibre Size:230mm/9" Fibre height: 18mm Suitable for outer wall 8mm central shank Match with Unique handle	20	40
THT8594		9" Cylinder brush (Inner wall) Acrylic	Material:Acrylic Size:230mm/9" Fibre height:7mm Suitable for inner wall 6mm central shank With 1pcs roller cover	20	40
THT85101		10" Cylinder brush (Outer wall)	Material:Acrylic Size:255mm/10" Supper bigger size Fibre height:22mm Suitable for outer wall 8mm central shank	20	40
TCHPTT435105		2 Pcs paint tray set (10"&4")	Material: Pure PP Size: 435*300mm(10") 305*150mm(4") With volume mark function Unique design paint tray	0	10












THT811210061		4" Cylinder brush 6 in 1 set	Material:Micro Fibre Size:100mm/4" Suitable for inner wall With 4pcs Micro Fibre Roller cover 6mm central shank With 1pcs 4" paint tray	10	20
THT81121001		4" Cylinder brush 12 in 1 set	Material:Micro Fibre + polyester foam Size:100mm/4" Suitable for inner wall and smooth surface 5.8mm central shank With 5pcs 12mm acrylic mini rollers With 5pcs polyester foam rollers	20	40
THT811223081		9"Cylinder brush 8 in1 set (Inner wall& outer wall)	Suitable for inner wall and outer wall 1pcs 230mm(9") 7mm roller cover 3pcs 230mm(9") 12mm roller cover 1pcs 230mm(9") 18mm roller cover 1pcs 230mm(9") cylinder brush bracket 1pcs 25mm(1")Unique design paint brush	0	10
THT811223041		9" Cylinder brush 4 in 1 set(Inner wall)	Material:Micro Fibre size:230mm/9" Fibre height:12mm Suitable for inner wall With 1pcs 10" paint tray size:435x300x7.5mm	0	10
TAC006016		9"X11"XP60 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P60 Material:silicon carbide Waterproof Match with most of the hand sanders	5	10
TAC008016		9"X11"XP80 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P80 Material:silicon carbide Waterproof Match with most of the hand sanders	5	10
TAC010016		9"X11"XP100 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P100 Material:silicon carbide Waterproof Match with most of the hand sanders	5	10
TAC012016		9"X11"XP120 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P120 Material:silicon carbide Waterproof Match with most of the hand sanders	5	10
TAC015016		9"X11"XP150 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P150 Material:silicon carbide Waterproof Match with most of the hand sanders	5	10
TAC018016		9"X11"XP180 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P180 Material:silicon carbide Waterproof Match with most of the hand sanders	5	10
TAC022016		9"X11"XP220 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P220 Material:silicon carbide Waterproof Match with most of the hand sanders	5	10












TAC024016		9"X11"XP240 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P240 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC028016		9"X11"XP280 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P280 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC032016		9"X11"XP320 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P320 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC036016		9"X11"XP360 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P360 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC040016		9"X11"XP400 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P400 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC100016		9"X11"XP1000 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P1000 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC120016		9"X11"XP1200 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P1200 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC150016		9"X11"XP1500 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P1500 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
TAC200016		9"X11"XP2000 50PCS Waterproof Sandpaper	Size:230x280mm 50Pcs/set Grit:P2000 Material:silicon carbide Waterproof Match with most of the hand sanders	10	20
OCTB10025		4" Nylon Cable Ties Black (100-Pack)	Color:Black Material: Nylon 66 Length:4" (100mm) Width:2.5mm Tensile Strength: 18Lb-f(80N) Min-Max Bundle Dia: 1.5-20.5 mm	125	500
OCTB15025		6" Nylon Cable Ties Black (100-Pack)	Color:Black Material: Nylon 66 Length:6" (150mm) Width:2.5mm Tensile Strength: 18Lb-f(80N) Min-Max Bundle Dia: 1.5-36.5 mm	50	200












OCTB20036		8" Nylon Cable Ties Black (100-Pack)	Color:Black Material: Nylon 66 Length:8" (200mm) Width:3.6mm Tensile Strength: 40Lb-f(180N) Min-Max Bundle Dia: 2.0-52.5 mm	50	200
OCTB25048		10" Nylon Cable Ties Black (100-Pack)	Color:Black Material: Nylon 66 Length:10" (250mm) Width:4.8mm Tensile Strength: 50Lb-f (230 N) Min-Max Bundle Dia: 3.5-65 mm	50	200
OCTB30048		12" Nylon Cable Ties Black (100-Pack)	Color:Black Material: Nylon 66 Length:12" (300mm) Width:4.8mm Tensile Strength: 50Lb-f (230 N) Min-Max Bundle Dia: 3.5-81 mm	50	100
OCTB35048		14" Nylon Cable Ties Black (100-Pack)	Color:Black Material: Nylon 66 Length:14" (350mm) Width:4.8mm Tensile Strength: 50Lb-f (230 N) Min-Max Bundle Dia: 3.5-97 mm	50	100
THTCT1001		4" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length:100mm Width:2.5mm 100pcs/set two year warranty Packed by label	125	500
OCTW15025		6" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length: 6" (150mm) Width:2.5mm Tensile Strength: 18Lb-f(80N) Min-Max Bundle Dia: 1.5-36.5 mm	50	200
OCTW20036		8" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length: 8" (200mm) Width:3.6mm Tensile Strength: 40Lb-f(180N) Min-Max Bundle Dia: 2.0-52.5 mm	50	200
OCTW25048		10" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length: 10" (250mm) Width:4.8mm Tensile Strength: 50Lb-f (230 N) Min-Max Bundle Dia: 3.5-65 mm	50	200
OCTW30048		12" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length:12" (300mm) Width:4.8mm Tensile Strength: 50Lb-f (230 N) Min-Max Bundle Dia :3.5-81 mm	50	100
OCTW35048		14" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length:14" (350mm) Width:4.8mm Tensile Strength: 50Lb-f (230 N) Min-Max Bundle Dia: 3.5-97 mm	50	100
OCTW40072		16" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length:16" (400mm) Width:7.6mm Tensile Strength: 120Lb-f(540N) Min-Max Bundle Dia :8.5-114.5 mm	25	50












THTCT5001		20" Nylon Cable Ties White (100-Pack)	Color:White Material: Nylon 66 Length:500mm Width:9.0mm 100pcs/set Packed by paper hanger	12	24
THTCT6001		24" Nylon Cable Ties White (100-Pack)	Color:White Length:600mm Width:9.0mm 100pcs/set Material: Nylon 66 Packed by paper hanger	6	24
THPET1102		10 YardsX0.19MM PVC Electrical Insulating tape	Pure PVC Real Length:10yards(9.15m) Color:Black Width:18mm Thickness:0.19mm Packed by label	10	300
THPET1103		10 YardsX0.13MM PVC Electrical Insulating tape	PVC Length:9.15m(10yards) Color:Black Width:18mm Thickness:0.13mm Packed by label	10	300
TAC1001163		1/16" HSS drill bit	HSS,diameter:1/16" 10pcs/poly bag Packed by poly bag	200	8400
TAC1005643		5/64" HSS drill bit	HSS,diameter:5/64" 10pcs/poly bag Packed by poly bag	200	8400
TAC1003323		3/32" HSS drill bit	HSS,diameter:3/32" 10pcs/poly bag Packed by poly bag	200	8400
TAC1007643		7/64" HSS drill bit	HSS,diameter:7/64" 10pcs/poly bag Packed by poly bag	120	5040
TAC1001083		1/8" HSS drill bit	HSS,diameter:1/8" 10pcs/poly bag Packed by poly bag	100	4200
TAC1009643		9/64" HSS drill bit	HSS,diameter:9/64" 10pcs/poly bag Packed by poly bag	100	4200
TAC1005323		5/32" HSS drill bit	HSS,diameter:5/32" 10pcs/poly bag Packed by poly bag	100	4200












TAC1011643		11/64" HSS drill bit	HSS,diameter:11/64" 10pcs/Poly bag	100	2100
TAC1003163		3/16" HSS drill bit	HSS,diameter:3/16" 10pcs/poly bag Packed by poly bag	100	2100
TAC1007323		7/32" HSS drill bit	HSS,diameter:7/32" 10pcs/poly bag Packed by poly bag	100	2100
TAC1015643		15/64" HSS drill bit	HSS,diameter:15/64" 10pcs/Poly bag	90	1890
TAC1001043		1/4" HSS drill bit	HSS,diameter:1/4" 10pcs/poly bag Packed by poly bag	50	1100
TAC1009323		9/32" HSS drill bit	HSS,diameter:9/32" 10pcs/poly bag Packed by poly bag	50	1100
TAC1005163		5/16" HSS drill bit	HSS,diameter:5/16" 5pcs/poly bag Packed by poly bag	50	550
TAC1003083		3/8" HSS drill bit	HSS,diameter:3/8" 5pcs/poly bag Packed by poly bag	40	440
TAC1015323		15/32" HSS drill bit	HSS,diameter:15/32" 5pcs/Poly bag	40	240
TAC1200214		1/2" 4341 HSS drill bit	HSS 4341 Diameter 1/2" 135° Packed by double blister	40	160
TAC1005083		5/8" HSS drill bit	HSS,diameter:5/8" 5pcs/poly bag Packed by poly bag	10	200












TAC2103081		3/8"x4-3/4" Masonry drill bit	3/8"x4-3/4" Packed by plastic bag	100	200
TAC2103083		3/8"x8" Masonry drill bit	3/8"x8" Packed by plastic bag	60	120
TAC2103161		3/16"x3-3/8" Masonry drill bit	3/16"x3-3/8" Packed by plastic bag	150	300
TAC2105162		5/16"x6" Masonry drill bit	5/16"x6" Packed by plastic bag	80	160
TAC2105321		5/32"x3" Masonry drill bit	5/32"x3" Packed by plastic bag	250	500
TAC2107321		15/64"x4" Masonry drill bit	15/64"x4" Packed by plastic bag	150	300
TAC2107322		15/64"x6" Masonry drill bit	15/64"x6" Packed by plastic bag	100	200
TAC2115321		15/32"x6" Masonry drill bit	15/32"x6" Packed by plastic bag	60	120
TAKD2688		Drill bits display box	Unique design Size : 340mm*320mm*430mm No printing Labels of specifications are supplied in the package Four floors	0	1
TAC3101023		1/2"X10-1/4" SDS PLUS Hammer Drill Bit	1/2"x10 1/4" SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life	40	120
UTAC2605321		5/32"X3" Masonry drill bit	Diameter 5/32"*3"(3.97mm) Durable carbide tip for longer life in concrete and hard aggregate Suitable for drilling of cement, concrete, brick and block Packed by double blister	100	400












TAC3101042		1/4"X6-1/4" SDS PLUS Hammer Drill Bit	1/4"X 6-1/4" SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life	60	180
UTAC2603161		3/16"X3 3/8" Masonry drill bit	Diameter 3/16"X3 3/8"(4.76mm) Durable carbide tip for longer life in concrete and hard aggregate Suitable for drilling of cement, concrete, brick and block Packed by double blister	100	400
UTAC2601041		1/4"X4" Masonry drill bit	1/4"X4"(6.35mm) Packed by double blister	100	400
TAC3103084		3/8"X10-1/4" SDS PLUS Hammer Drill Bit	3/8" X 10 1/4" SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life	50	150
UTAC2601042		1/4"X6" Masonry drill bit	1/4"X6"(6.35mm) Packed by double blister	80	320
TAC321007		3/8"X10" SDS Max hammer drill bit	10X 260mm,SDS Max Packed by plastic hanger	0	50
TAC321207		15/32"X10" SDS Max hammer drill bit	12X 260mm,SDS Max Packed by plastic hanger	0	50
UTAC2605161		5/16"X5" Masonry drill bit	Diameter 5/16" X 5"(7.94mm) Durable carbide tip for longer life in concrete and hard aggregate Suitable for drilling of cement, concrete, brick and block Packed by double blister	100	400
UTAC2605163		5/16"X8" Masonry drill bit	Diameter 5/16"X8"(7.94mm) Durable carbide tip for longer life in concrete and hard aggregate Suitable for drilling of cement, concrete, brick and block Packed by double blister	80	320
TAC321407		9/16"X10" SDS Max hammer drill bit	14X 260mm,SDS Max Packed by plastic hanger	0	50
UTAC2603081		3/8"X4 3/4" Masonry drill bit	Diameter 3/8"X4-3/4"(9.53mm) Durable carbide tip for longer life in concrete and hard aggregate Suitable for drilling of cement, concrete, brick and block Packed by double blister	80	320












TAC321600		5/8"X13" SDS Max hammer drill bit	16 X 340mm,SDS Max Packed by plastic hanger	0	50
TAC321808		11/16"X21" SDS Max hammer drill bit	18 X 540mm,SDS Max Packed by plastic hanger	0	25
UTAC2603082		3/8"X8" Masonry drill bit	Diameter 3/8"X8"(9.53mm) Durable carbide tip for longer life in concrete and hard aggregate Suitable for drilling of cement, concrete, brick and block Packed by double blister	50	200
TAC322005		13/16"X24" SDS Max hammer drill bit	20 X 600mm,SDS Max Packed by plastic hanger	0	20
TAC322205		7/8"X24" SDS Max hammer drill bit	22X 600mm,SDS Max Packed by plastic hanger	0	20
TAC322506		1"X32" SDS Max hammer drill bit	25 X 800mm,SDS Max Packed by plastic hanger	0	10
UTACG100601		1/4"X3" Tile and glass drill bit	1/4"x3" Packed by plastic tube	0	100
UTAC190501		5 PCS Hammer drill bits set	5 PCS SDS PLUS KIT 1/4"X4 3/8",5/16"X4 3/8",5/16"X6 1/4",3/8"X6 1/4",15/32"X6 1/4" Packed by plastic box	5	30
UTACSD0605		6PCS HSS twist drill bits set	Size : 5/64",7/64", 5/32",3/16",7/32",5/16" 6pcs HSS twist drill bits set Packed by double blister	40	80
UTACSD0066		6 PCS HSS twist drill bits set	Size:5/64",7/64", 5/32",3/16",7/32",5/16" 6pcs HSS drill bits set Packed by plastic box	12	24
UTACSD5051		5 PCS Industrial Masonry drill bits set	Size:5/32"x3-3/8",3/16"x4",1/4"x4-3/4", 5/16"x4-3/4",3/8"x4-3/4" 5pcs masonry drill bit set Packed by plastic box	0	24












UTACSD5055		5 PCS Masonry drill bits set	Size:5/32"x3-3/8",3/16"x4",1/4"x4-3/4", 5/16"x4-3/4",3/8"x4-3/4" 5pcs masonry drill bits set Packed by double blister	40	80
TAC470131		1/2" Chuck key	Key for 13mm key chuck Length:80mm Packed in sliding card	25	100
TAC15121412		1.5" (40mm) flat SDS plus chisel	14X250 X 40mm,flat,SDS plus Wear-resistant, high hardness and long service life Used in concrete, brick wall,cement Packed by plastic hanger	0	50
TAC1521181		12" Pointed SDS max chisel	18X300mm,pointed Packed by plastic hanger	0	25
TAC1521183		24" Pointed SDS max chisel	18X600mm,pointed,SDS max Wear-resistant, high hardness and long service life Used in concrete, brick wall,cement Packed by plastic hanger	0	20
TAC15221811		12"X1" Flat SDS max chisel	18 X300X 25mm,flat Packed by plastic hanger	0	25
TAC15221822		16"X2" Flat SDS max chisel	18 X400X 50mm,flat,SDS max Wear-resistant, high hardness and long service life Used in concrete, brick wall,cement Packed by plastic hanger	0	25
TAC15221832		24"X2" Flat SDS max chisel	18 X600X 50mm,flat,SDS max Wear-resistant, high hardness and long service life Used in concrete, brick wall,cement Packed by plastic hanger	0	20
TAC153171		11" Pointed Hex chisel	17x280mm,pointed,Hex chisel Wear-resistant, high hardness and long service life Used in concrete, brick wall,cement Packed by plastic tube	0	50
TAC153172		11"x7/8" flat Hex chisel	17x280x22mm,flat For TOTAL item TH213006 Packed by plastic tube	0	50
TAC1532302		16"X4" flat Hex chisel	30 X410X 100mm,flat Suitable for TOTAL item TH215456,TH217506 Packed by plastic tube	0	10












TAC462602		2-3/8" Screwdriver bit holder with release	Total length:60mm(2-3/8") 1/4"(6.35mm) Hex shank With quick release function One piece construction for large torque Packed by double blister	200	400
TACIM71PH125		2PCS PH1X1" Impact screwdriver bits set	Impact Screwdriver bits PH1,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	0	0
TAC464601		2-3/8" Limit screwdriver bit holder	Total length:60mm(2-3/8") 1/4"(6.35mm) Hex shank Strong magnetic and adjustable depth stop design. Widely used for deck building, wood framing, installing plywood subfloor, and	200	400
TACIM71PH150		2PCS PH1X2" Impact screwdriver bits set	Impact Screwdriver bits PH1,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACIM71PH1100		PH1X4" Impact screwdriver bit	Impact Screwdriver bit PH1,100mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	300	600
TACIM71PH1150		PH1X6" Impact screwdriver bit	Impact Screwdriver bit PH1,150mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACIM71PH1200		PH1X8" Impact screwdriver bit	Impact Screwdriver bit PH1,200mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	150	300
TACIM71PH1250		PH1X10" Impact screwdriver bit	Impact Screwdriver bit PH1,250mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	100	200
TACIM71PH225		2PCS PH2X1" Impact screwdriver bits set	Impact Screwdriver bits PH2,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	400	800
TACIM71PH250		2PCS PH2X2" Impact screwdriver bit set	Impact Screwdriver bits PH2,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACIM72PH265		2PCS PH2X2-1/2" Impact screwdriver bits set	Impact Screwdriver bits PH2+PH2,65mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	150	300












TACIM72HL665		2PCS PH2+SL6 X 2-1/2" Impact screwdriver bits set	Impact Screwdriver bits PH2+SL6,65mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	150	300
TACIM71PH2100		PH2X4" Impact screwdriver bit	Impact Screwdriver bit PH2,100mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	300	600
TACIM71PH2150		PH2X6" Impact screwdriver bit	Impact Screwdriver bit PH2,150mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACIM71PH2200		PH2X8" Impact screwdriver bit	Impact Screwdriver bit PH2,200mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	150	300
TACIM71PH2250		PH2X10" Impact screwdriver bit	Impact Screwdriver bit PH2,250mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	100	200
TACIM71PH325		2PCS PH3X1" Impact screwdriver bits set	Impact Screwdriver bits PH2,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	400	800
TAC461601		2PCS Screwdriver bit holder set	60mm,2pcs/set Material:steel + Cr-v Packed by sliding card	25	100
TAC462601		2 PCSX2-3/8" Screwdriver bit holder with release set	60mm,2pcs/set Material : steel + Cr-v+Aluminum Packed by double blister	25	100
TAC16PH233		PH2X2 1/2" 10PCS Screwdriver bit set	PH2, 65mm,10pcs/set Double end bits S2 industrial steel Nickle plated magnetic Packed by plastic box	25	100
TAC16PH223		PH2X2" 10PCS Screwdriver bit set	PH2, 65mm,10pcs/set Double end bits S2 industrial steel Nickle plated magnetic Packed by plastic box	25	100
TAC16HL133		PH2+SL6 X2 1/2" 10PCS Screwdriver bit set	PH2, 65mm,10pcs/set Double end bits S2 industrial steel Nickle plated magnetic Packed by plastic box	25	100












TACIM16PH223		PH2X2" Impact screwdriver bit set	Impact Screwdriver bit PH2 50mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages	25	100
TACIM16PH233		PH2+PH2 X2 1/2" 10PCS Impact screwdriver bit	Impact Screwdriver bit PH2 50mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages	25	100
TACIM71PH350		2PCS PH3X2" Impact screwdriver bits set	Impact Screwdriver bits PH3,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACIM16HL133		PH2+SL6X2 1/2" Impact screwdriver bit	Impact Screwdriver bits SL4*0.5mm,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	25	100
TACIM71SL425		2PCS SL4X0.5mmX25mm Impact screwdriver bits set	Impact Screwdriver bits SL4*0.5mm,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	400	800
TACIM16PH263		PH2X6" 10PCS Impact screwdriver bit	Impact Screwdriver bit PH2 150mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages	25	50
TACIM71SL450		2PCS SL4X0.5mmX50mm Impact screwdriver bits set	Impact Screwdriver bits SL4*0.5mm,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACIM16PH2103		PH2X10" 10PCS Impact screwdriver bit	Impact Screwdriver bit PH2 *250mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages	25	50
TACIM16T2583		10 PCS/Set T25x8" Impact Torx Screwdriver bit	Impact Screwdriver bit T25 *200mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages	15	30
TACIM71SL525		2PCS SL5X0.8mmX25mm Impact screwdriver bits set	Impact Screwdriver bits SL5*0.8mm,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	400	800
TACIM71SL550		2PCS SL5X0.8mmX50mm Impact screwdriver bits set	Impact Screwdriver bits SL5*0.8mm,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	200	400










UTAC271331		3 Pcs 1/2"X2-9/16" impact magnetic nutsetter	1/2",3pcs/set Shank: 1/4" Hex Length: 65mm Material: S2 With strong magnet Packed by double blister	25	100
TACIM71SL625		2PCS SL6X1.0mmX25mm Impact screwdriver bits set	Impact Screwdriver bits SL6*1.0mm,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	400	800
UTACSD3165		Drill bits and screwdriver bits set	16PCS drill bits & screwdriver bits set 6pcs HSS twist drill bits SIZE:5/64",7/64",1/8", 5/32",3/16",7/32 4pcs Masonry drill bits SIZE:3/16",7/32",1/4", 5/16" 6PCS 25mm Screwdriver bits	20	40
TACIM71SL650		2PCS SL6X1.0mmX50mm Impact screwdriver bits set	Impact Screwdriver bits SL6*1.0mm,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACSE0056		5PCS Screw extractor set	Material:Cr-V Size:3~6mm(1#),6~8mm(2#),8~11mm(3#), 11~14mm(4#),14~18mm(5#) Hardness:48~52HRC Coarse thread Packed by plastic box	0	24
TACIM71T25250		T25X10" Torx Impact screwdriver bit	Impact Screwdriver bit T25,250mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	100	200
TACIM71T25100		T25X4" Torx Impact screwdriver bit	Impact Screwdriver bit T25,100mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	300	600
TACIM71T25150		T25X6" Torx Impact screwdriver bit	Impact Screwdriver bit T25,150mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	200	400
TACIM71T25200		T25X8" Torx Impact screwdriver bit	Impact Screwdriver bit T25,200mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister	150	300
TAC463801		3 1/6" Extension screwdriver bit holder with Magnetic	The minimum length: 80mm(3-1/8") The maximum length: 125mm(5") 1/4"(6.35mm) Hex shank The Screw Drive Guide sleeve can slide to cover the long screw and helps to position the screw while driving screws.	200	400
UTAC270631		3 Pcs 1/4"X2-9/16" Impact Magnetic Nutsetter	1/4",3pcs/set Shank: 1/4" Hex Length: 65mm Material: 50BV30 With strong magnet Packed by double blister	25	100












UTAC271031		3 Pcs 3/8"X2-9/16" Impact Magnetic Nutsetter	3/8",3pcs/set Shank: 1/4" Hex Length: 65mm Material: 50BV30 With strong magnet Packed by double blister	25	100
TAC2211151		4.5"X3/64"X7/8" Abrasive metal cutting disc	115mm(4-1/2")X1.2mm(3/64")X22.2mm(7/8") Flat centre cutting disc for metal RPM:13300r/min Packed by label	100	400
TAC2211155		4.5"X3/64"X7/8"10PCS metal cutting disc set	10Pcs/set 115mm(4-1/2")X1.2mm(3/64")X22.2mm(7/8") Flat centre Cutting disc for metal Packed by metal box	10	40
TAC11011525		4.5"X3/64"X7/8"25PCS Ultra-Thin metal cutting disc set	25pcs/set 115MM(4-1/2")X1.0MM(3/64")X22.2MM(7/8") Flat centre Cutting disc for metal and INOX Better for Lithium-ion angle grinder	5	20
TAC22111550		4.5"X3/64"X7/8"50PCS metal cutting disc set	50pcs/set 115MM(4-1/2")X1.2MM(3/64")X22.2MM(7/8") RPM:13300r/min Flat centre Cutting disc for metal and INOX	3	9
TAC2211152		4.5"X1/8"X7/8" Abrasive metal cutting disc	115mm(4-1/2")X3.0mm(1/8")X22.2mm(7/8") Depressed centre Cutting disc for metal and Inox Packed by label	50	200
TAC2211153		4.5"X1/16"X7/8" Abrasive metal cutting disc	115mm(4-1/2")X1.6mm(1/16")X22.2mm(7/8") Flat centre Cutting disc for metal Packed by label	100	400
TAC2211251		5"X1/8"X7/8" Abrasive metal cutting disc	125mm(5")X3.0mm(1/8")X22.2mm(7/8") Depressed centre cutting disc for metal and Inox Packed by label	50	200
TAC2211253		5"X3/64"X7/8" Abrasive metal cutting disc	125MM(5")X1.2MM(3/64")X22.2MM(7/8") Flat centre cutting disc for metal RPM:12200r/min Packed by label	100	400
TAC2211255		5"X3/64"X7/8"10PCS metal cutting disc set	10pcs/set 10pcs/shrink 125MM(5")X1.2MM(3/64")X22.2MM(7/8") Packed by label RPM:12200r/min Flat centre	10	40
TAC2211801		7"X1/8"X7/8" Abrasive metal cutting disc	180mm(7")X3.0mm(1/8")X22.2mm(7/8") Depressed centre cutting disc for metal	50	100












TAC21012525		5"X3/64"X7/8"25PCS Ultra-Thin metal cutting disc set	25pcs/set 125MM(5")X1.0MM(3/64")X22.2MM(7/8") Flat centre Cutting disc for metal and inox Packed by metal box RPM:12200r/min	5	20
TAC2161801		7"X1/16"X7/8" Abrasive metal cutting disc	180(7")X1.6(1/16")X22.2mm(7/8") Flat centre Cutting disc for metal and INOX RPM:8500r/min Packed by color box	50	100
TAC2212303		9"X5/64"X7/8" Abrasive metal cutting disc	230MM(9")X1.9MM(5/64")X22.2MM(7/8") Flat centre cutting disc for metal	0	50
TAC2213552		14"X1/8"X1" Abrasive metal cutting disc	355mm(14")X3.0mm(1/8")X25.4mm(1") Flat centre Cutting disc for metal and Inox Packed by label	0	25
TAC2213551		14"X1/8"X1" Abrasive metal cutting disc(Double Fiber)	355mm(14")X3.0mm(1/8")X25.4mm(1") Flat centre cutting disc for metal and Inox Packed by label	0	25
TAC2214051		16"X1/8"X1" Abrasive metal cutting blade	405(16")X3.0(1/8")X25.4(1") Flat centre cutting disc for metal and Inox Packed by label	0	25
TAC2231151		4.5"X1/4"X7/8" Abrasive metal grinding disc	115mm(4-1/2")X6.0mm(1/4")X22.2mm(7/8") Depressed centre Grinding disc for metal Packed by label	25	100
TAC2231251		5"X1/4"X7/8" Abrasive metal grinding disc	125mm(5")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	25	100
TAC2231801		7"X1/4"X7/8" Abrasive metal grinding disc	180mm(7")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	25	50
TAC2232301		9"X1/4"X7/8" Abrasive metal grinding disc	230mm(9")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	0	25
TAC631151		4.5" P40 Flap disc for Steel	Size:115mm*22mm,P40 suitable for high steel,steel,cast iron and sheet steel Packed by label	0	60












TAC631152		4.5" P60 Flap disc for Steel	Size:115mm*22mm,P60 suitable for high steel,steel,cast iron and sheet steel Packed by label	0	60
TAC631153		4.5" P80 Flap disc for Steel	Size:115mm*22mm,P80 suitable for high steel,steel,cast iron and sheet steel Packed by label	0	60
TAC641151		4.5" P40 Zirconium flap disc for Stainless	Size : 115mm*22mm (4-1/2"*7/8") ,P40 Especially suitable for stainless steel Material:Zirconium Oxide Abrasive MPA approved Packed by label	0	200
TAC641152		4.5" P60 Zirconium flap disc for Stainless	Size : 115mmx22mm (4-1/2"x7/8") ,P60 Especially suitable for stainless steel Material:Zirconium Oxide Abrasive MPA approved Packed by label	0	200
TAC641153		4.5" P80 Zirconium flap disc for Stainless	Size : 115mm*22mm (4-1/2"*7/8") ,P80 Especially suitable for stainless steel Material:Zirconium Oxide Abrasive MPA approved Packed by label	0	200
TAC641251		5" P40 Zirconium flap disc for Stainless	Size: 125mmx22.2mm (5"x7/8"), P40 Especially suitable for stainless steel Material:Zirconium Oxide Abrasive MPA approved Packed by label"	0	200
TAC631252		5" P60 Flap disc for Steel	Size: 125mm*22.2mm,P60 Made from premium quality aluminum oxide grain Suitable for high steel, steel, cast iron and sheet steel Packed by label	0	60
TAC641252		5" P60 Zirconium flap disc for Stainless	Size : 125mmx22mm (5"x7/8") ,P60 Especially suitable for stainless steel Material:Zirconium Oxide Abrasive MPA approved Packed by label	0	200
TAC631253		5" P80 Flap disc for Steel	Size: 125mm*22.2mm,P80 Made from premium quality aluminum oxide grain Suitable for high steel, steel, cast iron and sheet steel Packed by label	0	60
TAC631251		5" P40 Flap disc for Steel	Size:125mm*22.2mm,P40 Made from premium quality aluminum oxide grain Suitable for high steel,steel,cast iron and sheet steel Packed by label	0	60
TAC641253		5" P80 Zirconium flap disc for Stainless	Size : 125mmx22mm (5"x7/8") ,P80 Especially suitable for stainless steel Material:Zirconium Oxide Abrasive MPA approved Packed by label	0	200

TAC731251		5"(125MM) Sanding sheet set for random orbital sander	Size:125mm 3pcs P80, 2pcs P120 5pcs/set Suitable for Rotary sander TF2031256 Packed by label	20	80
TAC731501		6"(150MM) Sanding sheet set for random orbital sander	Size:150mm 3pcs P80, 2pcs P120 5pcs/set Suitable for item TF2041506 Packed by label	20	80
TAC73150102		6"(150MM)X10PCS Alumina Zirconia Sanding disc set Assorted	150mm P80x2 P120x1 P180x2 P240x2 P320x2 P400x1 Mixed Zirconia and High Quality Aluminium Oxide PET backing 10Pcs/Set	10	40
TAC73150103		6"(150MM)X10PCS Alumina Zirconia Sanding disc set Assorted	150mm P40x2 P60x2 P80x4 P120x2 Mixed Zirconia and High Quality Aluminium Oxide PET backing 10Pcs/Set	10	40
TAC732251		9"(225MM) 6PCS Assorted Sanding sheet set for drywall sander	Diameter:225mm 6pcs/set 1pcsP60,1pcsP80,1pcsP120,1pcsP150,1pcsP180,1pcsP240 Suitable for drywall sander TWS10501 Packed by label	0	50
TAC78080202		3-1/8"X20PCS Alumina Zirconia Oscillating Sandpaper Assorted	80mm delta P40x4 P60x4 P80x6 P120x6 Mixed Zirconia and High Quality Aluminium Oxide PET backing 20Pcs/Set	10	40
TAC78080201		3-1/8"X20PCS Hook & Loop Oscillating Sandpaper (Assorted)	80mm delta P40x4 P60x4 P80x6 P120x6 Aluminium Oxide 20Pcs/Set Match with TS3006 & TMLI2001 20% more effective than normal red sand	10	40
TAC651151		4 1/2" Poly disc	Poly Strip Disc Size : 115mm*22.22mm (4-1/2"*7/8") Specially used for rust and paint-removal Apply on woodworking,removing coating, concrete, metal and stainless steel grinding Packed by label	0	200
TAC661151		Sponge disc	Sponge Disc Size: 115mm*22.22mm(4-1/2"*7/8") Specially used for surface polishing Apply on a wide range of material such as wood, glass, ceramic, marble, automotive, concrete, metal and stainless steel	0	200
TAC671151		4-1/2" X 7/8" Felt disc	Wool Felt disc Size: 115mm*22.22mm(4-1/2"*7/8") Specially used for surface buffing and finishing Apply on a wide range of material such as wood, glass, ceramic, marble, automotive,	0	200
TAC2121151		4-1/2" continous rim wet diamond blade	115(4-1/2")X22.2mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for wet cutting	25	100

TAC2121801		7" continous rim wet diamond blade	180(7")X22.2mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for wet cutting	10	40
TAC2181151HT		4.5"X7/8" Ultrathin diamond disc (Mesh Rim)	115(4-1/2")*22.2MM Blade height 10mm Blade Thickness 1.4mm Matrix Thickness 0.8mm Material : 75Cr1 With flange plate	50	100
TAC2181251HT		5"X7/8" Ultrathin diamond disc (Mesh Rim)	125(5") X22.2MM Blade height 10mm Blade Thickness1.4mm Matrix Thickness0.8mm Material : 75Cr1 With flange plate	50	100
TAC2181801HT		7"X7/8" Ultrathin diamond disc (Mesh Rim)	180(7")X22.2MM Blade height 10mm Blade Thickness1.8mm Matrix Thickness1.2mm Material : 75Cr1 With flange plate	20	40
TAC2131801HT		7"X7/8" Ultrathin diamond disc	180mm X 22.2mm Blade width:8mm Metal base thickness:1.2mm With flange plate Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano	20	40
TAC2131803HT		7"X7/8" Ultrathin diamond disc	180(7")X22.2mm Blade width:8mm Metal base thickness:1.4mm Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano glass)	20	40
TAC2111151		4.5"X7/8" Dry diamond disc	115(4-1/2")X22mm Blade width:10mm Packed by color box	25	100
TAC21111532		4.5"X7/8" 2PCS Dry diamond disc set	115(4-1/2")X22mm Blade width:7mm Packed by color box	25	50
TAC2111801		7"X7/8"X3/8" Dry diamond disc	180(7")X22mm Blade width:10mm Packed by color box	10	40
TAC2111803		7"X7/8"X5/16" Dry diamond disc	180(7")X22.2mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting	10	40
TAC2131153		4 1/2"X7/8" Turbo diamond disc	115(4-1/2")X22mm Blade width:7.5mm Packed by color box	50	100








TAC2131151		4 1/2"X7/8" Industrial Turbo diamond disc	115(4-1/2")X22mm Blade width:10mm Packed in color box	25	100
TAC2136115		3PcsX4-1/2" Diamond Blades combo set	Size:115mm 3Pcs diamond disc combo set 1Pcs dry diamond disc,blade width:12mm,for general purpose 1Pcs turbo diamond disc,blade width:12mm,,for general purpose	10	40
TAC2131251		5"X7/8" Turbo diamond disc	125(5")X22mm Blade width:10mm Packed by color box	25	100
TAC2131803		7"X7/8" Turbo diamond disc	180(7")X22.2mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting	20	40
TAC2131801		7"X7/8" Industrial Turbo diamond disc	180(7")X22.2mm Blade width:12mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting	10	40
TAC2113551		14"X1" segmented diamond disc for asphalt and concrete cutting	355mm(14")X25.4mm Blade width:12mm Packed by color box	5	10
TAC2144052		16"X1" Diamond disc for concrete cutting laser welded rim	405mm(16")X25.4mm Special concrete cutting Laser welded cutting rim Blade width:10mm Suitable for Gasoline floor saw TP1016-2/TP1016-2EE	0	5
TAC2164051		16"X1"Diamond disc for asphalt cutting Laser welded rim	405mm(16")X25.4mm Special for asphalt cutting Laser welded cutting rim Blade width:10mm Suitable for Gasoline floor saw TP1016-2/TP1016-2EE	0	5
TAC231255		TCT saw blade 4-1/2" 40T for wood	115mm(4-1/2") 40T,arbor:22.2mm Reduction ring:16mm Wood Cutting Packed by double blister	25	100
TAC232241		TCT saw blade 5-1/2" 24T for wood	140mm(5-1/2") 24T,arbor:25.4mm Reduction ring:16mm Wood Cutting Suitable for Lithium-Ion circular saw TSLI1401	25	50
TAC231401		TCT saw blade 7-1/4"(185MM)X5/8" 24T for wood	185mm(7-1/4") 24T,arbor:16mm Suitable for circular saw Wood cutting Packed by color box	25	50










TAC231413		TCT saw blade 7-1/4" 60T for wood	185mm(7-1/4") 60T,arbor:20mm Reduction ring:16mm Suitable for circular saw For item TS1141856,TS11418526,TS11218576,TS1161	25	50
TAC231415		TCT saw blade 7-1/4" 40T for wood	185mm(7-1/4") 40T,arbor:20mm Reduction ring:16mm Suitable for circular saw For item TS1141856,TS11418526,TS11218576,TS1161	25	50
TAC2331853		2PCSX7 1/4" Ultra-thin TCT saw blade set	2 Pcs/set Size: 185mm(7-1/4") Teeth quantity: 24T Arbor: 20mm Reduction ring: 16mm Matrix thickness: 1.0mm	25	50
TAC231521		TCT saw blade 8-1/4" 24T for wood	210mm(8-1/4") 24T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For TOTAL item TS42142101 Packed by color box	25	50
TAC233523		TCT saw blade 8 1/4" 60T for wood	210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For TOTAL item TS42142101 Packed by color box	25	50
TAC231623		TCT saw blade 9-1/4" 60T for wood	235mm(9-1/4") 60T,arbor:30mm 16mm and 25.4 ring Suitable for circular saw TOTAL item TS1222356 Packed by color box	5	25
TAC231723		TCT saw blade 10" 60T for wood	254mm(10") 60T,arbor:30mm 16mm and 25.4mm ring Wood cutting Packed by double blister	5	25
TAC231725		TCT saw blade 10" 40T for wood	254mm(10") 40T,arbor:30mm 16mm and 25.4 ring Suitable for table saw and table saw For TOTAL item TS5152542 Packed in color box	5	25
TAC231923		TCT saw blade 12" 60T for wood	305mm(12") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item TS42163051,TS42183057 Wood cutting	5	10
TAC233728		TCT saw blade 10" 80T for Aluminium	254mm(10") 80T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For TOTAL item TS42182551 TS42182552 Packed by color box	5	25
TAC2337210		TCT saw blade 10" 100T for Aluminum	254mm(10") 100T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item TS42182551 TS42182552 Aluminum cutting	5	25












TAC2339212		TCT saw blade 12" 120T for Aluminum	305mm(12") 120T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For TOAL item TS42163051 Aluminum cutting Packed by color box	5	10
TAC2411151		4.5" segmented turbo cup grinding wheel	Diameter:115mm Blade width:20mm Arbor:22.22mm Packed by color box	0	20
TAC2411251		5" segmented turbo cup grinding wheel	Diameter:125mm Blade width:20mm Arbor:22.22mm Packed by color box	0	20
TAC2411501		6" segmented turbo cup grinding wheel	Diameter:150mm Blade width:20mm Arbor:22.22mm Packed by color box	0	10
TAC2421151		4.5" double row cup grinding wheel	Diameter:115mm 18pcs blades Arbor:22.22mm Packed by color box	0	20
TAC2421251		5" double row cup grinding wheel	Diameter:125mm 20pcs blades Arbor:22.22mm Packed by color box	0	20
TAC2421501		6" double row cup grinding wheel	Diameter:150mm 22pcs blades Arbor:22.22mm Packed by color box	0	10
TAC2421801		7" double row cup grinding wheel	Diameter:180mm 24pcs blades Arbor:22.22mm Packed by color box	0	10
TAC33031		3" Cup brush with shank	75mm Shank dia:6.35mm(1/4") Packed by double blister	10	120
TAC37011		Wire end brushes with shank	Dia: 25mm, 1" Shank dia: 1/4" Wire dia: 0.3mm Wire length: 25mm RPM: 4500r/min Apply on: planing, deburring, edge honing,	20	240
TAC34021		2" Circular grinding wire brush	50mm Wire diameter:0.35mm Shank dia:6.35mm Packed by double blister	20	240












TAC34031		3" Circular grinding wire brush	75mm Wire diameter:0.35mm Shank dia:6.35mm(1/4") Packed by double blister	12	144
TAC34041		4" Circular grinding wire brush	100mm Wire diameter:0.35mm Shank dia:6.35mm(1/4") Packed by double blister	10	60
TAC721801		7" Wool polishing bonnet	Diameter:180mm Real wool bonnet Packed by color box	20	80
TAC33025		2" Nylon Cup brush with shank	50mm Wire dia:1.3-1.5mm Rod dia:6.3mm Packed by double blister	10	120
TAC33035		3" Nylon Cup brush with shank	75mm Wire dia:1.3-1.5mm Rod dia : 6.3mm Packed by double blister	10	120
TAC34035		3" Nylon wheel brush with shank	75mm Wire dia:1.3-1.5mm Rod dia : 6.3mm Packed by double blister	10	120
TACB1101		11 Pcs Cleaning brush set	1 Pcs 2" soft bristle brush 1 Pcs 3.5" soft bristle brush 1 Pcs 3.5" medium bristle brush 1 Pcs 360 degree medium bristle brush 1 Pcs 360 degree abrasive bristle brush 1 Pcs 6" extension holder	4	16
UTAC31031		3" Cup wire brush with nut	3" Wire diameter:0.3mm Thread:5/8" 11UNC Packed by double blister	10	80
UTAC32031		3" Wire cup brush	3" Wire diameter:0.5mm Thread:5/8" 11UNC Packed by double blister	10	80
UTAC31041		4" Cup wire brush with nut	4" Wire diameter:0.3mm Thread:5/8" 11UNC Packed by double blister	10	60
UTAC32041		4" Wire cup brush	4" Wire diameter:0.5mm Thread:5/8" 11UNC Packed by double blister	10	60












TAC430501		2" Hole core bit	Diameter:50mm 5pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	24
TAC430651		2-1/2" Hole core bit	Diameter:65mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	24
TAC430801		3-1/8" Hole core bit	Diameter:80mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	24
TAC430901		3-17/32" Hole core bit	Diameter:90mm 9pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	12
TAC431001		4" Hole core bit	Diameter:100mm 10pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	12
TAC4301051		4-1/8" Hole core bit	Diameter:105mm 12pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	12
TAC4301101		4-3/8" Hole core bit	Diameter:110mm 14pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	12
TAC4301201		4-3/4" Hole core bit	Diameter:120mm 14pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	12
TAC4301251		5" Hole core bit	Diameter:125mm 14pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	12
TAC4301501		6" Hole core bit	Diameter:150mm 16pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box	0	8
TAC43A13501		14" SDS PLUS Adaptor(for Hole Core bit)	Shank:SDS Plus Thread:M22 Length:350mm With 1pcs 8X110mm drill bit Suitable for item TAC430501 TAC430651 TAC430801 TAC431001	0	30












TAC43C16002		24" SDS MAX Adaptor(For Hole Core bit)	Shank:SDS MAX, Thread:M22*2 Length:600mm With 1pcs 8X110mm drill bit Packed by plastic tube	0	10
TAC410161		5/8"X1-1/2" Bi-metal Hole saw	Diameter:16mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by color box	10	50
TAC410191		3/4"X1-1/2" Bi-metal Hole saw	Diameter:19mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410221		7/8"X1-1/2" Bi-metal Hole saw	Diameter:22mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410251		1"X1-1/2" Bi-metal Hole saw	Diameter:25mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410291		1-5/32"(29MM) X1-1/2" Bi-metal Hole saw	Diameter:29mm (1-1/8") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410321		1-1/4"X1-1/2" Bi-metal Hole saw	Diameter:32mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by color box	10	50
TAC410351		1-3/8"(35MM) X1-1/2" Bi-metal Hole saw	Diameter:35mm (1-3/8") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410381		1-1/2"X1-1/2" Bi-metal Hole saw	Diameter:38mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410441		1-3/4"(44MM) X1-1/2" Bi-metal Hole saw	Diameter:44mm (1-3/4") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410461		1-3/4"X1-1/2" Bi-metal Hole saw	Diameter:46mm (1-13/16") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50










TAC410511		2"X1-1/2" Bi-metal Hole saw	Diameter:51mm (2") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410571		2-1/4"(57MM) X1-1/2" Bi-metal Hole saw	Diameter:57mm (2-1/4") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	10	50
TAC410641		2-1/2"X1-1/2" Bi-metal Hole saw	Diameter:64mm (2-1-2") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	5	50
TAC410681		2-11/16"(68MM) X1-1/2" Bi-metal Hole saw	Diameter:68mm (2-11/16") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	5	50
TAC410761		3"X1-1/2" Bi-metal Hole saw	Diameter:76mm Cutting depth:38mm Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister	5	50
TAC4111412		4-1/2"X1-1/2" Bi-metal Hole saw	Diameter:114mm (4-1/2") Cutting depth:38mm(1-1/2") Material:HSS M3 Bi-metal Variable teeth 4/6 Packed by double blister	5	10
TACSH1121		12PCS Bi-metal Hole saw set	Hole saw 12pcs set Size:20mm(25/32"),22mm(7/8"),25mm(1"),29mm(1-1/8"),32mm(1-1/4"),35mm(1-3/8"),38mm(1-1/2"),44mm(1-3/4"),48mm(1-7/8"),50mm1-31/32") 1 pcs arbor : 1/4" Round Shank, Fit	0	10
TAC4201		3/8" Arbor for hole saw	Arbor for hole saw Hex shank 3/8" Fit hole saws 14mm to 30mm Packed by double blister	10	120
TAC4202		7/16" Arbor for hole saw	Arbor for hole saw Hex shank 7/16" Fit hole saws 32 to 210mm Packed by double blister	10	60
TACSH3071		7PCS Hole saw set	7pcs hole saw set Size:26, 32, 38, 45, 50, 56, 63mm Height:50mm(2") Packed by double blister	10	60
TJSBT101D		5PCS Jig saw blade for wood set	Clean for wood Total length: 100mm(4") Work length :74mm(3") 6TPI Material: HCS Ground and taper ground teeth	0	0












TJSBT118B		5PCS Jig saw blade for metal	Basic for metal Total length: 76mm(3") Work length :50mm(2") 12TPI Material: HSS Milled and wavy set teeth	0	0
TAC51051		5PCS Jig saw blades set for Wood,Metal, Aluminum	2PCS TJSBT111C for wood 2PCS TJSBT118B for metal 1PCS TJSBT127D for Alu 5PCS/set Packed by blister card	25	250
TACSD7386		8PCS Jig saw blades set for Wood,Metal, Aluminum	1PCS 127D for cutting aluminum 1PCS TAC51101D for cutting wood (clean surface) 2PCS TAC51118B for cutting metal 4PCS TAC51111C for cutting wood(fast cut)	0	24
TAC52644D		Reciprocating saw blade for wood	Basic for Wood 150mm*19mm*1.2mm 6TPI-HCS-Milled 2pcs/set 1/2" shank,2pcs/set Fast cutting for wood, composition materials	25	100
TAC52922EF		Reciprocating saw blade for metal	Flexible for Metal 150mmX19mmX0.9mm 18TPI - Bi-Metal - Milled Suitable for TS100802 1/2" shank,2pcs/set Cuts all metals including nonferrous pipe (25	100
TRSB922EF		5PCSX6" Reciprocating saw blades for metal set	Basic for metal Total length: 150mm(6") 18TPI Material: BIM Millsd and wavy set teeth 5pcs/set	20	80
TRSB611D		5PCSX6" Reciprocating saw blades for wood set	Speed for wood Total length: 150mm(6") 6TPI Material: HCS Ground and side set teeth 5pcs/set	20	80
TRSB1111DF		5PCSX9" Reciprocating saw blades for wood with nail set	Basic for wood with nail Total length: 225mm(9") 6TPI Material: BIM Milled and side set teeth 5pcs/set	20	80
TACSR0102121		12pcs Router bits set(1/2")	Shank diameter: 1/2" 3pcs Straight bit : 1/4" , 1/2" , 5/8" 1pcs 1/2" 90°V-groove bit 1pcs 1/2" Dovetail bit 1pcs 1-1/4" 45°Chamfer bit 1pcs 1/2" flush trim bits	0	20
TACSR0104121		12pcs Router bits set(1/4")	Shank diameter: 1/4" 3pcs Straight bit:6mm,12mm,16mm 1pcs 1/2" 90°V-groove bit 1pcs 1/2" Dovetail bit 1pcs 32mm 45°Chamfer bit 1pcs 1/2" flush trim bits	0	20
TACSR2121		12pcs Router bits set(12mm)	Shank diameter: 12mm 3pcs Straight bit:6mm,12mm,16mm 1pcs 1/2" 90°V-groove bit 1pcs 1/2" Dovetail bit 1pcs 32mm 45°Chamfer bit 1pcs 1/2" flush trim bits	0	20












TAC331120		5" Mix paddle (For Mixer)	Diameter:120mm Length:600mm Tool fitting:M14x2 Mixing from top down Packed by paper card	2	10
TAC331160		6" Mix paddle (For Mixer)	Diameter:160mm Length:600mm Tool fitting:M14x2 Mixing from top down Packed by paper card	2	10
TAT10401		Spray gun	Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat Optional nozzle:1.2-1.8mm Operating pressure:3-4bar	0	10
TAT10402		Spray gun	Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat Optional nozzle:1.5-2.0mm Operation pressure:3-4bar	0	10
TAT10601		HVLP Spray gun	Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:600cc Suitable for finishing coat Optional nozzle:1.3-2.5mm Operating pressure:2-3.5bar	0	10
TAT11002		Spray gun	Standard nozzle:1.8mm Pattern width:200-250mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy	0	10
TAT11004		HVLP Spray gun	Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:1000cc Suitable for finishing coat Optional nozzle:1.3-2.5mm Operating pressure:2.5-3.5bar	0	10
TAT11005		Air Spray gun	Standard nozzle:1.8mm Pattern width:180-250mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy	0	10
TAT11601		Air tyre inflating gun	Air tire inflating gun Max pressure:8.5Bar(120PSI) With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Packed by sliding card	5	20
TAT83501		Brad nailer(+1000 PCS Brad Nails)	Load capacity:100pcs Brad size:15-50mm Ga18,1.25x1.00mm Operation pressure:0.5-0.7Mpa(75-100Psi) With 1000pcs brad nails Packed by color box	0	5
TAT81501		2 IN 1 combo brad nailer(+1000 Brad Nails+1000 Staples)	Load capacity:100Pcs Brad size:15-50mm Ga18,1.25X1.0mm Staple size:16-40mm Ga18,1.25X1.0mm Staple crown:5.7mm	0	5












TAC918201		G18X3/4" Brad nail (5000 PCS)	Brad Length:20mm 5000pcs/color box Suitable for TAT81501, TAT83501, TAT83301, TAT83301-3, TCBNLI2005, TCBNLI2008, TCBNLI5005, TCBNLI5008 Ga18,1.25X1.0mm	0	20
TAC918251		G18X1" Brad nail (5000 PCS)	Brad Length:25mm 5000pcs/color box Suitable for TAT81501, TAT83501, TAT83301, TAT83301-3, TCBNLI2005, TCBNLI2008, TCBNLI5005, TCBNLI5008 Ga18,1.25X1.0mm	0	20
TAC918351		G18X1-3/8" Brad nail (5000 PCS)	Brad Length:35mm 5000pcs/color box Suitable for TAT81501, TAT83501, TCBNLI2005, TCBNLI2008, TCBNLI5005, TCBNLI5008 Ga18,1.25X1.0mm	0	20
TAC918381		G18X1-1/2" Brad nail (5000 PCS)	Brad Length:38mm 5000pcs/color box Suitable for TAT81501, TAT83501, TCBNLI5005, TCBNLI5008 Ga18,1.25X1.0mm Packed by color box	0	10
TAC918401		G18X1-9/16" Brad nail (5000 PCS)	Brad Length:40mm 5000pcs/color box Suitable for TAT81501, TAT83501, TCBNLI5005, TCBNLI5008 Ga18,1.25X1.0mm Packed by color box	0	10
TAT8641		Air concrete nailer	Load capacity:70pcs Nails length:18-64mm Nails diameter: 2.2mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector.	0	6
TAC918501		G18X2" Brad nail (5000 PCS)	Brad Length:50mm 5000pcs/color box Suitable for TAT81501, TAT83501, TCBNLI5005 TCBNLI5008 Ga18,1.25X1.0mm Packed by color box	0	10
TAC918253		1" Concrete nail	Length:25mm 1000pcs/plastic box Suitable for TAT8641 Nail head:6.4mmX2.2mm Shank diameter:2.2mm Packed by plastic box	0	10
TAC918503		2" Concrete nail	Length:50mm 1000pcs/plastic box Suitable for TAT8641 Nail head:6.4mmX2.2mm Shank diameter:2.2mm Packed by plastic box	0	10
TTAC1406		Auto air compressor	Power supply:DC12V Rated current:10A Max.pressure:140PSI(10Bar) Max.air flow:35L/min With 1PCS LED light With 3M cord with cigarette lighter	0	8
TTAC2506		Heavy Duty Auto air compressor	Heavy duty air compressor With light Power supply:12V, Rated current:18A Max pressure:120PSI, Duration working time:15minutes 5M air hose with a brass quick-releasing adapter	0	4

THT0109		8.5" Pruning Shear	Size:8.5"/215mm Aluminum body pruning shear blade Handle non slip treatment Max cutting diameter 12mm Pack by blister card	10	60
THT1516001		22" Hedge shear	Length:22-7/8"(580mm) Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by plastic hanger	6	12
THT1516301		22" Hedge shear	Length:580mm/ 22-7/8" Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by plastic hanger	6	12
THTS1516306		28"-34" Telescopic hedge shear	Length:710-860mm Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper card	6	12
THT1527101		29" Lopper	Head material: SK5 Length:29"(730mm) Max cutting diameter:23mm Heat treatment blade Blade painted teflon Packed by paper hanger	6	12
THT1527608		30" Lopper(Gear Bypass Design)	Max cutting diameter:40mm Length:30"(760mm) Gear bypass design Cutting easier and with less effort Material:55# carbon steel Heat treatment blade	6	12
THTS1527416		26"-34" Telescopic Lopper	Max cutting diameter:40mm Length:650-850mm Gear bypass design Cutting easier and with less effort Material:55# carbon steel Heat treatment blade	6	12
THEPS25281		Extendable pole saw & pruner	Max cutting diameter:25mm Steel telescopic tube length:2.4m Two parts total length:2.8m SK5 saw blade and triple teeth 2.7m nylon strings with 1.2mm diameter Double wheels design	0	8
THT1593301		3 Pcs Garden Lopper set	3pcs garden shears set Include: 1pcs 205mm/8" Pruning Shear(THT15308) 1pcs 640-860mm/25"-34" Lopper(THTS1527416) 1pcs 720-880mm/28"-35" Hedge shear(THTS1516306)	0	0
THAX0611000		350z Axe	Weight:1000g Innovated drop-forged axe head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	1	12
THAX061600		200z Axe	Weight:600g Innovated drop-forged axe head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	6	12












THT788006		28Oz Axe	Weight:800g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle Packed by label	6	12
THT798016		35Oz Aircraft Axe	Weight:1000g Drop-forged axe head More conducive to firewood cutting Heat treatment, 45# carbon steel Fiberglass handle Packed by lable	6	12
THAX061250		44Oz Axe	Weight:1250g Drop-forged axe head Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label	0	8
THWS010301		3-Way Plastic trigger nozzle	Same as BLACK DECKER model and quality level Adjustable 3-Way plastic trigger nozzle+3/4" tool adaptor High-Impact resistant ABS plastic body with TPR	12	48
THWS010901		9-Pattern Plastic trigger nozzle	Same as BLACK DECKER model and quality level 9-Pattern plastic trigger nozzle+3/4" tool adaptor High-Impact resistant ABS plastic body with TPR	12	48
THZATN1031		Metal Trigger Nozzle	3-Way Adjustable Rear Trigger Metal nozzle 3/4" tool adaptor Comfortable soft grip Material Breakdown: TPR+ABS+Aluminium alloy+Zinc alloy	12	48
THZATN1101		Metal Trigger Nozzle	10-Pattern Rear Trigger Metal Nozzle 3/4" tool adaptor Comfortable soft grip Material Breakdown: TPR+ABS+Aluminium alloy+Zinc alloy Dimension:14*7*18.3cm	12	48
THPS23602		Plastic 3 Arm Rotatory Sprinkler	Plastic Base With Plastic 3 Arm Rotatory Sprinkler With 3/4" tool adaptor Material Breakdown: ABS and PP Dimension:16.5*14*8cm Packed by paper hanger	0	6
THPS13601		Plastic Auto Gear sprinkler	Plastic Auto Gear sprinkler head 3/4" tool adaptor 3 Pin plastic spike With 360° rotary function Dimension:38*17.4*6.4cm Material Breakdown: ABS+PP	0	12
THPS63022		5-In-1 Plastic Turret sprinkler	Plastic 5-In-1 Turret Sprinkler 3/4" tool adaptor Material:ABS Net weight:160g Packed by paper hanger	12	48
THWW092		9-Pattern water wand	Same as STANLEY quality level. Adjusetable angle,powder-coated metal head 9-spray patterns for all watering needs:mist,soaker,flat,vertical,shower,cone,fa n,center,jet TPR insulated comfort grip	0	12












THWSK0201		2pcs watering kit	2pcs/set nozzle combo 1pcs Adjustable 3-Way Plastic Trigger Nozzle+3/4" Tool Adaptor High-Impact resistant ABS plastic body with TPR TPR insulated comfortable soft grip	0	12
THHCS01121		1/2" Plastic Hose Connector(Stop-Function)	1/2" Plastic Hose Quick Connector With Water-Stop Function Material:ABS,PP,POM Net weight:28g Packed by paper hanger	20	120
THHCS01122		1/2" Plastic Hose Connector	1/2" Plastic Hose Quick Connector Material:ABS,PP,POM Net weight:24g Packed by paper hanger	20	120
THHCS63402		3/4" Plastic Hose Connector(Stop-Function)	3/4" Plastic Hose Quick Connector With Water-Stop Function Material:ABS,PP,POM Net weight:38g Packed by paper hanger	20	120
THHCS63401		3/4" Plastic Hose Quick Connector	3/4" Plastic Hose Quick Connector Material:ABS,PP,POM Net weight:34g Packed by paper hanger	20	120
THHC1202		Plastic Hose Connector	1" Plastic 2-Way Hose Connector With Shut-off and Plastic Swivel Nut 1"-3/4" Reducer Material Breakdown: ABS and PP Dimension : 10.5*9.5*4.8cm Packed by paper hanger	0	12
THHC604101		4-Way Plastic Hose Connector	Plastic 4-Way Hose Connector With Shut-off and Plastic Swivel Nut 1"-3/4" Reducer Heavy-duty plastic construction Material:ABS,PP Net weight:220g	6	24
THHCS05122		5 Piece Twist Nozzle set	Same as STANLEY quality level. Watering time up to two hours Packed by paper hanger	12	48
THWS030301		3pcs Hose quick connectors set	Same as BLACK DECKER model and quality level With 1pcs 1/2" plastic hose quick connector with water stop With 1pcs 1/2" plastic hose quick connector With 1pcs 1/2" tap Adaptor with 3/4" tap	12	48
THSPP30102		1L Pump sprayer	1L pump sprayer A second opening can easily fill the pump sprayer Adjustable nozzle with straight jet and mist spray Level indicator	0	24
THSPP42002		20L (5.3Gal) Knapsack sprayer	20L Y trigger with fiber glass lance Pressure : 4.5BAR Adjustable nozzle from jet to mist Large container specifically designed for spraying larger areas Packed by color box	0	1











THSPP20202		2L Pressure sprayer	2L Safety pressure release valve Strong Aluminum pump lever Pressure:2.5BAR Press and release fuction Adjustable nozzle with straight jet and mist	0	20
THSPP30502		5L Pressure sprayer	5L Safety pressure release valve Handy carry strap Strong Aluminum pump lever Pressure:2.5BAR 1.2m length flexible hose	0	6
THSPP30802		8L Pressure sprayer	Tank volume: 8L Safety pressure release valve Handy carry strap Strong aluminum pump lever Pressure: 2.5Bar 1.2m length flexible hose	0	6
THFTR1008		Garden rake	length : 270mm Unique design patent handle Width:82mm Main rod:8.0mm Material:carbon steel Packed by paper card	12	48
THFTT858		Garden Trowel	length:340mm Unique design patent handle Width:85mm Thickness:1.5mm Material:carbon steel Packed by paper card	12	48
THGT979K		Garden rake	length:290mm Unique design patent handle Fork Width:75mm Main rod:8.0mm Material:carbon steel Packed by paper card	12	48
THFTF38		Garden Fork	length:320mm Unique design patent handle Width:80mm Thickness:2.5mm Material:carbon steel Packed by paper card	12	48
TMT126321		6'x1/2" Steel measuring tape	Length & width:2mx13mm One button With metric and inch Unique design Pure ABS material cover Packed by label	20	60
TMT126331		10'x5/8" Steel measuring tape	Length & width:3mx16mm With metric and inch Double button TOTAL unique design Pure ABS material cover Packed by label	12	60
TMT126351		16'x3/4" Steel measuring tape	Length & width:5mx19mm Double button With metric and inch TOTAL unique design Pure ABS material cover Packed by label	12	60
TMT126352		16'x1" Steel measuring tape	Length & width:5mx25mm Double button With metric and inch TOTAL unique design Pure ABS material cover Packed by label	12	60

TMT34825		26'x1" Steel measuring tape	Length & width:8mx25mm One button With metric and inch Pure ABS material cover Packed by plastic hanger	0	0
TMT126381		26'x1" Steel measuring tape	Length & width:8mx25mm Double button With metric and inch Pure ABS material cover Packed by plastic hanger	12	48
TMT126031		10'x5/8" Steel measuring tape(Rubber Cover)	Length & width:3mx16mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger	12	120
TMT126051		16'x3/4" Steel measuring tape(Rubber Cover)	Length & width:5mx19mm With metric and inch With 3 stop button function With rubber cover Packed by label	12	60
TMT126052		16'x1" Steel measuring tape(Rubber Cover)	Length & width:5mx25mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger	12	60
TMT126081		26'x1" Steel measuring tape(Rubber Cover)	Length & width:8mx25mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger	12	48
TMT126101		32'x1" Steel measuring tape(Rubber Cover)	Length & width:10mx25mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger	6	36
TMT126231		10'x5/8" Self lock Steel measuring tape	Length & width:3mx16mm Self lock function With metric and inch Double button With all rubber cover Packed by label	12	60
TMT126251		16'x3/4" Self lock Steel measuring tape	Length & width:5mx19mm Self lock function With metric and inch Double button With all rubber cover Packed by label	12	60
TMT126252		16'x1" Self lock Steel measuring tape	Length & width:5mx25mm Self lock function With metric and inch Double button With all rubber cover Packed by label	12	60
TMT126651		16'x3/4" Steel measuring tape(NYLON)	Length & width:5mx19mm Nylon blade Double side printing With metric and inch Double hook of blade Stronger clip	5	40












TMT126652		16'x1" Steel measuring tape(NYLON)	Length & width:5mx25mm Nylon blade Double side printing With metric and inch Double hook of blade Stronger clip	5	40
TMT126681		26'x1" Steel measuring tape(NYLON)	Length & width:8mx25mm Nylon blade Double side printing With metric and inch Double hook of blade Stronger clip	5	30
TMT11206		20 Meters(65') Steel measuring tape	3:1 Gear ratio for fast rewind Length & width:20mx12.5mm With metric and inch Pure material retracting gear With all rubber cover	10	40
TMT11306		30 Meters Steel(100') measuring tape	3:1 Gear ratio for fast rewind Length & width:30mx12.5mm With metric and inch Pure material retracting gear With all rubber cover	10	40
TMTF12206		20 Meters(65') Fibreglass measuring tape	3:1 Gear ratio for fast rewind Length & width:20mx12.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and	10	40
TMTF12306		30MX12.5MM(100') Fibreglass measuring tape	3:1 Gear ratio for fast rewind Length & width:30mx12.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and	10	40
TMT56016		Laser Distance Detector	Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm,	0	20
TMT2235		9" Mini Spirit Level	Length:225mm With magnetic With 3 vials Material:Aluminum and ABS plastic Packed by color sleeve	10	100
TMT221406		16" Heavy-duty Mason's level	Length: 16"(40cm) Net weight:450 g Accuracy:0.5mm/m Finely milled bottom surface Heavy-duty cast aluminum tapered body Shock-absorbing rubber strike pads & end	0	0
TMT24036		16" Spirit level (Economical Quality)	Length : 40cm 2pcs cylinder spirit bulbs Aluminum thickness:1mm Packed by color sleeve	0	40
TMT26036		24" Spirit level (Economical Quality)	Length : 60cm 2pcs cylinder spirit bulbs Aluminum thickness:1mm Packed by color sleeve	0	40












TMT23086		12" Spirit level	Length:30cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface	0	20
TMT2406		16" Spirit level	Length:40cm V-shape slot for measuring cylinder objects Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Packed by color sleeve	0	20
TMT26086		24" Spirit level	Length:60cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface	0	20
TMT2806		32" Spirit level	Length:80cm V-shape slot for measuring cylinder objects Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Packed by color sleeve	0	20
TMT212086		48" Industrial Spirit level	Length:120cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface	0	20
TMT215086		60" Industrial Spirit level	Length:150cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface	0	14
TMT28026		32" Industrial Spirit level	Length : 80cm Aluminum Thickness:2mm With magnetic Unique design Packed by color sleeve	0	20
TMT212026		48" Industrial Spirit level	Length : 120cm Aluminum Thickness:2mm With magnet Unique design Packed by color sleeve	0	20
TMT20105M		4" Hand level with Magnet	Length:10cm With strong magnet 0.5mm/m solid shockproof arcylie vial Thickness:1.5mm Shockproof end caps Packed by label	10	100
TMT20405M		16" Spirit level with powerful magnets	Length : 40cm 2 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Double flat surfaces design	0	20
TMT24086M		16" Spirit level with powerful magnets	Length:40cm 2 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Double flat surfaces design	0	20

TMT24028M		16" Spirit level with powerful magnets	Length:40cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 3 Pcs powerful magnets Double flat surfaces design	0	0
TMT26086M		24" Spirit level With powerful magnets	Length : 60cm 2 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Double flat surfaces design	0	20
TMT28028M		32" Spirit level with Powerful Magnets	Length: 80cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 4 Pcs powerful magnets Double flat surfaces design	0	0
TMT210086M		40" Spirit level with powerful magnets	Length : 100cm 2 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Double flat surfaces design	0	20
TMT212028M		48" Spirit level with Powerful Magnets	Length: 120cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 5 Pcs powerful magnets Double flat surfaces design	0	0
TMT215028M		60" Spirit level with powerful magnets	Length: 60" (150 cm) Double-side milled 0.5mm/m accurate vials Thickness:1.5mm 6 Pcs powerful magnets Double flat surfaces design	0	0
TMT26056		24" Heavy Duty Spirit level(With powerful magnets)	Length : 60cm Double side milled 0.5mm/m accurate vials 2 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	0	20
TMT28056		32" Heavy Duty Spirit level(With powerful magnets)	Length : 80cm Double side milled 0.5mm/m accurate vials 2 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	0	10
TMT210056		40" Heavy Duty Spirit level(With powerful magnets)	Length : 100cm Double side milled 0.5mm/m accurate vials 3 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	0	10
TMT212056		48" Heavy Duty Spirit level(With powerful magnets)	Length : 120cm Double side milled 0.5mm/m accurate vials 4 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	0	10
TMT215056		60" Heavy Duty Spirit level(With powerful magnets)	Length:150cm Double side milled 0.5mm/m accurate vials 6 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	0	10












TMT2606D		24" Digital level	Length:60cm Measuring ranger:0~360°(4*90°) Measuring accuracy:±0.2 3 Pcs powerful magnets Double side milled 0.5mm/m accurate vials	0	20
TMT61126		12" Angle Square	Length:300mm(12") Blade Width:40mm Blade Thickness:1.5mm Stainless steel blade With unique support ledge High-impact polymer handle	12	48
TMT61201		7" Angle Square	Size:7in*7in material : ABS Only Inch Beveled edge for ease of reading Easy-to-read gradations Base enable easy marking and cutting Length:180mm(7")	10	60
TAHS181511		7" adjustable Angle square	With accurate angle markings up to 75° Blade Width:28mm Blade Thickness:1.2mm With metric and inch Stainless steel blade and bolt With Horizontal bubble Packed by paper hanger Blade scale:300mm(11")	10	60
TAHS3011		11" adjustable angle square for pipes	With accurate angle markings up to 75° With metric and inch Blade Width:30mm Blade Thickness:3mm PC+10%GF blade and bolt	10	60
TMT653005		12" Magnetic lock combination square	Length:300mm(12") Blade Width:25mm Blade Thickness:2.0mm Net weight:355g Magnetic lock adjustment Heavy-duty zinc body	6	36
TMT311501		6" Vernier caliper	Range:0-150mm Reading:0.05mm Material:Carbon steel Packed by plastic box	10	50
TMT312001		8" Vernier caliper	Range:0-200mm Reading:0.05mm Material:Carbon steel Packed by plastic box	10	30
TLL156506		Self-Leveling Line Laser	Working Range: 0~15 m Line accuracy ±1.5mm at 5 m Levelling time<4s Self-levelling angle ≤4° Laser Type 650nm Laser Class II <1mW	10	20
TLL306505		Self-Leveling Line Laser(Red laser beams)	Working Range: 0~30 m 1 Horizontal Line 4 Vertical Lines Levelling accuracy:±1.0mm at 5 m Line accuracy ±1.5mm at 5 m Levelling time<3s Self-levelling range ≤3°	0	8
TLL305205		Self-Leveling Line Laser(Green laser beams)	Green laser beams Working Range: 0~30 m 1 Horizontal Line and 4 Vertical Lines Levelling accuracy:±1.0mm at 5 m Line accuracy ±1.5mm at 5 m Levelling time<3s	0	8












THT291408	A blue and green test pencil with a slotted tip. The packaging shows the product and its specifications: Test voltage: AC 100-500V, 3x140mm.	100-500V Test pencil (Short)	Test voltage:AC 100-500V Slotted size:3x140mm Packed by plastic hanger	30	360
THT291908	A blue and green test pencil with a slotted tip. The packaging shows the product and its specifications: Test voltage: AC 100-500V, 4x190mm.	100-500V Test pencil (Long)	Test Voltage:AC 100-500V Slotted size:4x190mm Packed by plastic hanger	24	288
THT2910003	A blue and green AC voltage detector with a push-button and a small LED indicator.	AC Voltage Detector	AC Voltage: 12V~1000V(High sensitivity) 48~1000V(Low sensitivity) Frequency:50/60Hz Alarm mode: Sound and light alarm Flash light : White LED Low battery indication	20	40
TMT46001	A blue and green digital multimeter with a large LCD display and various function buttons.	Digital Multimeter	1999 counts LCD display Backlight DC Voltage 200mV/2V/20V/200V/600V AC Voltage 200V/600V DC Current 200 μ A/2mA/20mA/200mA/10A Resistance 200 Ω /2k Ω /20k Ω /200k Ω /2M Ω	10	40
TMT47503	A blue and green digital multimeter with a large LCD display and various function buttons.	Digital multimeter	6000 counts true RMS digital multimeter Non-contact voltage detection live line or neutral Line distinguish DC Voltage: 600mV/6V/60V/600V/1000V $\pm(0.5\% +3)$ AC Voltage:6V/60V $\pm(0.8\%+3)$	5	20
TMT47504	A blue and green digital multimeter with a large LCD display and various function buttons.	Autorange multimeter	6000 counts true RMS digital multimeter Non-contact voltage detection live line or neutral Line distinguish Data hold DC Voltage: 600mV/6V/60V/600V/1000V $\pm(0.5\% +3)$	5	20
TMT42002	A blue and green digital AC clamp meter with a large LCD display and a clamp head.	Digital AC clamp meter(200A-600V)	2000 Counts Data Hold AC Current:2A/20A/200A $\pm(2.5\% +8)$ AC Voltage:0.1~600V $\pm(1.0\% +5)$ DC Voltage:0.1~600V $\pm(0.5\% +5)$ Resistance:2k Ω /20k Ω $\pm(1.0\% +3)$	20	40
TMT46003	A blue and green digital AC clamp meter with a large LCD display and a clamp head.	Digital AC clamp meter(600A-600V)	6000 Counts Data Hold AC Current:6A/60A/600A $\pm(2.5\% +8)$ AC Voltage:0.1~600V $\pm(0.8\% +5)$ DC Voltage:0.1~600V $\pm(0.5\% +3)$ Resistance:0~60k Ω $\pm(0.8\% +3)$	5	20
TMT46004	A blue and green digital DC/AC clamp meter with a large LCD display and a clamp head.	DC/AC clamp meter	DC Current:60A/600A $\pm(2.5\%+5)$ Duty:1%~99% $\pm(1.0\%+2)$ Diode test/True RMS/LPF Temperature:-40°C~1000°C (-40°F~1832°F) $\pm(1.0\%+2)$ AC Current:6A/60A/600A $\pm(2.5\% +8)$	5	20
TMT410004	A blue and green industrial digital AC clamp meter with a large LCD display and a clamp head.	Industrial Digital AC clamp meter (Including Capacitance)	6000 Counts Data Hold AC Current : 60A/600A/1000A $\pm(2.0\% +6)$ AC Voltage : 60mV/600mV/6V/60V/600V $\pm(0.8\% +3)$ 750V $\pm(1\% +4)$	5	20
TMT423	A pair of red and black test leads with alligator clips.	Test lead	Length:143mm Suitable for TMT410002 Packed by paper hanger	0	100












TMT426		Test lead	Test lead Length:143mm Packed by double blister	40	80
TETAN01		Digital Anemometer	Range of Air speed:0.80-40.00m/s Resolution 0.01 ±(2.0%+30) Data hold With backlight function With lower battery indication function Packed by color box	0	20
TETH01		Digital Humidity & Temperature Meter	Ambient temperature:-20°C~60°C (-4°F~140°F) Ambient humidity:0~100% Web bulb temperature:-20°C~60°C (-4°F~140°F) Dew point temperature:-20°C~60°C (-	0	20
TETSL01		Digital Sound Level Meter	Measuring range:30-130dB Dynamic range:50dB Sound pressure accuracy:±1.5dB(94dB@1KHz) ±1.5dB(94dB@8KHz) Frequency response:30Hz-8KHz	0	20
TETWM01		Wood moisture meter	Moisture measurement range: 2~70% Moisture measurement accuracy: ±2% Temperature range: 0~40°C Temperature accuracy: ±1°C Environment humidity: 20~90%RH Environment temperature: 0~40°C	0	20
THIT0155028		Infrared thermometer	Temperature:-50°C~450°C (-58°F~842°F) Response time<0.5S D:S=12:1 Auto power off Back light Not for human	5	30
THIT010381		Infrared thermometer(Non-medical)	Human body mode:32°C~42.9°C (89.6°F~109.2°F) Accuracy:±0.3°C (ambient temperature 18~25°C) Response time : 1 second Color display screen	5	30
THIADW081		Insulated adjustable wrench (VDE Certified)	Insulated adjustable wrench 1000V,VDE/GS Certification Size: 8"/200mm Manufactured according to EN60900 Material: chrome vanadium material Chrome plated surface	6	36
THIADW101		10" Insulated adjustable wrench (VDE Certified)	Insulated adjustable wrench 1000V,VDE/GS Certification Size: 10"/250mm Manufactured according to EN60900 Material: chrome vanadium material Chrome plated surface	6	24
THICK1801		Insulated cable knife (VDE Certified)	Insulated cable knife 1000V,VDE/GS Certification Size: 50x180mm Manufactured according to EN60900 Stainless steel blade Packed by blister card	12	72
THISS1601		Insulated scissor (VDE Certified)	Insulated scissor 1000V,VDE/GS Certification Size: 160mm Manufactured according to EN60900 Stainless steel blade Packed by blister card	12	72

THIJH3001		Insulated junior hacksaw (VDE Certified)	Insulated junior hacksaw 1000V,VDE/GS Certification Manufactured according to EN60900 Packed by paper card	6	48
THIHAST12101		1/2" Insulated hexagon socket (VDE Certified)	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:10mm Manufactured according to EN60900 Material: CR-V Packed by blister card	6	120
THIHAST12121		1/2" Insulated hexagon socket (VDE Certified)	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:12mm Manufactured according to EN60900 Material: CR-V Packed by blister card	6	120
THIHAST12131		1/2" Insulated hexagon socket (VDE Certified)	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:13mm Manufactured according to EN60900 Material: CR-V Packed by blister card	6	120
THIHAST12141		1/2" Insulated hexagon socket (VDE Certified)	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:14mm Manufactured according to EN60900 Material: CR-V Packed by blister card	6	120
THIHAST12161		1/2" Insulated hexagon socket (VDE Certified)	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:16mm Manufactured according to EN60900 Material: CR-V Packed by blister card	6	120
THIHAST12171		1/2" Insulated hexagon socket (VDE Certified)	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:17mm Manufactured according to EN60900 Material: CR-V Packed by blister card	6	120
THIHAST12191		1/2" Insulated hexagon socket (VDE Certified)	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:19mm Manufactured according to EN60900 Material: CR-V Packed by blister card	5	100
THIRTH121		1/2" Insulated ratchet wrench (VDE Certified)	Insulated ratchet wrench 1000V,VDE/GS Certification Size:1/2" 45T Length:250mm Material : CR-V+Cr-Mo Manufactured according to EN60900	10	20
THITH121		1/2" Insulated T-handle wrench (VDE Certified)	1/2" Insulated T-handle wrench 1000V,VDE/GS Certification Size:1/2"x200x140mm Manufactured according to EN60900 Material: CR-V Packed by double blister	10	20
THKISD1201		12 Pcs Interchangeable Insulated Screwdriver Set (VDE)	12 Pcs Interchangeable Insulated Screwdriver Set 1000V,VDE/GS Certification Include: SL2.0x100 SL2.5x100 SL3.0x100 SL3.5*100 SL4.0x100mm SL5.5x100 SL6.5x100	12	48










THKISPA0603	A set of six yellow and red insulated ratchet wrenches of various sizes, with a blue carrying case and a 1000V safety label.	6PCS insulated ratchet wrench set (VDE Certified)	6PCS insulated ratcheting box wrench set 1000V,VDE/GS Certification Include: 10mm, 12mm, 14mm, 15mm, 17mm, 19mm; Packed by canvas bag	5	10
THKISPA0701	A set of seven yellow and red insulated open end spanners of various sizes, with a blue carrying case and a 1000V safety label.	7PCS insulated open end spanner set (VDE Certified)	7PCS Insulated open end spanners set 1000V,VDE/GS Certification Include: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm, 19mm; Packed by canvas bag	5	10
THKISPA0702	A set of seven yellow and red insulated ring wrenches of various sizes, with a blue carrying case and a 1000V safety label.	7PCS insulated ring wrench set (VDE Certified)	7PCS Insulated ring wrench set 1000V,VDE/GS Certification Include: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm, 19mm; Packed by canvas bag	5	10
THKITH1601	A collection of 16 yellow and red insulated hand tools including pliers, cutters, and screwdrivers, with a red carrying case and a 1000V safety label.	16PCS insulated hand tools set (VDE Certified)	16PCS Insulated hand tools set 1000V,VDE/GS Certification Include: 1Pcs 200mm insulated combination pliers; 1Pcs 200mm insulated long nose pliers ; 1Pcs 160mm insulated diagonal cutting	0	4
THKITH1901	A collection of 19 yellow and red insulated hand tools including pliers, cutters, and screwdrivers, with a red carrying case and a 1000V safety label.	19PCS insulated hand tools set (VDE Certified)	19PCS Insulated hand tools set 1000V,VDE/GS Certification Include: 1Pcs 200mm insulated combination pliers; 1Pcs 160mm insulated long nose pliers ; 1Pcs 160mm insulated diagonal cutting	0	4
THKITH2601	A collection of 26 yellow and red insulated hand tools including pliers, cutters, and screwdrivers, with a red carrying case and a 1000V safety label.	26PCS insulated hand tools set (VDE Certified)	26PCS Insulated hand tools set 1000V,VDE/GS Certification Include: 1Pcs 180mm insulated combination pliers; 1Pcs 160mm insulated long nose pliers ; 1Pcs 160mm insulated diagonal cutting	0	4
THTIS036	Three insulated screwdrivers with different handle designs (SL, PH, and a new round shank design), with a blue carrying case and a 1000V safety label.	3 Pcs insulated screwdriver set (VDE Certified)	3 PCS Insulated Screwdriver Set SL4.0×100 SL5.5×125 PH2×100 New design handle Round shank	12	48
THTIS566	Six insulated screwdrivers with different handle designs (SL, PH, and PH1), with a blue carrying case and a 1000V safety label.	6 Pcs insulated screwdriver set (VDE Certified)	6 PCS Insulated Screwdriver Set SL3.0×75 SL4.0×100 SL6.5×150 PH0×60 PH1×80	6	24
TMT19923	A digital display measuring wheel with a blue handle and a black wheel, showing a measurement of 0.00000m on the display.	Digital display measuring wheel	Display resolution:0.1m Tolerance:	0	6
TMT332501	A digital tread depth gauge with a blue handle and a black wheel, showing a reading of 0.01mm on the display.	Digital Tread Depth Gauge	Range:0-25.4mm Reading:0.01mm Battery 3V Metric/inch system conversion at any position Battery 3V	25	100
TMT333601	A digital angle ruler with a blue handle and a black wheel, showing a reading of 0.05° on the display.	Digital Angle Ruler	Range:0-360°, 0-200mm, 0~400mm (180°) Reading:0.05°, 0.1mm/0.01" Battery : 3V Metric/inch system conversion at any position Battery : 3V	10	50











TMT633002		12" Ruler	Length:30cm Width:3cm Material:Anodized aluminum Printed scale accurate 0.7mm/m Packed by label	0	120
TESA41801		Body Scale	Size:260*320mm range:0.2-180kg unit:kg/lb division value:0.1kg power supply:3*AAA packed by :color box	0	10
TSP11102		Knitted & PVC dots gloves	Size:10 (XL) Liner Material:lampshade cotton Coating material/Finish: PVC Gauge:10 12pairs/paper Use for transporting and cargo handling	12	144
TSP12102		Nitrile gloves	Size:XL Liner Material:Polyester Coating material/Finish: Nitrile Gauge:13 Protection level:4121X 12pairs/paper	0	0
TSPTG01		Nitrile frosted coated gloves XL	Size:XL Liner Material:polyester thread Coating material/Finish: Nitrile frosted coated Gauge:15 Protection level:4121X	12	120
TSPUG01		PU Palm Coated Gloves XL	Size:XL Liner Material:Polyester Coating material/Finish: PU Gauge:13 Protection level:3131X 12pairs/paper	12	300
TSPUG02		PU Fingertip Coated Gloves	Size:XL Liner Material:Polyester Coating material/Finish: PU Gauge:13 Protection level:113XX 12pairs/paper	12	240
TSP12105		Fully Coated Nitrile Gloves	Size:10(XL) Use for oil environment (much oil) worker etc. Heavy nitrile fully coated gloves Packed by poly bag	6	120
TSP13101		Latex gloves	Size:XL Use for heavy cargo handling worker, slight sharp objects carrier etc. Latex gloves Cotton/polyester seamless knitted shell. Textured palm dip for extra grip and	6	120
TSP13106-XL		Latex gloves	Size:XL Use for heavy cargo handling worker, slight sharp objects carrier etc. From pressing, longer life time than normal. Latex gloves Polyester seamless knitted shell.	12	120
TSP14101		10.5" Heavy Duty Leather gloves	Size:10.5" Use for carriers, machining operators, garden work etc. Cow split leather gloves Cotton back & rubberized cuff, half lining Packed by poly bag	36	72











TSP15216		16" Welding leather gloves	Size:16 inch can withstand 350 degrees AB grade royal red leather, palm and back with blue leather, white diagonal neck with mixed velvet hanging inside, Length:16"	0	24
TSP15161		Welding leather gloves	Use for professional welding worker etc. Cow split leather welder gloves, one piece back, full lining full palm with double palm Packed by poly bag	24	48
TSP1702-XL		PU Coated Cut-resistant gloves	Size:XL Liner Material:HPPE shell,Level 5 cut-resistant glove core Coating material/Finish: PU Gauge:13 Protection level:4X43C	12	120
TSP1706-XL		Latex Coated Cut-resistant gloves	Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. From pressing,longer life time than normal. Latex coated palm HPPE shell,cut-resistance and abrasion.	12	120
TSP301		Adjustable Safety goggles	Material: PC The length of temple can be adjusted in 4 different positions, temple line can be added for easier and safer use. Integrated encircling type design gives flank protection	12	48
TSP302		Safety goggles with Band	Has supple and lightweight PVC frame as well unique air hole design. High-impact polycarbonate lenses have high transparency comfortable for wearing. Packed by poly bag	32	64
TSP304		Safety goggles	Conforms to ANSI Z87.1 and CE EN166 Full-view full-slice structure prevents UV and withstands impact Fit to wearing the corrective glasses,also can be used as visitors glasses Can defend against splash particles in the round	12	60
TSP305		Safety goggles Shade 8 (Only for daily use)	Material: PC Dark shade:8 Light weight,comfortable to wear,wide visual field Packed by double blister	12	48
TSP306		Safety goggles Shade 9 (Only for daily use)	Material:PC Dark shade:9 Light weight,comfortable to wear,wide visual field Packed by double blister	12	48
TSP307		Safety goggles(Only for welding)	Material: PC Dark shade:10 Light weight,comfortable to wear,wide visual field Packed by double blister	12	48
TSP413		Face Mask	Adjustable nose clip offers a secure fit Materials: Polypropylene,PP filter fibre,and Polyester Suggested applications for grinding,sanding, and sweeping jobs. Packed by color box,50pcs/box	50	500











TSP701		Earmuff	Impact-resistant ABS shell body,soft foam pad NRR:24dB Packed by header card	15	60
TSP707		Earplug	Made from polyurethane foam,smooth and ultra supple Conforms to ear structure,safe and sanitary superior noise recuction effect, let operators keep acute hearing in noise ambient Packed by poly bag	100	1000
THKPT0201		Kneepads	PVC outer shell provides maximum impact resistance Moulded foam body provides extra comfort Two elastic straps and flexible buckles ensure a comfortable fit	0	6
THTRS065606		4 PCS 20'X1"X1433LB Ratchet strap set	Load:0.65T Length:6m Width:25mm S.F.:2:1 4Pcs/set Ribbon material: PES,secure your equipent	0	5
THSH501506		Safety harness	1 attachment point 4 adjustment point Material:High Strength Polyester Webbing Width:50mm Safety rope Size : ?13mm*1.5m Safety rope material:Polyester	0	10
THTRS2061		20'X1"X3300LB Ratchet Tie-Down Strap	Load:1.5T Length:6m Width:25mm S.F.:2:1 Ribbon material: PES,secure your equipent With ratchet and double J hooks	0	30
THTRS3061		20'X2"X6600LB Ratchet Tie-Down Strap	Load:3T Length:6m Width:50mm S.F.:2:1 Ribbon material: PES,secure your equipent With ratchet and double J hooks	0	12
THTRS2101		32'x1-3/8"X4400LB Ratchet Tie-Down Strap	Load:2T Length:10m Width:35mm With ratchet and double j hooks Packed by strap	0	10
THTRS3101		32'X2"X6600LB Ratchet Tie-Down Strap	Load:3T Length:10m Width:50mm S.F.:2:1 Ribbon material: PES,secure your equipent With ratchet and double J hooks	0	10
THTRS4101		32'X2"X8800LB Ratchet Tie-Down Strap	Load:4T Length:10m Width:50mm With ratchet and double j hooks Packed by strap	0	10
TSP502		Yellow Reflection Vest	Conforms to EN471 Class 2 Common reflective strip + Polyester tricot waistcoat Colour:Fluorescent yellow Packed by poly bag	0	20












TSP503		Orange Reflection Vest	Common reflective strip + Polyester tricot waistcoat Colour:Fluorescent Orange Conforms to EN471 Class 2 Size : XL Packed by Poly bag	0	20
TSP9306		Auto Darkening Welding Helmet Variable Shade (9-13)	Viewing area:92×42mm Cartridge size:110×90×9mm Arc sensor:2 Optical class:1/1/1/2 Light state:DIN 4 Dark state:variable shade, 9 ~13	0	6
TSP9309		Auto Darkening Welding Helmet Fixed Shade 11	Viewing area:90×35mm Cartridge size:110×90×10mm Arc sensor:2 Light state:DIN 4 Dark state:fixed shade 11 Shade control:unadjustable	0	6
TFL013AAA58		250 Lumens Industrial Flashlight	Brightness: 250lm Irradiation distance: 160m Use 3pcs AAA batteries Without battery Tail light switch Diameter/length: 34mm/136mm	6	36
THAB2A01		AA Alkaline Battery	1.5V LR6 AA Alkaline Nominal voltage:1.5V Size : AA(LR6) Aluminum jacket Expiry period:5 years Capacity: 2900 mAh	128	384
THAB3A01		AAA Alkaline Battery	1.5V LR03 AAA Alkaline Nominal voltage:1.5V Size : AAA(LR03) Aluminum jacket Expiry period:5 years Capacity: 1300 mAh	300	900
THL013AAA6		Headlamp (200 Lumens)	Brightness: Max:200 lumens Low:100 lumens Use alkaline 3AAA battery Max 91m beam distance IPX4 raining resistant	6	24
TLK32202		20 MM Heavy duty brass padlock	Size:20mm Material:brass Weight:40g With 3 pcs brass keys Packed by double blister	12	240
TLK32302		30 MM Heavy duty brass padlock	Size:30mm Material:brass Weight:84g With 3 pcs brass keys Packed by double blister	12	144
TLK32402		40 MM Heavy duty brass padlock	Size:40mm Material:brass Weight:142g With 3pcs brass keys Packed by double blister	12	96
TLK32502		50 MM Heavy duty brass padlock	Size:50mm Material:brass Weight:270g With 3 pcs brass keys Packed by double blister	6	48

TLK32602		60 MM Heavy duty brass padlock	Size:60mm Material:brass Weight:385g With 3 pcs brass keys Packed by double blister	6	36
TLK32702		70 MM Heavy duty brass padlock	Size:70mm Material:brass Weight:542g With 3pcs brass keys Packed by double blister	6	24
TBK21012		4 Digit Combination bicycle lock (with lock frame)	Size:10X1200mm PVC coated braided High quality wire rope Padlock rack for bicycle frame With 4 Code Wheels Can be rolled up for easy storage	12	36
OJDSE1317		Square Mouth Shovel with Wooden D-Handle	D-Handle Square ShovelHead: carbon steel,thickness:1.5-1.6mm,BLACK POWDERCOATED,backward step,HRC40-50,Handle: 28" first class hardwood with grain,green(PANTONE322C)poly D grip ,chrome collar,one rivet	0	6
OJDSE3324		Round Mouth Shovel with wooden D-Handle	ROUND SHOVEL: Head: carbon steel, thickness:1.5-1.6mm, BLACK POWDER COATED,backward step, HRC40-50, Handle: 28" first class hard wood with grain, green(PANTONE322C) poly D grip ,chrome collar, one rivet	0	6
ORSFDH1210		Round Mouth Shovel with Fiberglass D-Handle	Round point shovelHead: thickness: 1.7+/-0.1MM, clear lacquer, HRC40-50, forward step, 11.4*8.5inHandle:green color (PANTONE322C) fiberglass D handle	0	6
OJDSE2317		Square Mouth Shovel with Long wooden Handle	SQUARE SHOVEL: Head: carbon steel, thickness:1.5-1.6mm, BLACK POWDER COATED, backward step, HRC40-50, Handle: 42" first class hard wood with grain, chrome collar, one rivet	0	6
OJDSE2327		Round Mouth Shovel with Long wooden Handle	ROUND SHOVEL: Head: carbon steel, thickness:1.5-1.6mmBLACK POWDER COATED, backward step, HRC40-50, Handle: 42" first class hard wood with grain, chrome collar, one rivet	0	6
OSMLH1210		Square Mouth Shovel with Long Fiberglass Handle	Square point shovel, fiberglass long handle Head:thickness:1.7+/-0.1mm, clear lacquer, HRC40-50,forward turned step, Handle:48" fiberglass handle green color (PANTONE322C) ,Diameter:32mm, wall thickness:2.5mm, / wood insert	0	6












ORMLG1210		Round Mouth Shovel with Long Fiberglass Handle	Round point shovel fiberglass handle Head:thickness:1.7+/-0.1MM, clear lacquer, HRC40-50,forward turned step,	0	6
OJDSE5326		Aluminum Grain Scoop Shovel Wooden D-Handle	Al SCOOP WITH WOOD HANDLE: Head: 3003 Al, thickness: 2.0mm, with Stamp: TEMPERED 8 17.5*12.8in Handle: first class hardwood, Diameter:36.5+/-0.5mm, green(PANTONE322C) poly D grip, 28 from the step to end of D grip, with collar	0	6
OCFLH451252		Cultivator Fiberglass Long Handle 4T	Head: carbon steel,thickness:1.7±0.1mm, black powder coated, HRC40-50,Handle: first class hardwood with grain,green(PANTONE322C) poly D grip,one rivet, totallength:34"	0	6
OGHFLH546		Garden Hoe Fiberglass Long Handle	Head:thickness:2.5+/-0.1mm,black powdercoated,Fiberglass handle, diameter: 28 mm, wall thickness: 2.0 mm, greencolor(PANTONE322C) totallength :58"	0	6
OGSFD7121112		Garden Spade with Fiberglass D-Handle	Head:thickness:1.7+/-0.1MM, clear lacquer, HRC40-50, forward step,	0	6
OGSWD168		Garden Spade with Wooden D-Handle	GARDEN SPADE: Head: carbon steel, thickness: 1.5-1.6mm, BLACK POWDER COATED , backward step, HRC40-50,	0	6
OMFFL484		Manure Fork with Fiberglass L-Handle 42.5\"X4T	Long handle 4T manure fork fiberglass handle, hammer toneHandle: green color (PANTONE322C) fiberglass handle, Diameter:32mm, wall thickness:2.5mm, end grip, Total length:58"	0	0
OMFFL485		Manure Fork with Fiberglass L-Handle 42.5\"X5T	Long handle 5T manure fork fiberglass handle, hammer toneHandle: green color (PANTONE322C) fiberglass handle, Diameter:32mm, wall thickness:2.5mm, end grip,	0	0
OHDFL595		Post Hole Digger with Fiberglass L-Handle	Head:1.9mm, black powder coated, HRC40-50, 48" green color Fiberglass handle, Dia:32mm, Wall thickness:2.5mm, Total length: 59.5"	0	2
OJDQA1313		Steel Sidewalk Scraper with Wooden D-Handle	Steel Sidewalk scraper with D-Handle:Head: 4" forged scraper, carbon steel, black powder coated, sharp edgeHandle: hardwood, dia: 36.5mm, with green(PANTONE322C) poly D grip, total	0	6

OJDXW4314		Bow Rake Wooden Handle 14T	GARDEN RAKE (14TEETH)Head: carbon steel, thickness:4.0±0.1mm, black powder coated. HRC20-30, Handle: first class hard wood no grain, one rivet,	0	6
OJDXW4316		Bow Rake Wooden Handle 16T	RAKE (16TEETH)Head: carbon steel, thickness:4.0±0.1mm, black powder coated. HRC20-30, Handle: first class hard wood no grain, one rivet, Total length: 58"	0	6
OBRFLH14		Bow Rake Fiberglass Long Handle 14T	Head: carbon steel,thickness:1.7±0.1mm, blackpowder coated, HRC40-50,Handle: first class hardwood with grain,green(PANTONE322C)poly D grip,one rivet, totallength:34"	0	6
OLRFL6436		Landscape Rake Aluminum L-Handle 66\"X37TINE	37TINES, AL RAKEHEAD LENGTH: 920MMhandle: aluminum handle is 66"L x 1-1/4"D and is green powder coated(Panone322C), Diameter:32mm, wall thickness:1.3mm,with end grip, head and handle NOT assembled	0	12
OLRKL6624		Landscape Rake Aluminum L-Handle 66\"X25Tines	25TINES, AL RAKEHEAD LENGTH: 615MMhandle: aluminum handle is 66"L x 1-1/4"D and is green powder coated(Panone322C), Diameter:32mm, wall thickness:1.3mm, with end grip, head and handle NOT	0	12
OTEWDH34		Turf Edger Wooden D- Handle	Head: carbon steel,thickness:1.7±0.1mm, blackpowder coated, HRC40-50,Handle: first class hardwood with grain,green(PANTONE322C)poly D grip,one rivet, totallength:34"	0	6
OPT2450		1"x55 YDS (24MMx50M) Green Painter's Tape	Adhesive Type: water-base glue Backing Material: Crepe Paper Thickness(um): 145+10 Initial(#): 11+2 Adhesion to steel (N/inch): 2.0-4.0 Tensile Strength(N/inch): 62+5 Elongation(%): 10+3	0	48
OPT3650		1.42"x55 YDS (36MMx50M) Green Painter's Tape	Adhesive Type: water-base glue Backing Material: Crepe Paper Thickness(um): 145+10 Initial(#): 11+2 Adh. to steel (N/inch): 2.0-4.0 Tensile Strength(N/inch): 62+5	0	36
OPT4850		2"x55 YDS (48MMx50M) Green Painter's Tape	Adhesive Type: water-base glue Backing Material: Crepe Paper Thickness(um): 145+10 Initial(#): 11+2 Adh. to steel (N/inch): 2.0-4.0 Tensile Strength(N/inch): 62+5	0	24
OPTW2450		1"x55 YDS (24MMx50M) Contractor Grade Painter's Tape	120-degree resist up to 30 minutes30 days UV for clean removalRazor-sharp paint linesUse with all paint typesGood for tape ontapeInstantly stick to all vehicle surfaceExcellent holding powerAdhesive Type: water base glue Backing Material:	0	48












OPTW3650		1.42"x55 YDS (36MMx50M) Contractor Grade Painter's Tape	120-degree resist upto to 30 minutes 30 days UVfor clean removal Razor-sharp paint lines Use with all paint types Good for tape ontape Instantly stick to all vehicle surface	0	36
OPTW4850		2"x55 YDS (48MMx50M) Contractor Grade Painter's Tape	120 degree resist upto to 30 minutes30 days UVfor clean removalRazor sharp paint linesUse with all paint typesGood for tape ontapeInstant stick to all vehicle surfaceExcellent holding powerAdhesive Type: water base glueBacking Material: washi paperThickness(um): 105+10Initial(#):14+2Adh. to steel(N/inch):	0	24
OPT36504		1.42"x55 YDS (36MMx50M) Green Painter's Tape (4-Pack)	Adhesive Type: water-base glue Backing Material: Crepe Paper Thickness(um): 145+10 Initial(#):11+2 Adh. to steel (N/inch): 2.0-4.0 Tensile Strength(N/inch):62+5 Elongation(%): 10+3	0	8
OPTWB36504		1.42"x55 YDS (36MMx50M) Contractor Grade Blue Painter's Tape (4-Pack)	120-degree resist upto to 30 minutes 30 days UVfor clean removal Razor-sharp paint lines Use with all paint types Good for tape ontape Instantly stick to all vehicle surface Excellent holding power	0	8
OPPDC5533		22"X108' pre-taped plastic drop cloth	Adhesive Type: water base glue Extended Size: 22"X108' (55cmx33m) Coverage area: 194 sqft (18 sqm) 1" (24mm) high-quality masking tape For various applications such as wall painting, household decorating, and automotive painting The strong adhesive ensures a secure fit, and	0	50
OPPDC17020		68"X66' pre-taped plastic drop cloth	Extended Size: 68"X66' (170cmx20m) Coverage area: 366 sq ft (34 sqm) 1" (24mm) high-quality masking tape For various applications such as wall painting, household decorating, and automotive painting	0	25
OPPDC27020		108"X66' pre-taped plastic drop cloth	Extended Size: 108"X66' (270cmx20m) Coverage area: 580 sqft (54 sqm) 1" (24mm) high-quality masking tape For various applications such as wall painting, household decorating, and automotive painting The strong adhesive ensures a secure fit, and	0	25
OPPDCCD5533		22"X108' pre-taped plastic drop cloth with dispenser	Extended Size: 22"X108' (55cmx33m) Compact dispenser makes it easy to unroll and cut the length you need Coverage area: 194 sqft (18 sqm) 1" (24mm) high-quality masking tape For various applications such as wall painting, household decorating, and	0	25
OPPDCCD17020		68"X66' pre-taped plastic drop cloth with dispenser	Extended Size: 68"X66' (170cmx20m) Compact dispenser makes it easy to unroll and cut the length you need Coverage area: 194 sqft (18 sqm) 1" (24mm) high-quality masking tape For various applications such as wall painting, household decorating, and	0	25
OPPDCCD27020		108"X66' pre-taped plastic drop cloth with dispenser	Extended Size: 108"X66' (270cmx20m) Compact dispenser makes it easy to unroll and cut the length you need Coverage area: 580 sqft (54 sqm) 1" (24mm) high-quality masking tape For various applications such as wall painting, household decorating, and automotive painting	0	25












OPP9400		9x400ft Painter's Plastic Drop Sheet	0.31 mil (7.87 m) x 9 ft (2.74 m) x 400 ft (122 m) High-density, flexible polyethylene film Clings to windows, walls, and floors. Keeps out paint, moisture, and dust. Resists bleed through Easy To Tape	0	1
OPP12400		12x400ft Painter's Plastic Drop Sheet	0.31 mil (7.87 m) x 12 ft (3.65 m) x 400 ft (122 m) High-density, flexible polyethylene film Clings to windows, walls, and floors. Keeps out paint, moisture, and dust. Resists bleed through	0	1
OMP6180		6\"X180' General Purpose Masking Paper	6\"X180' Thickness: 38grms/sqm Formulated for water-based materials including latex, plaster, drywall texture and enamels Easy tear, thin masking paper	0	12
OMP9180		9\"X180' General Purpose Masking Paper	9\"X180' Thickness: 38grms/sqm Formulated for water-based materials including latex, plaster, drywall texture and enamels Easy tear, thin masking paper	0	12
OMP12180		12\"X180' General Purpose Masking Paper	12\"X180' Thickness: 38grms/sqm Formulated for water-based materials including latex, plaster, drywall texture and enamels Easy tear, thin masking paper	0	12
ODMT5050		2\"(50mm)x50ft Self-adhesive fiberglass drywall tape	75g/m2,9x9/inch Excellent Self-adhesive. Good alkali-resistance. Resistant to Mold High tensile strength and anti-deformation. Crack resistance and corrosion resistance.	0	48
ODMT50150		2\"(50mm)x150ft Self-adhesive fiberglass drywall tape	75g/m2,9x9/inch Excellent Self-adhesive. Good alkali-resistance. Resistant to Mold High tensile strength and anti-deformation. Crack resistance and corrosion resistance.	0	48
ODMT50300		2\"(50mm)x300ft Self-adhesive fiberglass drywall tape	75g/m2,9x9/inch Excellent Self-adhesive. Good alkali-resistance. Resistant to Mold High tensile strength and anti-deformation. Crack resistance and corrosion resistance.	0	24
ODMT50500		2\"(50mm)x500ft Self-adhesive fiberglass drywall tape	75g/m2,9x9/inch Excellent Self-adhesive. Good alkali-resistance.Resistant to Mold High tensile strength and anti-deformation. Crack resistance and corrosion resistance. Easy to operate	0	16
ODPT50250		2\"(50mm)x250ft Drywall paper tape	140g/m2 Good alkali-resistance. High tensile strength and anti-deformation. Crack resistance and corrosion resistance. Easier to use in corners Easy to operate	0	24
ODPT50500		2\"(50mm)x500ft Drywall paper tape	140g/m2 Good alkali-resistance. High tensile strength and anti-deformation. Crack resistance and corrosion resistance. Easier to use in corners Easy to operate	0	10










ODPT52500		52mmx500ft Drywall paper tape	140g/m2 Good alkali-resistance. High tensile strength and anti-deformation. Crack resistance and corrosion resistance. Easier to use in corners Easy to operate	0	10
ODMP44		4"x4" Fiberglass wall patch	4"x4" Heavy-duty, self-Adhesive fiberglass Quickly and permanently repair damaged walls and ceilings For Patching holes in Drywall and Plaster Conforms around curves and corners Rustproof Aluminum sheet Easy to apply	0	100
ODMP66		6"x6" Fiberglass wall patch	6"x6" Heavy-duty self-Adhesive fiberglass Quickly and permanently repair damaged walls and ceilings For Patching holes in Drywall and Plaster Conforms around curves and corners Rustproof Aluminum sheet Easy to apply	0	100
ODMP88		8"x8" Fiberglass wall patch	8"x8" Heavy-duty, self-Adhesive fiberglass Quickly and permanently repair damaged walls and ceilings For Patching holes in Drywall and Plaster Conforms around curves and corners Rustproof Aluminum sheet Easy to apply	0	100
JDRM1101	200mm(8") 	11" Metal stud crimper	Length:11"Material : Zinc-aluminum+Q235+GCr15Throat depth: > 33mmPenetrable steel plate thickness: 0.5mm-0.8mmComfortable soft handlePack by sliding card	6	24
JDZB8002	60mm(2") 	3" Offset jaw hand seamer	3" Offset jaw Hand SeamerLength:210mmHead size:80(3")*35mmMaterial:CR-V+Q235Working in confined areasComfortable soft handlePack by sliding card	2	12
JDZB8001	60mm(2") 	3" Straight jaw hand seamer	3" Straight jaw-hand seamerLength: 8-1/4" (210mm)Head size:80(3")*35mmMaterial:CRV+Q235Comfortable soft handlePack by sliding card	2	12
JDZB1501	150mm(6") 	6" Straight jaw hand seamer	6" straight-jaw hand seamerLength: 8-1/4" (210mm)Head size:150(6")*35mmMaterial:CR-V+Q235Comfortable soft handlePack by sliding card	2	12
JDLP8C10	10" 	10" Oil filter wrench plier	Size: 10" Jaw openings range: 50-110mm Application in the paw lock position of the filter of small cars and trucks Hardened steel: HRC38-HRC48 Nickel plated	5	40
JDLP5703	3PCS SET 	3Pcs Locking Pliers Set	3pcs Locking pliers Set Include: 1pcs 7" straight jaw locking plier 1pcs 9" long nose locking plier 1pcs 10" curved jaw locking plier Carbon Steel	4	16












JDHM3306		24 oz Bricklayer's-Masons Hammer	Masons hammerWeight : 24oz (600g)Type B Pry nails functionAnti-slip knock surfaceHeat treatment, 45# carbon steelUnique design fiberglass handlePacked by label	6	18
JDCC8312		12 Pcs Cold chisel and punch set	Cold chisel and punch set (12 pieces) Material: 40Cr steel Include: 2 pieces of center punch: 6x102mm (1/4"x4"); 8x115mm (5/16"x4-1/2") 1 piece of taper punch: 2x140mm(3/32"x5-1/2") 3 pieces of cold chisel: 10x142mm (3/8"x5-7/8") 7 Pcs body and fender hammer set (genuine hickory handle) 1Pcs Chisel end hammer 1Pcs Pick hammer 1Pcs Bumping hammer 1Pcs Shrinking dolly	5	10
JDHZ1D07		7 Pcs Body and fender hammer set		0	2
JDDD2303		1/4\"X10' Drain auger with plastic handle	Length: 10' (3m) Full flexible plated spring steel Spring diameter: 1/4" (Ø1.4*Ø6mm) With plastic handle With "S" hook, zinc-plated Easy to use and convenient A spring-type coil designed with high flexibility to provide better cleaning	10	40
JDDD2305		3/8\"X16' Drain auger with plastic handle	Length: 16' (5m) Full flexible plated spring steel Spring diameter: 3/8" (Ø1.9*Ø9mm) With plastic handle With "S" hook, zinc-plated Easy to use and convenient A spring-type coil designed with high flexibility to provide better cleaning	5	10
JDDD2310		3/8\"X32' Drain auger with plastic handle	Length: 32' (10m) Full flexible plated spring steel Spring diameter: Ø1.9*Ø9mm With plastic handle With "S" hook, zinc plated Easy to use and convenient	0	0
JDDD3345		(1/4\"x14-3/4\") Drain auger	Length: 14-3/4" (4.5m) Full flexible plated spring steel Spring diameter: Ø1.3*Ø6mm With plastic storage box, With "S" hook, zinc-plated Easy to use and convenient A spring-type coil designed with high flexibility to provide better cleaning	3	18
JDMQ1512		12 PCS Carpenter pencil set	Carpenter pencil (oval) 12Pcs/set Size: 12*7.4*176mm Size of the pencil lead: 5.0*2.0mm Pencil lead color: black Packed by color box	0	72
JDMQ2512		12 PCS Bi-color carpenter pencil set	Carpenter pencil (oval) 12Pcs/set Size: 10*7.5*176mm Size of the pencil lead: 4.0*2.0mm Pencil lead color: red & blue Packed by color box	0	72
JDACC1528		2-3/4\" aluminum corner clamp	Aluminum Alloy Max. Clamping: 2-3/4" (70mm) Jaw Depth: 1-3/8" (35mm) Packing by Color box	0	20
JDACC2528		2-3/4\" aluminum quick-release corner clamp	Aluminum Alloy with double quick-release button Max. Clamping: 2-3/4" (70mm) Jaw Depth: 1-1/4" (30mm) Packing by Color box	0	20

JDCP6404		Belt clamp 13'	Belt clamp Belt length: 13' Body material: ABS Packed by double blister	6	24
JDACC353		3' Corner clamp	Miter corner clamp Aluminum Alloy economic model Max. Clamping: 75mm(3") Jaw angle: 90° Packing by Paper card	12	120
JDCZ6E01		4 PCS Corner clamp set	90° corner clamp Quantity: 4 pieces per set Body material: nylon With 4 rubber feet Packed on paper hanger	10	30
JDTN1001		176 Lb Panel carrier	Material : ABS+TPR Size: 14-3/8"x6-1/2"x2" (36.5cm*16.5cm*7.5cm) Maximum weight: 176 lb (80 kg) Maximum width: 1-3/8" (3.5 cm) used to carry all kinds of wood boards, gypsum boards, metal plates and so on. Pack by label	6	24
JDTN2002		220 Lb Wallboard & Drywall carrier set	Included: 2 pieces wallboard carrier Material: 45# Size: 6"x4-1/2"x2" (15.5 x 11.5 x 5 cm) Maximum weight: 220 lb (100 kg) PP+TPR soft handle Easy two-person carrying Sold in pairs Pack by double blister	2	12
JDST1412		10 Pcs X1/2" Hex and Torx Bit socket set	10 Pcs 1/2" Bit socket set Include: 5 Pcs 1/2" Dr. Hex bit socket: H8-10-12-14-17 5 Pcs 1/4" Dr. Torx bit socket: T30, T40, T45, T50, T55 Drive size: 1/2" Bit material: Cr-V Socket material: 50BV30 steel (Cr-V) Heat treatment Chromed	10	20
JDST2414		12 Pcs X1/4" Hex and Torx Bit socket set	12 Pcs 1/4" Bit socket set Include: 6 Pcs 1/4" Dr. Hex bit socket: H2-3-4-5-6-7-6 6 Pcs 1/4" Dr. Torx bit socket: T8, T10, T15, T20, T25, T27 Drive size: 1/4" Bit material: Cr-V Socket material: 50BV30 steel (Cr-V) Heat treatment Chromed	10	40
JDWB8A10		220lb Foldable hand truck	Load capacity: 220lb (100 kg) Frame material: aluminium tube Foot plate material: steel Extended size: 16"x15"x40" (400x385x1000mm) Folded size: 60x385x640mm Foot plate size: 265x385mm Wheels: 5" (125mm)	0	4
JDWB9A20		440LB(200KG) Foldable hand truck	Load capacity: 440LB (200 kg) Material: aluminium Extended size: 24"x23"x51" (610x590x1310mm) Folded size: 3-1/2"x23"x42" (90x590x1075mm) Wheels: 8" (200mm) (PP+TPR) Including elastic bungee cord Compact design, easy to store almost	0	1
JDWB9A06		132lb(60kg) Foldable Hand truck	Load capacity: 132lb (60 kg) Frame material: aluminium tube Foot plate material: steel Extended size: 16"x15"x40" (400x385x1000mm) Folded size: 60x385x640mm Foot plate size: 265x385mm Wheels: 5" (125mm) (PP+TPR) Including elastic bungee cord Compact design, easy to store almost	0	0
JDWB9A15		331LB(150KG) Foldable platform hand truck	Load capacity: 331 LB (150 KG) Material: Aluminium+steel Extended size: 28"x16-1/2"x37" (710x420x950mm) Folded size: 21"x16-1/2"x9" (530x420x230mm) Wheels: 4" (100mm) (PP+TPR) Including elastic bungee cord Compact design, easy to store	0	1











JDWB1315		330Lb(150Kg) Foldable platform hand truck	Capacity :330Lb(150Kg)Material: steelSteel handle with comfortable foamExtended size: 29"X18-1/2"X33" (735*470*830mm)Folded size: 735*470*220mmPlate size: 735*470mmWheel diameter and material: Overall size: 719x365x663mm With 3 pcs 719x365x85mm trays Material: steel Weight: 12kg Overall with casters size: 719x365x780mm Caster size: 4"x1" Steel thickness: 0.6~0.8mm	0	1
JDCS1A13		Tool cart with 3 Trays	Overall size: 719x365x663mm With 3 pcs 719x365x85mm trays Material: steel Weight: 12kg Overall with casters size: 719x365x780mm Caster size: 4"x1" Steel thickness: 0.6~0.8mm	0	1
JDMC6001		6" Round magnetic storage tray	Size: 6" (150mm)Material: stainless steelRubber-covered magnetic baseIdeal for storage of nuts, bolts, and screwsPacked in color box	12	48
JDMC6004		10-3/4"X11" Magnetic storage tray	Size: 10-3/4"X11" (270*290mm)Material: Stainless steelRubber-covered magnetic baseIdeal for storage of nuts, bolts, and screwsPacked in color box	6	12
JDMC6002		9"x5-1/2" Magnetic storage tray	Size: 9"x5-1/2" (136*235mm)Material: Stainless steelRubber-covered magnetic baseIdeal for storage of nuts, bolts, and screwsPacked in color box	6	24
JDMC6003		6-1/4"X14" Magnetic storage tray	Size: 6-1/4"X14" (160*360mm)Material: Stainless steelRubber-covered magnetic baseIdeal for storage of nuts, bolts, and screwsPacked in color box	6	12
JDTB3325		18.5"X25L Plastic Storage Container	18.5" plastic storage containerVolume capacity:25LSize:470mm(18.5")*335mm(13")*265mm(10.5")Material:PPColor:BlackWeight:1100gPP plastic bucklePacked by label"	0	10
JDTB3340		23"X40L Plastic Storage Container	23" plastic storage containerVolume capacity:40LSize:590mm(23")*385mm(15")*285mm(11")Material:PPColor:BlackWeight:1500gPP plastic bucklePacked by label	0	10
JDTB3355		23"X55L Plastic storage container	23" plastic storage containerVolume capacity:55LSize:590mm(23")*385mm(15")*385mm(15")Material:PPColor:BlackWeight:1960gPP plastic bucklePacked by label	0	10
JDTB2335		20"X33L Transparent Plastic storage box	20" plastic storage boxVolume capacity:33LSize:510mm(20")*390mm(15.5")*242mm(9.5")Material: 100% random PPColor:ClearWeight:1251gPP plastic buckleLid with handlePacked by label	0	10
JDTB3380		27.5"X80L Plastic Storage Container	27.5" plastic storage containerVolume capacity:80LSize:700mm(27.5")*455mm(18")*365mm(14.5")Material:PPColor:BlackWeight:2500gPP plastic bucklePacked by label	0	6











JDTB2350		20"X47L Transparent Plastic storage box	20" Plastic storage boxVolume capacity:47LSize:510mm(20")*390mm(15.5")*326mm(13")Material: 100% random PPColor:ClearWeight:1426gPP plastic buckleLid with handlePacked by label	0	10
JDTB331B		29.5"X100L Plastic Storage Container	29.5" plastic storage containerVolume capacity:100LSize:750mm(29.5")*510mm(20")*370mm(14.5")Material:PPColor:BlackWeight:2900gPP plastic bucklePacked by label	0	5
JDTB2370		25"X66L Transparent Plastic storage box	25" Plastic storage boxVolume capacity:66LSize:640mm(25")*446mm(17.5")*313mm(12.5")Material: 100% random PPColor:ClearWeight:1831gPP plastic buckleLid with handlePacked by label	0	8
JDTB8330		15"x6-3/4"x12-3/4" Modular storage tower with 9 storage bins	Total size: 15"x6-3/4"x12-3/4" (380x170x320mm)Include: 9 storage bins (JDTB8336) Each bin size is: 6-1/2"x4-3/8"x3" (165x110x80mm) Material: PP plasticmodular system expands with your storage needsInterlock multiple units, either	0	4
JDTB8344		15"x7-1/4"x12-3/4" Modular storage tower with 4 organizers	Total size: 15"x7-1/4"x12-3/4" (380x182x320mm)Material: PP plasticInclude:4 pieces of transparent organizer (JDTB8342)Size: 12-3/4"x7"x2" (320x180x50mm)modular system expands with your storage needsInterlock multiple	0	4
JDTB8346		15"x7-1/4"x12-3/4" Modular storage tower with 6 organizers	Total size: 15"x7-1/4"x12-3/4" (380x182x320mm)Material: PP plasticInclude:4 pieces of transparent organizers (JDTB8341)Size: 7"x6-1/2"x2" (180x165x50mm) 2 pieces of transparent organizer (JDTB8342)Size:	0	4
JDTB8331		15"x6-1/4"x12-3/4" Modular storage tower with 9 storage bins	Total size: 15"x6-1/4"x12-3/4" (380x155x320mm)Material: PP plasticInclude: 9 transparent storage bins (JDTB8333)Size: 6"x4"x3" (150 x 105 x 80 mm)modular system expands with your storage needsInterlock multiple units,	0	4
JDTB8333		3 Pcs Transparent storage bins set	3 Pcs/setEach bin size is 6"x4"x3" (150x105x80mm) Color: transparentMaterial: PP plastic2 compartments for smaller accessoriesRemovable partitionPacked by label	0	16
JDTB8342		12.8"X7"X2" Transparent organizer	Size: 12.8"X7"X2" (320x180x50mm)Color: transparentMaterial: PP plastic13-piece compartments for smaller accessoriesRemovable partitionPacked by label	0	16
JDTB8336		6Pcs Storage bins set (6-1/2"X4-3/8"X3")	6 Pcs/setEach bin size: 6-1/2"X4-3/8"X3" (165x110x80mm)Material: PP plasticBins can be stacked, nested and side lockedCan be hung on the wall or hanging panelPacked by label	0	16
JDTB8341		Transparent organizer (7"X6-1/2"X2")	Size: 7"X6-1/2"X2" (180x165x50mm)Color: transparentMaterial: PP plastic6 compartments for smaller accessoriesRemovable partitionPacked by label	0	0












JDTB8343		3 Pcs Transparent organizers set	3 Pcs/set Material: PP plastic Color: transparent Include: 2 Pcs transparent organizer-S(JDTB8341) Size:180x165x50mm	0	8
JDADS1509		Drill stand	Aluminum Alloy Base and BodyHolder capacity: 1-3/4" (43mm)Single working length: 2-3/8" (60mm)Packing by Color box	0	10
JDADS2543		5" Vertical Drill stand	Aluminum Alloy Base and BodyHolder capacity: 1-3/4" (43mm)Working length: 5" (125mm)Packing by Color box	0	10
JDASC1251		Angle grinder stand	For 4"-5" (100-125mm) Angle GrinderAluminum Alloy BodyCast Iron BaseThe clamping Angle can be adjusted from 0-45°Size of Table: 7-1/2"x9 1/2" (190x235mm)Packing by Color box	0	6
JDATV1528		Bench clamp 2-3/4"	Aluminum Alloywith quick-release buttonMax. Clamping: 2-3/4"Jaw Depth: 30mmPacking by Color box	0	20
JDYH1325		250ml Oil can	Capacity:250mL;Material : ST14;Thickness : 0.4mm;All steel bodyDurable and resist rust;Wide base for added stability,Seamless drawn body won't leak on the bottom;Detachable plastic spout, oil nozzle USES pure copper to make the oil	10	120
JDYH1350		500mL Oil can	Capacity:500mL;Material : ST14 ; Thickness : 0.4mmall-steel structureDurable and resist rust;Wide base for added stability,Seamless drawn body won't leak on the bottom;Oil nozzle with detachable rigid spout that uses pure copper to create uniform oil;Simple thumb pump trigger,	10	80
JDPT3133		3-In-1 Plastic putty knife set	Size: 50mm(2"); 75mm(3"); 100mm(4") Material: PP Packed by paper card	12	72
JDRN1328		11"X5 1/2" Fine rubber float	Size:280mmx140mm EVA Thickness: 10mm PU handle Packed by label	6	24
JDUK2501		4"X2-3/4"X1" Grit80 Abrasive sanding block set	size:100*70*25mm Grit:80 Suitable for metal and wood 2pcs/set Packed by paper card	50	100
JDUK2502		4"X2-3/4"X1" Grit120 Abrasive sanding block set	size:100*70*25mm Grit:120 Suitable for metal and wood 2pcs/set Packed by paper card	50	100

JDUK2503		4"X2-3/4"X1" Grit180 Abrasive sanding block set	size:100*70*25mm Grit:180 Suitable for metal and wood 2pcs/set Packed by paper card	50	100
JDGS1630		12" Metal scraper	Material:aluminium alloy knife plate Blade size:18*100mm Length:300mm Packed by half double blister	10	60
JDGS1660		24" Metal scraper	Material:aluminium alloy knife plate Blade size:18*100mm Length:600mm Packed by half double blister	10	60
JDGS1690		36" Metal scraper	Material:aluminium alloy knife plate Blade size:18*100mm Length:900mm Packed by half double blister	10	40
JDPE6302		4"X5" Inside corner plastering trowel	Size:4"*5" Stainless steel Fine polished Inside corner Used to embed tape and smooth out the final layer of mud to taped corners	12	120
JDPE6301		4"X5" Outside corner plastering trowel	Size:4"*5" Stainless steel Fine polished Outside corner Used to embed tape and smooth out the final layer of mud to taped corners	12	120
JDPE4315		6"X4" Stainless steel concrete edger	Size: 150*95*100mm Material: stainless steel Thickness: 1.2mm Fine polished Plastic handle Packed by label	6	60
JDPE3317		7"X3" Stainless steel concrete groover	Size: 175*77*80mm Material: stainless steel Thickness: 1.2mm Slotting width:15mm Slotting depth:12mm Fine polished	6	60
JDFPQ1302		12" Aluminum Foam gun teflon coated	Aluminium alloy gun body Aluminium alloy adapter With teflon coated Copper muzzle Packed by color box	0	20
JDPN1H51		48mmX150m(164YDS) Transparent packing tape	BOPP Length: 150m Width: 48mm Thickness: 45Mic (1.77mil) Color: transparent	0	54
JDPN1H05		48MMX50M Transparent packing tape	BOPP Length: 50m Width: 48mm Thickness: 45Mic Color: transparent Used for carton sealing	0	96












JDVT2H12		48MMX25M Duct tape	Length: 25m Width: 48mm Thickness: 0.16mm Color: grey Easy to tear by hand Used for carpet splicing fixing, heavy duty	0	72
JDVF6H30		48MM x 30M HVAC Aluminum Foil Tape	Length: 30m Width: 48mm Thickness: 0.08mm High and low temperature resistant Used for bonding insulating materials Packed by shrink with color paper	0	36
JDVF6H50		48MMx50M HVAC Aluminum Foil Tape	Length: 50m Width: 48mm Thickness: 0.08mm High and low temperature resistant Used for bonding insulating materials Packed by shrink with color paper	0	24
JDPN4H45		50MMX30M Safety warning tape	Length: 30m Width: 50mm Thickness: 0.15mm Color: yellow and black Resistant to abrasion Used for lane marking, floor marking, danger	0	72
JDVA3535		25MMX5M PVC Anti-slip warning tape	Length: 5m Width: 25mm Thickness: 0.78mm Color: yellow-black Adhesion to surface For use on floors, stairs, ramps and	0	72
JDVA3560		50MMX5M PVC Anti-slip warning tape	Length: 5m Width: 50mm Thickness: 0.78mm Color: yellow-black Adhesion to surface For use on floors, stairs, ramps and	0	144
JDPN3525		25MMX5M PEVA Anti-slip tape	Length: 5m Width: 25mm Thickness: 0.72mm Color: transparent Easy cleaning, great durability For use in bathrooms, showers, kitchens and	0	144
JDPN3550		50MMX5M PEVA Anti-slip tape	Length: 5m Width: 50mm Thickness: 0.72mm Color: transparent Easy cleaning, great durability For use in bathrooms, showers, kitchens and	0	72
UJDHU1901		1/4 - 2/3 in. Stainless Steel Hose Clamp	Suitable range: 1/4"-2/3" Band width: 5/16" 50pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	500	2000
UJDHU1902		3/8 - 2/3 in. Stainless Steel Hose Clamp	Suitable range: 3/8"-2/3" Band width: 5/16" 50pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	500	2000
UJDHU1903		9/16 - 3/4 in. Stainless Steel Hose Clamp	Suitable range: 9/16"-3/4" Band width: 5/16" 50pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	500	2000


UJDHU1904	13-22mm(9/16"-7/8") 	9/16 - 7/8 in. Stainless Steel Hose Clamp	Suitable range: 9/16"-7/8" Band width: 5/16" 50pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	500	2000
JDHU2901	14-27mm 	9/16 - 1 1/16 in. Stainless Steel Hose Clamp	Suitable range: 14-27mm (9/16"-1 1/16") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	100	800
JDHU2902	18-27mm 	3/4 - 1 1/16 in. Stainless Steel Hose Clamp	Suitable range: 19-27mm (3/4"-1 1/16") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	100	800
JDHU2903	18-32mm 	5/8 - 1 1/4 in. Stainless Steel Hose Clamp	Suitable range: 16-32mm (2/3"-1 1/4") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	100	800
JDHU2904	19-38mm 	3/4 - 1 1/2 in. Stainless Steel Hose Clamp	Suitable range: 19-38mm (3/4"-1 9/16") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	80	640
JDHU2905	19-44mm 	3/4 - 1 3/4 in. Stainless Steel Hose Clamp	Suitable range: 19-44mm (3/4"-1 3/4") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	80	640
JDHU2906	32-51mm 	1 1/4 - 2 in. Stainless Steel Hose Clamp	Suitable range: 32-51mm (1 1/4"-2") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	80	640
JDHU2907	38-57mm 	1 1/2 - 2 1/4 in. Stainless Steel Hose Clamp	Suitable range: 38-57mm (1 1/2"-2 1/4") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	80	640
JDHU2908	40-64mm 	1 1/2 - 2 1/2 in. Stainless Steel Hose Clamp	Suitable range: 40-64mm (1 1/2"-2 1/2") Band width: 12.7mm (1/2") 20pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	80	640
JDHU2909	46-70mm 	1 13/16 - 2 3/4 in. Stainless Steel Hose Clamp	Suitable range: 46-70mm (1 13/16"-2 3/4") Band width: 12.7mm (1/2") 10pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	60	480
JDHU2910	57-76mm 	2 1/4 - 3 in. Stainless Steel Hose Clamp	Suitable range: 57-76mm (2 1/4"-3") Band width: 12.7mm (1/2") 10pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	60	480

JDHU2911	67-83mm 	2 2/3 - 3 1/4 in. Stainless Steel Hose Clamp	Suitable range: 67-83mm (2 2/3"-3 9/32") Band width: 12.7mm (1/2") 10pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	60	480
JDHU2912	65-89mm 	2 1/2 - 3 1/2 in. Stainless Steel Hose Clamp	Suitable range: 65-89mm (2 9/16"-3 1/2") Band width: 12.7mm (1/2") 10pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	60	480
JDHU2913	72-95mm 	2 7/8 - 3 3/4 in. Stainless Steel Hose Clamp	Suitable range: 72-95mm (2 13/14"-3 3/4") Band width: 12.7mm (1/2") 10pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	60	480
JDHU2914	78-102mm 	3 1/16 - 4 in. Stainless Steel Hose Clamp	Suitable range: 78-102mm (3 1/16"-4") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200
JDHU2915	84-108mm 	3 1/3 - 4 1/4 in. Stainless Steel Hose Clamp	Suitable range: 84-108mm (3 5/16"-4 1/4") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200
JDHU2916	91-114mm 	3 9/16 - 4 1/2 in. Stainless Steel Hose Clamp	Suitable range: 91-114mm (3 2/3"-4 1/2") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200
JDHU2917	105-127mm 	4 1/8 - 5 in. Stainless Steel Hose Clamp	Suitable range: 105-127mm (4 1/16"-5") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200
JDHU2918	118-140mm(4 23/32"-5 17/32") 	4 2/3 - 5 17/32 in. Stainless Steel Hose Clamp	Suitable range: 118-140mm (4 2/3"-5 17/32") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200
JDHU2919	130-152mm(5 1/4"-6") 	5 1/4 - 6 in. Stainless Steel Hose Clamp	Suitable range: 130-152mm (5 1/4"-6") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200
JDHU2920	141-165mm(5 1/2"-6 17/32") 	5 1/2 - 6 17/32 in. Stainless Steel Hose Clamp	Suitable range: 141-165mm (5 1/2"-6 17/32") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200
JDHU2921	156-178mm(6 9/64"-7") 	6 9/64 - 7 in. Stainless Steel Hose Clamp	Suitable range: 156-178mm (6 9/64"-7") Band width: 12.7mm (1/2") 5pcs/plastic bag The slotted hex-head screw Band and housing in stainless steel,screw in carbon steel with zinc plated	25	200

JDJG1402		7/16" Arbor for hole saw	Arbor for hole saw Hex shank 7/16" Fit hole saws 32mm(1-1/4") to 210mm(8-17/64") Packed by double blister	10	60
JDWB8F01		Wheelbarrow 6 cu.ft. Steel Tray Pneumatic Tire Steel Handle	Load (kg):150 Water Capacity(L) :90 Sand Capacity(CBF):6 Wheel:16"x4.00-8,pneumatic wheel with bearing 4PR,tyre with diamond lines,	0	1
JDWB8F03		Wheelbarrow 6 cu.ft. Steel Tray Flat-Free Tire Steel Handle	Two tone soft grip handle Load (kg):150 Water Capacity(L) :90 Sand Capacity(CBF):6 Wheel:16"x4.00-8,PU Foam Wheel with bearing	0	1
JDWL8301		Replacement Pneumatic tire for JDWB8F01 Wheelbarrow	MAX Load (kg):150 Wheel:16"x4.00-8,pneumatic wheel with bearing,4PR Tyre with diamond lines, Suitable for item:JDWB8F01,JDWB8F03,,JDWB5F04	0	1
JDWL8303		Replacement flat free tire for JDWB8F03 Wheelbarrow	MAX Load (kg):150 Wheel:16"x4.00-8,PU Foam Wheel with bearing Suitable for item :JDWB8F01,JDWB8F03 Packed by label	0	1
JDKG1801		Knitted&PVC dotted gloves-XL	Size: 10 (XL)Use for transporting and cargo handling workers, recycling worker, repairers, etcGauge:10Weight:54g/pair; 650g/dozenCotton class: APacked in poly bag	12	300
JDGV2801		Nitrile gloves-XL	Size:XL Liner Material:Polyester Coating material/Finish: Nitrile Gauge:13 Protection level:4121X 12pairs/paper	12	240
JDKP1101		Kneepads	Size: 9"x6" (230x150mm)PVC outer shell provides maximum impact resistanceEVA foam body provides extra comfortErgonomic designPacked in plastic bag	10	20
JDNC1501		250Lb Roller seat	Supports up-to 250 lbs/110kgs Equipped with 4 360-degree swivel casters Net weight:4.2KG Packed by carton box	0	1
JDNC1521		250Lb Roller seat	Supports up-to 250 lbs/110kgs Lifting range:120mm Pneumatic lifting Faux-leather seat Net weight: 5.3Kg Packed by carton box	0	1
JDJL2331		3"X220lb Rigid caster wheel	3" rigid caster wheel Load: 100kg Wheel material: PP+PVC Wheel diameter: 3" (75mm) Wheel width: 1.25" (32mm) Bearing: double ball bearing	0	40

JDJL2341		4"X286lb Rigid caster wheel	4" rigid caster wheelLoad: 286LB (130kg)Wheel material: PP+PVCWheel diameter: 4" (100mm)Wheel width: 1.25" (32mm)Bearing: double ball bearingFrame material: cold-rolled plateFrame thickness: 2.5mmFrame surface finish:	0	30
JDJL2332		3"X220lb Swivel caster wheel	3" swivel caster wheelLoad: 100kgWheel material: PP+PVCWheel diameter: 3" (75mm)Wheel width: 1.25" (32mm)Bearing: double ball bearing	0	40
JDJL2342		4"X286lb Swivel caster wheel	4" swivel caster wheelLoad: 286LB (130kg)Wheel material: PP+PVCWheel diameter: 4" (100mm)Wheel width: 1.25" (32mm)Bearing: double ball bearingFrame material: cold-rolled plateFrame thickness: 2.5mmFrame surface finish: galvanizedTop	0	30
JDJL2333		3"X220lb Swivel caster wheel with brake	3" swivel caster wheel with brakeLoad: 100kgWheel material: PP+PVCWheel diameter: 3" (75mm)Wheel width: 1.25" (32mm)Bearing: double ball bearing	0	40
JDJL2343		4"X286lb Swivel caster wheel with brake	4" swivel caster wheel with brakeLoad: 130kgWheel material: PP+PVCWheel diameter: 4" (100mm)Wheel width: 1.25" (32mm)Bearing: double ball bearing	0	30
JDJL2351		5"X330lb rigid Caster wheel	5" rigid caster wheelLoad: 150kgWheel material: PP+PVCWheel diameter: 5" (125mm)Wheel width: 1.25" (32mm)Bearing: double ball bearing	0	25
JDJL2352		5"X330lb Swivel caster wheel	5" swivel caster wheelLoad: 150kgWheel material: PP+PVCWheel diameter: 5" (125mm)Wheel width: 1.25" (32mm)Bearing: double ball bearingFrame material: cold-rolled plateFrame thickness: 2.5mmFrame surface finish: galvanizedTop plate	0	25
JDJL2353		5"X330lb swivel caster wheel with brake	5" swivel caster wheel with brakeLoad: 150kgWheel material: PP+PVCWheel diameter: 5" (125mm)Wheel width: 1.25" (32mm)Bearing: double ball bearingFrame material: cold-rolled plateFrame thickness: 2.5mmFrame surface finish: galvanizedTop	0	25
JDJL3331		3"X88lb Rubber Rigid caster wheel	3" rigid caster wheelLoad: 40kgWheel material: steel+rubberWheel diameter: 3" (75mm)Wheel width: 22mmBearing: roller bearing	0	60
JDJL3332		3"X88lb Rubber Swivel caster wheel	3" swivel caster wheelLoad: 40kgWheel material: steel+rubberWheel diameter: 3" (75mm)Wheel width: 22mmBearing: roller bearing	0	50
JDJL3333		3"X88lb Rubber Swivel caster wheel with brake	3" swivel caster wheel with brakeLoad: 40kgWheel material: steel+rubberWheel diameter: 3" (75mm)Wheel width: 22mmBearing: roller bearing	0	40

JDJL3341		4"X154lb Rubber Rigid caster wheel	4" rigid caster wheel Load: 70kg Wheel material: steel+rubber Wheel diameter: 4" (100mm) Wheel width: 30mm Bearing: roller bearing	0	35
JDJL3342		4"X154lb Rubber Swivel caster wheel	4" swivel caster wheel Load: 70kg Wheel material: steel+rubber Wheel diameter: 4" (100mm) Wheel width: 30mm Bearing: roller bearing	0	30
JDJL3343		4"X154lb Rubber Swivel caster wheel with brake	4" swivel caster wheel with brake Load: 70kg Wheel Material: steel+rubber Wheel diameter: 4" (100mm) Wheel width: 30mm Bearing: roller bearing	0	30
JDJL3351		5"X220lb Rubber Rigid caster wheel	5" rigid caster wheel Load: 100kg Wheel Material: steel+rubber Wheel diameter: 5" (125mm) Wheel width: 34mm Bearing: roller bearing	0	25
JDJL3352		5"X220lb Rubber Swivel caster wheel	5" swivel caster wheel Load: 100kg Wheel material: steel+rubber Wheel diameter: 5" (125mm) Wheel width: 34mm Bearing: roller bearing	0	20
JDJL3353		5"X220lb Rubber Swivel caster wheel with brake	5" swivel caster wheel with brake Load: 100kg Wheel material: steel+rubber Wheel diameter: 5" (125mm) Wheel width: 34mm Bearing: roller bearing	0	20
JDJL3361		6"X330lb Rubber Rigid caster wheel	6" rigid caster wheel Load: 150kg Wheel material: steel+rubber Wheel diameter: 6" (150mm) Wheel width: 36mm Bearing: roller bearing	0	12
JDJL3362		6"X330lb Rubber Swivel caster wheel	6" swivel caster wheel Load: 150kg Wheel material: steel+rubber Wheel diameter: 6" (150mm) Wheel width: 36mm Bearing: roller bearing	0	10
JDJL3363		6"X330lb Rubber Swivel caster wheel with brake	6" swivel caster wheel with brake Load: 150kg Wheel material: steel+rubber Wheel diameter: 6" (150mm) Wheel width: 36mm Bearing: roller bearing	0	10
JDJL3381		8"X507lb Rubber Rigid caster wheel	8" rigid caster wheel Load: 230kg Wheel material: steel+rubber Wheel diameter: 8" (200mm) Wheel width: 44mm Bearing: roller bearing	0	8
JDJL3382		8"X507lb Rubber Swivel caster wheel	8" swivel caster wheel Load: 230kg Wheel material: steel+rubber Wheel diameter: 8" (200mm) Wheel width: 44mm Bearing: roller bearing	0	8

JDJL3383		8"X507lb Rubber Swivel caster wheel with brake	8" swivel caster wheel with brake Load: 230kg Wheel Material: steel+rubber Wheel diameter: 8" (200mm) Wheel width: 44mm Bearing: roller bearing	0	6
----------	---	---	---	----------	----------

OMC TOOLS & HARDWARE